

Michael Anastassiades, Edward Barber &  
Jay Osgerby, Mario Bellini, Ronan & Erwan  
Bouroullec, Achille Castiglioni, Pier Giacomo  
Castiglioni, Antonio Citterio, Rodolfo Dordoni,  
Formafantasma, Ron Gilad, Johanna Grawunder,  
Konstantin Grcic, Joris Laarman, Piero Lissoni,  
Jasper Morrison, Nendo, Paolo Rizzatto, Nicoletta  
Rossi & Guido Bianchi, Gino Sarfatti, Tobia Scarpa,  
Philippe Starck, Patricia Urquiola, Vincent Van  
Duysen, Marcel Wanders

DECORATIVE COLLECTION




2020

FLOS

DECORATIVE COLLECTION  
2020



FLOS

# NEW 2020



2097/18 Clear  
P. 242


2097/18 Frosted  
P. 242



2097/18 Frosted  
P. 242

Belt  
P. 225

Bulbo57  
P. 238







Chiara Floor  
P. 156

Chiara Table  
P. 56

Coordinates C1  
P. 318

Coordinates C1 Long  
P. 318

Coordinates C2  
P. 318




Coordinates C2 Long  
P. 318

Coordinates C4  
P. 318


Coordinates C4 Long  
P. 318

Coordinates Module C  
P. 318

Coordinates Floor  
P. 318




Coordinates S1  
P. 216



Coordinates S2  
P. 216



Coordinates S3  
P. 216



Coordinates S4  
P. 216



Coordinates Module S  
P. 216



Flauta Outdoor Spiga  
P. 379



Diabolo  
P. 230




Flauta Riga  
P. 324



Heco Corner  
P. 382



Heco Wall  
P. 382



Heco Rectang. Table  
P. 382



Heco Square Table  
P. 382



IC Double c/w 1  
P. 329



Flauta Riga  
P. 324



IC Double c/w 1  
P. 329



IC Double c/w 2  
P. 329




IC Wall 1 Outdoor  
P. 388



Flauta Spiga  
P. 324



IC Wall 2 Outdoor  
P. 388



Infra Structure Episode 2 -C2  
P. 234



Flauta Outdoor Riga  
P. 379







Infra Structure Episode 2 -C3  
P. 234





Infra Structure Episode 2 -C4  
P. 234



Infra Structure Ep. 2 -C6  
P. 234



## NEW COLORS 2020





Patricia Urquiola

CHASEN, FLAUTA, SERENA, TATOU

Photo by Stefano Galuzzi



Jasper Morrison

GLO-BALL, SMITHFIELD, SUPERLOON


Photo by Timm Reutert



Tobia Scarpa

ARIETTE, BIAGIO, FANTASMA,  
FOGLIO

Courtesy of Tobia Scarpa



Antonio Citterio

CLESSIDRA, KELVIN LED,  
KELVIN EDGE, ONTHEROCKS

Courtesy of Antonio Citterio



Ronan & Erwan Bouroullec

AIM, BELT

Photo by Philippe Jarrigeon






Nicoletta Rossi and Guido Bianchi

IPNOS


Photo by Maki Ochoa

Courtesy of Rodolfo Dordoni



Rodolfo Dordoni

POCHETTE, RAY



Achille Castiglioni

AOY, DIABOLO, FRISBI, FUCSIA, LAMPADINA,  
PARENTESI, STYLOS, TARAXACUM 88

Photo by Maria Mulas



Philippe Starck

BIBLIOTHEQUE NATIONALE, BON JOUR,  
BON JOUR VERSAILLES, FORT KNOX, GUNS, KTRIBE, LA PLUS BELLE,  
MISS K, MISSI SISSI, ROMEO, ROSY ANGELIS, SUPERARCHIMON

Courtesy of Philippe Starck



Photo by Luciano Ferri

Achille & Pier Giacomo Castiglioni

ARCO, BULBO57, GATTO, LUMINATOR, SNOOPY,  
SPLÜGEN BRÄU, TACCIA, TARAXACUM,  
TOIO, VISCONTEA



Johanna Grawunder

WAN

Courtesy Designer's Gallery Köln



Konstantin Grcic

MAYDAY, NOCTAMBULE, OK

Photo by Frank Hulsbörger



Piero Lissoni

BUTTON, CAMOUFLAGE, CLARA  
CLIMBER, MY WAY, REAL MATTER, TIGHT LIGHT

Photo by Giovanni Gastel



Marcel Wanders

CHRYSALIS,  
SKYGARDEN, ZEPPELIN

Courtesy of Marcel Wanders



Vincent Van Duysen

INFRA-STRUCTURE EPISODE 2, OBLIQUE


Photo by Jan Verlinde



Mario Bellini

CHIARA

Photo by Alessandro Furchino Capria





Formafantasma

WIRERING

Courtesy of Formafantasma



Nendo

GAKU, HECO, SAWARU

Photo by Andreas Larsson





Paolo Rizzatto

265

Photo by Santi Caleca



Joris Laarman

NEBULA

Courtesy of Joris Laarman Lab



Edward Barber & Jay Osgerby

BELLHOP, TAB

Courtesy of E. Barber & J. Osgerby



Ron Gilad

2620, GOLDMAN

Photo by Monica Castiglioni




Photo by Frank Hülsbömer

Michael Anastassiades

ARRANGEMENTS, CAPTAIN FLINT, COORDINATES, COPYCAT  
IC LIGHTS, LAST ORDER, OVERLAP, STRING LIGHTS

# TABLE LAMPS

Collezione di lampade da tavolo



Aoy  
P. 144



Bellhop  
P. 78



Biagio  
P. 138



Bon jour  
P. 92



Bon jour unplugged  
P. 96



Bon jour Versailles  
P. 88



Bon jour Versailles  
small  
P. 88



Chiara Table  
P. 56



Copycat  
P. 105



Gaku  
P. 82



Gatto  
P. 114



Mini Glo-Ball Table  
P. 134



Glo-Ball Basic  
P. 134



Glo-Ball Table  
P. 134



Goldman  
P. 118



Guns - Bedside Gun  
P. 136



Guns - Table Gun  
P. 136



IC Table 1 High  
P. 101



IC Table 1 Low  
P. 101



IC Table 2  
P. 101

INDEX

# FLOOR LAMPS

Collezione di lampade da terra



Minikelvin Led  
P. 128



Kelvin Edge  
P. 130



Kelvin Led  
P. 129



KTribe Table  
P. 124



Lampadina  
P. 106



Last Order  
P. 60



Mayday  
P. 76



Mayday Anniversary  
P. 72



Miss K  
P. 146



Miss Sissi  
P. 141



Arco  
P. 178



Bibliotheque Nationale  
P. 196



Captain Flint  
P. 183



Chiara Floor  
P. 156



Chrysalis  
P. 193



Oblique  
P. 66



Ray Table  
P. 122



Romeo Moon Table  
P. 125



Romeo Soft Table  
P. 125



Serena  
86



Coordinates Floor  
P. 152



Fantasma  
P. 192



Glo-Ball Floor  
P. 190



Guns - Lounge Gun  
P. 184



IC Floor  
P. 174



Snoopy  
P. 120



Spun Light Table  
P. 142



Tab Table  
P. 116



Taccia  
P. 110



Taccia small  
P. 110



Ipnos  
P. 194



Kelvin Led Floor  
P. 203



Ktribe Floor  
P. 198



Luminator  
P. 211



Noctambule Floor  
P. 164



Tatou Table  
P. 127



Ray Floor  
P. 186



Romeo Moon Floor  
P. 206



Romeo Soft Floor  
P. 206



Rosy Angelis  
P. 205



Sawaru  
P. 161

INDEX

INDEX



Spun Light Floor  
P. 202



Stylos  
182



Superarchimoon  
P. 208



Superloon  
P. 171



Tab Floor  
P. 188



Frisbi  
P. 286



Fucsia  
P. 280



Glo-Ball Suspension  
P. 304



IC Suspension  
P. 268



Infra-Structure  
Episode 2  
P. 234



Tatou Floor  
P. 176



Toio  
P. 200



Ktribe Suspension  
P. 313



Nebula  
P. 294



Noctambule  
P. 255



Ok  
P. 276



Overlap  
P. 252

# SUSPENSION LAMPS

Collezione di lampade a sospensione



Parentesi  
P. 306



Ray Suspension  
P. 282



Romeo Babe S  
P. 288



Romeo Moon S  
P. 289



Skygarden  
P. 284



2097  
P. 244



2097/18  
P. 242



2620  
P. 303



Aim - Aim small  
P. 298



Arrangements  
P. 246



Smithfield  
Suspension  
P. 308



Splügen Bräu  
P. 278




String Lights Cone  
P. 263



String Lights Sphere  
P. 263



Taraxacum  
P. 290



Belt  
P. 225



Bulbo57  
P. 238



Chasen  
P. 296



Coordinates  
Suspension  
P. 216



Diabolo  
P. 230



Taraxacum 88  
Suspension  
P. 270



Tatou Suspension  
P. 275



Viscontea  
P. 292



Wan Suspension  
P. 283



Zeppelin  
P. 310

# WALL & CEILING LAMPS

Collezione di lampade da parete e soffitto



265  
P. 349



Ariette  
P. 359




Mini Button  
P. 366



Button  
P. 367



Clara  
P. 354



Skygarden Recessed  
P. 361



Smithfield Ceiling  
P. 343




Taraxacum 88  
Ceiling/Wall  
P. 356



Tight Light  
P. 352



Wan Ceiling/Wall  
P. 360



Coordinates  
Ceiling  
P. 318



Flauta  
P. 324



Foglio  
P. 368



Fort Knox Wall  
P. 346



Clessidra  
P. 344

# OUTDOOR/INDOOR LAMPS

Collezione di lampade da esterno/interno



Mini Glo-Ball  
Ceiling/Wall  
P. 350



Glo-Ball Ceiling  
P. 350



Glo-Ball Wall  
P. 350



IC Ceiling/Wall  
P. 330



IC Ceiling/Wall  
Double  
P. 329



Bellhop Wall  
P. 392



Bellhop Bollard  
P. 392



Camouflage  
P. 402



Captain Flint  
Outdoor  
P. 391



Clessidra  
P. 410



Ktribe Wall  
P. 364



La Plus Belle  
P. 332



Ontherocks  
P. 353



Pochette  
P. 362



Romeo Babe Wall  
P. 365



Climber  
P. 400



Flauta Outdoor  
P. 379



Heco  
P. 382



IC Wall Outdoor  
P. 388



IC Floor Outdoor  
P. 389



Ipnos  
P. 399



Ktribe Outdoor  
P. 404



Last Order  
P. 386



My Way  
P. 394



Real Matter  
P. 396



Romeo Outdoor  
P. 407



Superarchimoon  
Outdoor  
P. 408



# INDEX BY FAMILY

Indice prodotti per famiglia



P. 125



P. 206



P. 288



P. 365



P. 208



P. 134



P. 134



P. 190



P. 304



P. 350



P. 125



P. 206



P. 289



P. 288



P. 365



P. 350



P. 350



P. 284



P. 361



P. 116



P. 122



P. 186



P. 282



P. 146



P. 124



P. 268



P. 330



P. 329



P. 136



P. 184



P. 124



P. 198



P. 198



P. 313



P. 364



P. 142



P. 202



P. 114




P. 192



P. 252

INDEX

INDEX



P. 290



P. 292



P. 310



P. 310



P. 370



P. 318



P. 318



P. 318



P. 318



P. 318



P. 372



P. 270



P. 356



P. 127




P. 176



P. 318



P. 318



P. 318



P. 318



P. 318



P. 275



P. 308



P. 343



P. 128



P. 129



P. 318



P. 318



P. 216



P. 216



P. 216



P. 130



P. 203



P. 283



P. 360



P. 92



P. 216



P. 216



P. 216



P. 216



P. 216



P. 96



P. 88



P. 88



P. 56



P. 156



P. 216



P. 152



P. 255



P. 255



P. 255



P. 255



P. 164



P. 164



P. 164



P. 164



P. 392



P. 392



P. 404



P. 407



P. 408



P. 388



P. 389

«Reputation is a bit like a table: one or two marks  
and everyone notices: a whole host of scratches  
and it all blends in» — *Alain de Botton*

## **TABLE LAMPS**

NEW

**CHIARA TABLE, LAST ORDER,  
MAYDAY ANNIVERSARY,  
OBLIQUE**

NEW COLORS

**BELLHOP, IC LIGHTS,  
LAMPADINA, GLO-BALL, TAB**

NEW

# CHIARA



Mario Bellini, 2020



Nel 1969, l'architetto italiano Mario Bellini ha presentato per la prima volta Chiara, una lampada da terra realizzata da un unico "foglio" piatto ripiegato su se stesso, come un lucido mantello di acciaio inossidabile. Cinquant'anni dopo il suo lancio, Flos riedita questo prodotto iconico in svariate dimensioni e finiture.

In 1969, Italian architect Mario Bellini debuted Chiara, a flat-packable floor lamp for Flos that wore a shiny cloak of stainless steel. Fifty years after its introduction, Flos is reissuing the icon in a range of sizes and finishes.



Last Order è erede della lampada da tavolo originariamente progettata per il nuovo ristorante Four Seasons di New York, dopo il suo trasferimento e riapertura nel 2018 con gli interni disegnati dall'architetto di San Paolo Isay Weinfeld.

Last Order is a continuation of the table light that was originally designed for the new Four Seasons restaurant in New York City, which relocated and opened in 2018 with the interiors designed by São Paulo-based architect Isay Weinfeld.



NEW  
**LAST ORDER**




TABLE

Technical info p. 475-476

LAST ORDER

Michael Anastassiades, 2020





**3H CHARGING TIME**

**6-24H BATTERY LIFE**

Il tempo necessario per caricare completamente il dispositivo è di 3 ore (500 cicli di carica garantiti). Con il dispositivo acceso a un'intensità del 100%, l'autonomia senza fili è di 6 ore (si possono superare le 24 ore di autonomia riducendo l'intensità). Dopo 6 ore, l'intensità diminuisce automaticamente del 20% e la necessità di ricarica viene indicata con un LED (L) che lampeggia ad alta frequenza (ogni 0,2 secondi) fino a che non si collega il dispositivo a una presa elettrica o fino al completo esaurimento della batteria.

The time required to completely charge the device is 3 hours (500 charging cycles guaranteed). With the device turned on at 100% intensity, the cordless autonomy is 6 hours (more than 24 hours of autonomy can be achieved by reducing the intensity). After 6 hours, the intensity automatically decreases to 20% and the need to recharge is indicated: the LED indicator (L) blinks at high-frequency (every 0.2 seconds) until the device is plugged in to charge or the battery is completely discharged.





NEW

# OBLIQUE



Vincent Van Duysen, 2020





**INTEGRATED  
WIRELESS  
CHARGING SYSTEM**



**ALWAYS FEATURES  
A USB-C PORT  
INTEGRATED**

Il cuore di questa lampada è il frutto di una vera e propria sfida tecnologica concepita da Luke Smith-Wightman e Flos Architectural. Racchiusi in uno spessore di soli 5 millimetri LED e lenti sono in grado di generare un fascio di luce estremamente potente e controllato.

The heart of this lamp is the result of a real technological challenge conceived by Luke Smith-Wightman and Flos Architectural. The LEDs and lenses can generate an extremely powerful and controlled light beam from the inside of a just 5 mm thick space.







In occasione del ventesimo anniversario di creazione di Mayday, Flos edita un'edizione speciale con tiratura limitata di 2020 pezzi con la finitura del gancio in pressofusione di alluminio non trattato. Ognuno degli esemplari è impreziosito dall'incisione della firma di Konstantin Grcic da un lato e dalla punzonatura con numerazione progressiva (da 0 a 2020) e logo Flos dall'altro lato del gancio.

For the twentieth anniversary of Mayday, Flos has created a special edition with a limited run of 2020 units with the hook finished in untreated die-cast aluminium. Each item carries an incision with Konstantin Grcic's signature on one side of the hook and a progressive number (0 to 2020) and the Flos logo punched into the surface on the other side.

NEW  
MAYDAY ANNIVERSARY



Konstantin Grcic, 2000/2020





## MAYDAY



In alto: K. Grcic con Mayday. La lampada riceve il prestigioso Compasso d'Oro nel 2001. A sinistra: Lampada adatta a molteplici usi e collocazioni: può essere posizionata su un tavolo, collocata a terra o sospesa, grazie alla pratica maniglia che assolve anche la funzione di avvolgicavo.

Top: K. Grcic with Mayday, the lamp that received the coveted Compasso d'Oro award in 2001. Left: It is a lamp suited to multiple uses and settings. With its practical handle that also acts as a cable winder, it can be placed on a table, on the floor or suspended.

Konstantin Grcic, 2000





NEW COLORS



# BELLHOP

TABLE

Technical info p.421

BELLHOP

Edward Barber & Jay Osgerby, 2018



"Bellhop è nata come lampada da tavolo disegnata per il nuovo Design Museum di Londra. Una lampada da tavolo che offre la massima flessibilità di utilizzo, essendo senza fili. Bellhop proietta un cono di luce d'atmosfera. Il modello wireless è come una candela dei giorni nostri."  
 - E. Barber & J. Osgerby

"The Bellhop began when we designed a table lamp for the new London Design Museum. The table top Bellhop gives the user ultimate flexibility as a portable lamp. Bellhop casts an atmospheric pool of light and the portable version is like a modern day candle."  
 - E. Barber & J. Osgerby







# GAKU



Nendo, 2018




**INDUCTION RECHARGEABLE LAMP.  
6 TO 48 HOURS AUTONOMY**



**WIRELESS INDUCTIVE CHARGING**

Una lampada a sospensione, ad altezza regolabile, è appesa all'interno di una cornice, mentre la versione wireless presenta una piastra di ricarica a induzione che alimenta una lampada a luminescenza. Normalmente appoggiata alla superficie di ricarica, la lampada può essere portata liberamente altrove, dove serve la luce.

An adjustable-height pendant lamp hangs down inside a frame, while a wireless version features non-contact charging functionality to power a luminescent lamp. Normally laying on the charging dock, the lamp can be moved around freely when lighting is needed elsewhere.





## SERENA



Patricia Urquiola, 2015



## BON JOUR VERSAILLES




Philippe Starck, 2017

Erede della lampada "Bon Jour", nata dalla collaborazione tra Flos e Starck, e del candeliere "Versailles" creato da Baccarat, la collezione Bon Jour Versailles - composta da due modelli, disponibili in cristallo o polimetilmetacrilato - rivela linee senza tempo, di ineffabile leggerezza ed empirica modernità, che evocano la memoria collettiva del passato, del presente e del futuro.

The heir to an earlier "Bon Jour" lamps collaboration between Flos and Starck and to the "Versailles" candle-holder created by Baccarat, the Bon Jour Versailles collection, with two models available in crystal or polymethylmethacrylate, reveals timeless lines with unfailing lightness and empirical modernity that evoke our collective memory of the past, of the present and the future.





LE  
CRISTAL  
EST:°



- L'INTELLIGENCE DE LA NATURE
- UN MYSTERE
- ISSU DU HAZARD ET DE LA NECESSITE'
- INVULNERABLE PAR LA NATURE IL Y A PLUS OU MOINS 100,000 ANS
- NE DANS LE FEU
- UN LIQUIDE
- TRANSPARENT
- TRES FRAGILE'
- CHER
- MOULABLE PAR GRAVITE'
- POLISSABLE'
- ARISTOCRATIQUE
- SOUVENT IMPARFAIT
- INALTERABLE
- EMPIRIQUE
- RARE
- NOBLE
- MAGIQUE

LE  
POLYMETACRYLATE DE METHYLE  
EST:



- L'INTELLIGENCE DE L'HOMME
- UNE INVENTION
- ISSU DE LA RECHERCHE CHIMIQUE
- DECOUVERT PAR FITTIG ET PAUL EN 1877
- NE DANS LA CHALEUR
- UN POLYMERE
- TRANSPARENT
- TRES SOLIDE
- ABORDABLE
- INJECTABLE
- POUSSABLE
- DEMOCRATIQUE
- TOUJOURS PARFAIT
- INDESTRUCTIBLE
- THEORIQUE
- INFINI
- NOBLE
- MAGIQUE

PH.S

②

*Baccarat*

FLOS



# BON JOUR

TABLE

Technical info p. 428-429

BON JOUR

Philippe Starck, 2015





In alto: La rivoluzionaria tecnologia Edge Lighting si unisce al concetto di "dematerializzazione" intrinseco nel prodotto. Essa sfrutta al massimo le potenzialità del LED e con uno spessore minimo garantisce una luce perfettamente uniforme, un elevato comfort visivo, massima performance ed efficienza.

A destra: L'esclusivo design minimale del dimmer integrato, garantisce il massimo controllo sull'intensità luminosa con un click.

Top: The revolutionary Edge Lighting technology is combined with the "dematerialisation" concept intrinsic in the product. This makes full use of the LED's potentialities and with a minimum thickness guarantees a perfectly uniform light, a high visual comfort, maximum performance and efficiency.

Right: The exclusive minimalist design of the integrated dimmer guarantees maximum control of the light intensity with one click.





3H CHARGING TIME



6-24H BATTERY LIFE



ACCESSORIZE IT!

La funzione "portable/cordless" è garantita dalla ricarica con l'alimentatore incluso e dall'interfaccia MicroUSB-C di nuova generazione, per un'autonomia di 6/24 ore, a seconda dell'intensità luminosa di utilizzo.

The "portable/cordless" function is guaranteed by the recharge with the adaptor included and by the latest-generation MicroUSB-C interface, for 6/24 hours lighting life, depending on the light emission intensity.

Sensore ottico posizionato sulla base che garantisce la funzione dimmer 4-step.

Optical switch sensor on the base that provide 4-step dimming function.



## BON JOUR UNPLUGGED



Philippe Starck, 2015



# IC



Michael Anastassiades, 2014



# COPYCAT



Michael Anastassiades, 2015



NEW COLORS

# LAMPADINA

TABLE

Technical info p.475

LAMPADINA



Achille Castiglioni, 1972



BLACK



ORANGE



WHITE



GREEN



TURQUOISE



LILAC









Photo by Zoë Ghermer



I fratelli Achille e Pier Giacomo Castiglioni avevano ideato l'iconico riflettore a coppa in materia plastica trasparente. L'idea fu abbandonata per le deformazioni generate su di esso dal calore della sorgente luminosa a incandescenza. Il prototipo fu quindi sviluppato e prodotto da Flos nel 1962 con la celebre ed imponente coppa in vetro soffiato. Grazie all'uso di una innovativa sorgente luminosa a LED è oggi possibile editare Taccia in una nuova versione con diffusore in plastica trasparente, esattamente fedele all'idea originale.

In the Castiglioni brothers' original design, the iconic bowl reflector was made of transparent plastic. This idea was discarded though because the heat emitted by the incandescent light source deformed the plastic material. The prototype was then developed and produced by Flos in 1962, with its famous big blown glass bowl. Thanks to the use of a cutting-edge LED light source is now possible to edit a new version of Taccia with a transparent plastic diffuser that is accurately faithful to the original concept.



Courtesy of Fondazione Achille Castiglioni

## TACCIA AND TACCIA SMALL



Achille & Pier Giacomo Castiglioni, 1962



# GATTO




Achille and Pier Giacomo Castiglioni, 1960

NEW COLORS

# TAB



Edward Barber & Jay Osgerby, 2011



# GOLDMAN



Ron Gilad, 2013

# SNOOPY



Photo by Zoë Ghermer

Achille and Pier Giacomo Castiglioni, 1967



# RAY



Rodolfo Dordoni, 2007

# KTRIBE



Philippe Starck, 2007

# ROMEO SOFT & MOON



Philippe Starck, 1998



# TATOU



Photo by Zoë Ghermer

Patricia Urquiola, 2012

# MINIKELVIN LED



Antonio Citterio, 2011

# KELVIN LED



Antonio Citterio assistant Toan Nguyen, 2009



## KELVIN EDGE




Antonio Citterio, 2015



La superficie della testa è caratterizzata dalla presenza del sensore Soft Touch che permette di selezionare sia l'intensità luminosa desiderata che la temperatura colore, a seconda delle esigenze, con un solo gesto naturale ed intuitivo. La nuova Kelvin Edge include l'esclusiva tecnologia Edge Lighting, una rivoluzione nell'innovazione LED, che unisce le migliori performance in efficienza, intensità di luce e ampiezza di emissione, ad una perfetta omogeneità e al massimo comfort visivo.

On the surface of the head there is a Soft Touch sensor with which it is possible to select both the desired intensity and the colour temperature, depending on the requirements, with a single, natural and intuitive action. The new Kelvin Edge includes the exclusive Edge Lighting technology, a revolution in LED innovation, which combines the best efficiency, light intensity and emission magnitude performances with perfect homogeneousness and maximum visual comfort.



THERE IS NO MORE DOUBLE SHADOW.  
ALL NICE AND CLEAN

NEW COLORS

# GLO-BALL



Jasper Morrison, 1998/2009





il 20% del fatturato proveniente dalla vendita della Collezione Guns viene devoluto all'Associazione Fratelli dell'Uomo. Riconosciuta dal Ministro degli Esteri Italiano, è stata lanciata in Italia nel 1969 e fa parte del Gruppo Frères des hommes. L'organizzazione supporta progetti ed iniziative, principalmente in America Latina e Africa, legate alla distribuzione di cibo, la protezione dell'ambiente e tutela dei beni comuni, l'economia responsabile, la sanità pubblica, le migrazioni e il co-sviluppo. Dal 2019 Fratelli dell'Uomo non esiste più come entità indipendente, ma è stata invece integrata in Amref.

20% of the gross sales from the Gun Collection donated to the Fratelli dell'Uomo Association. Acknowledged by the Italian Foreign Minister, was launched in Italy in 1969 and it is part of Frères des hommes Group. The organization supports projects and initiatives, mainly in Latin America and Africa, related to access to food, environment and common goods protection, responsible economy, community health, migrations and co-development. From 2019, Fratelli dell'Uomo no longer exists as an independent entity, but instead it has been integrated into Amref.



## BEDSIDE & TABLE GUN



Philippe Starck, 2005



Lavorazione artigianale del corpo della lampada Biagio, un unico blocco di marmo bianco Statuario di Carrara.

The body of the Biagio lamp is hand crafted from a single block of white Carrara statuary marble.



## BIAGIO



Photo by Zoë Ghermer

Tobia Scarpa, 1968

# MISS SISSI



Philippe Starck, 1991





## SPUN LIGHT



Sebastian Wrong, 2003





Allestimento di A. Castiglioni per la vetrina del negozio Flos di Corso Monforte, Milano, Natale 1975.

A. Castiglioni's window dressing for the Flos store in Corso Monforte, Milan, Christmas 1975.

## AOY




Achille Castiglioni, 1975

# MISS K



Philippe Starck, 2003



«You can't put your feet on the ground  
until you've touched the sky» — *Paul Auster*

## **FLOOR LAMPS**

NEW

**CHIARA FLOOR,  
COORDINATES FLOOR**

NEW COLORS

**IC LIGHTS,  
GLO-BALL, TAB**



Lampada da terra della Collezione Coordinates, composta da una semplice base rotonda e da due barre luminose verticali. In fase di montaggio, queste ultime possono essere ruotate di 90° e bloccate sull'apertura desiderata del fascio di luce.

Floor lamp model from Coordinates Family, featuring a simple round base and two lighting bars, which can be set at the preferred beam angle during assembly.



NEW

## COORDINATES



Michael Anastassiades, 2020



NEW  
**CHIARA**



Mario Bellini, 1969/2020





“Un giorno ero nel mio studio e mi è venuto in mente che si sarebbe potuto utilizzare la luce nel modo in cui si manifesta nel nostro ambiente e nel nostro paesaggio, mai diretta, ma spesso attraversata dalle nubi o riflessa dagli oggetti, dai muri e dalle superfici. Quindi anziché dire “disegniamo una lampada” mi sono detto “disegniamo un apparato che sia in grado di prendere la luce da una sorgente artificiale e rifletterla nell’ambiente con una certa intelligenza e grazia”... Ho preso una forbice, un grande foglio di cartoncino e ho iniziato a tagliare qualche cosa che potesse diventare un cilindro con alla sommità un cappello più largo che, ricongiunto sul lato destro e sinistro, avrebbe potuto servire da riflettore della sorgente di luce ospitata nella base.”  
- Mario Bellini

“One day in my studio it came to me that we could use light the way it manifests in our surroundings and our landscapes—never directly, but often through clouds or reflected off objects, walls, and surfaces. And so, instead of saying ‘let’s design a lamp’, I said, ‘let’s design an apparatus that can take light from an artificial source and send it back into our surroundings with a certain intelligence and grace’... I took some scissors, a big piece of card, and I started to cut out something that could be made into a cylinder with a wide hat on top that, when joined on the right and left-hand side, would act as a reflector of the light source housed in the base.”  
- Mario Bellini

# SAWARU



Nendo, 2018



25 DEGREES




40 DEGREES



60 DEGREES

Una luce che consiste in due cilindri indipendenti che si toccano in direzione perpendicolare. Uno ha il ruolo di fonte luminosa, mentre l'altro serve da base. L'angolazione del proiettore può essere regolata su tre posizioni: 25, 40 e 60 gradi, inserendo un perno fissato sulla base. Le diverse funzioni sono rese possibili grazie all'esclusione di elementi superflui e alla semplificazione della forma.

A light consisting of two independent cylinders touching each other in a perpendicular direction. One plays the role of a light source, while the other acts as a base. Its projection angle can be adjusted in three stages of 25, 40 or 60 degrees, by inserting the pin attached to the base. Various functions are made possible by doing away with excess elements and creating a simple form.



TUNABLE LIGHT TEMPERATURE

DIMMABLE LIGHT INTENSITY





## NOCTAMBULE



Konstantin Greic, 2018



L'accurata tecnologia LED che accende le lampade è integrata in modo discreto nelle giunzioni tra i moduli in vetro. Quasi impercettibile, ma pronta ad attivarsi al calar della notte.

The carefully calibrated LED technology which powers the lamps is discretely integrated into the junctions between the glass modules. Almost absent, but ready to be activated at any (night-)time.

Noctambule: il nottambulo,  
o animale notturno. Quasi  
invisibile di giorno, ma dedito  
ad affascinanti attività di notte.  
Un'analogia perfetta.


Noctambule: the night owl or  
reveller. Mostly invisible during  
the day, but coming to glamorous  
activity at night-time. The  
analogy is fitting.



# SUPERLOON



Jasper Morrison, 2015




La superficie luminosa, perfettamente omogenea e d'ispirazione "lunare", è frutto della rivoluzionaria tecnologia Edge Lighting, che unisce massime performance, efficienza e comfort visivo. Il prodotto include la funzione Dim-to-Warm: scendendo di intensità, la luce passa da un tonalità di bianco più fredda ad uno spettro più caldo, come nelle affezionate lampade a filamento.

The light surface, perfectly homogeneous and "moon-inspired", is the result of the revolutionary Edge Lighting technology, which combines maximum performance, efficiency and visual comfort. The product includes the Dim-to-Warm function: as the intensity decreases the light goes from a colder blue tone to a warmer spectrum, like in the well-loved filament lamps.

Nello stelo è incluso il sensore Soft Touch che reinventa l'interazione con il prodotto. Esso garantisce un controllo fluido e preciso del flusso luminoso con un semplice e naturale tocco della mano.

The stem includes the Soft Touch sensor, which reinvents interaction with the product. This guarantees a fluid and precise control of the light flow with a simple and natural touch of the hand.





NEW COLORS

# IC



Michael Anastassiades, 2014

Il corpo illuminante è formato da quattro elementi identici intrecciati tra loro a formare una calotta unita, ispirati alle classiche armature giapponesi antiche. Il nome Tatou deriva dal francese e significa armadillo.

The luminaire is made up of four identical intertwined elements which form a unified dome, drawing its inspiration from ancient Japanese armour. The name Tatou is French for armadillo.



# TATOU



Patricia Urquiola, 2012




Photo by Zoë Ghermer

# ARCO



Achille & Pier Giacomo Castiglioni, 1962



“Pensavamo a una lampada che proiettasse la luce sul tavolo: ce ne erano già ma bisognava girarci dietro. Perché lasciasse spazio attorno al tavolo la base doveva essere lontana almeno due metri. Così nacque l’dea dell’arco.”  
 - A. Castiglioni, intervista per Ottagono, 1970

“We were thinking about a lamp that shines light onto a table. They already existed, but you had to walk round them. To leave enough space around the table, the base had to be at least two meters away. Which was how the idea for Arco came into being.”  
 - A. Castiglioni interviewed for Ottagono, 1970

Courtesy of Fondazione Achille Castiglioni - Photo by Studio Casali



# STYLOS



Achille Castiglioni, 1984

# CAPTAIN FLINT



Michael Anastassiades, 2015

## LOUNGE GUN



Philippe Starck, 2005



il 20% del fatturato proveniente dalla vendita della Collezione Guns viene devoluto all'Associazione Fratelli dell'Uomo. Riconosciuta dal Ministro degli Esteri Italiano, è stata lanciata in Italia nel 1969 e fa parte del Gruppo Frères des hommes. L'organizzazione supporta progetti ed iniziative, principalmente in America Latina e Africa, legate alla distribuzione di cibo, la protezione dell'ambiente e tutela dei beni comuni, l'economia responsabile, la sanità pubblica, le migrazioni e il co-sviluppo. Dal 2019 Fratelli dell'Uomo non esiste più come entità indipendente, ma è stata invece integrata in Amref.

20% of the gross sales from the Gun Collection donated to the Fratelli dell'Uomo Association. Acknowledged by the Italian Foreign Minister, was launched in Italy in 1969 and it is part of Frères des hommes Group. The organization supports projects and initiatives, mainly in Latin America and Africa, related to access to food, environment and common goods protection, responsible economy, community health, migrations and co-development. From 2019, Fratelli dell'Uomo no longer exists as an independent entity, but instead it has been integrated into Amref.



# RAY



Rodolfo Dordoni, 2006

NEW COLORS

# TAB



Edward Barber & Jay Osgerby, 2011







NEW COLORS

# GLO-BALL



Jasper Morrison, 1998

# FANTASMA



Tobia Scarpa, 1961

# CHRYSALIS



Marcel Wanders, 2011

# IPNOS



Photo by Zoë Ghermer

Nicoletta Rossi and Guido Bianchi, 2014

# BIBLIOTHEQUE NATIONALE



Philippe Starck, 2013

Come un vero e proprio prodotto hi-tech Bibliothéque Nationale è dotata di presa USB - posizionata sulla base - che permette la ricarica dei più comuni smart-phone.

Like the hi-tech product it is, Bibliothéque Nationale is fitted with a USB port, placed on the base, for recharging the most common brands of smartphone.





Philippe Starck, 2007



KTRIBE

KTRIBE

Technical info p. 472, 473

FLOOR

# TOIO



Achille & Pier Giacomo Castiglioni, 1962

Photo by Zoë Ghermer



# SPUN LIGHT



Sebastian Wrong, 2003

# KELVIN LED



Antonio Citterio, 2011

# ROSY ANGELIS



Philippe Starck, 1994





## ROMEO MOON & SOFT



Philippe Starck, 1998



# SUPERARCHIMON



Philippe Starck, 2000

# LUMINATOR



Achille & Pier Giacomo Castiglioni, 1954

«At rest, however, in the middle of everything is the sun. For, in this most beautiful temple, who would place this lamp in another or better position than that from which it can light up the whole thing at the same time?» — *Nicolaus Copernicus*

## **SUSPENSION LAMPS**

NEW

**2097/18, BELT,  
BULBO57,  
COORDINATES, DIABOLO,  
INFRA-STRUCTURE EPISODE 2**

NEW COLORS

**IC LIGHTS**



NEW

# COORDINATES

SUSPENSION

Technical info p. 442-445

COORDINATES

Michael Anastassiades, 2020




"Coordinates è un sistema di illuminazione composto da barre luminose orizzontali e verticali che formano strutture reticolari di varia complessità. Il sistema può essere facilmente adattato a seconda della diversa tipologia e grandezza degli ambienti."

"Coordinates is a lighting system consisting of horizontal and vertical strip lights that form illuminated grid-like structures of various complexities. The system can be easily adapted for different environments of varying scale."  
- Michael Anastassiades







“Questo progetto è nato dall'evoluzione di un'importante realizzazione di luci custom installate nella dining room principale dello storico ristorante Four Seasons di New York, riaperto nel 2018 dopo un cambio di sede, con gli interni disegnati dall'architetto paulista Isay Weinfeld.”


- Michael Anastassiades

“This design evolved from a commission for the feature lighting of the main dining area at New York City's historic Four Seasons restaurant, which relocated and reopened in 2018 with the interiors designed by São Paulo-based architect Isay Weinfeld.”

- Michael Anastassiades

La collezione offre un'ampia scelta di soluzioni preconfigurate, tra cui quattro modelli di chandelier di diverse forme e dimensioni, e tre modelli di apparecchi a soffitto in due possibili lunghezze, per adattarsi a soffitti standard o molto alti.

Coordinates comes in a broad array of set configurations, including four suspended chandeliers of different sizes and three ceiling-mounted luminaires, available in two lengths to suit both standard and high ceilings.




NEW

# BELT



Erwan & Ronan Bouroullec, 2020



Il cuoio rappresenta il cuore del progetto. Un materiale morbido e caldo che garantisce libertà nello spazio ma al tempo stesso caratterizzato da una certa rigidità che crea armonia nel risultato della composizione finale. Belt è rivestita in pregiato cuoio trattato con coloranti naturali per ottenere le tre finiture disponibili in gamma: nero, cuoio naturale e verde.

The leather is the heart of the project. A soft and warm material that guarantees freedom in the space but, at the same time, is characterized by certain rigidity. The result is a harmonious final composition. Belt is covered in fine leather, treated with natural dyes to obtain the three finishes available in the range: black, green and natural leather.



NEW

# DIABOLO



Achille Castiglioni, 1998/2020



“Mio padre era veramente un ottimo giocatore di Diabolo”, dice Giovanna Castiglioni, figlia del leggendario designer italiano Achille Castiglioni. Parla di uno dei passatempi preferiti del padre, il gioco di destrezza derivante dallo yo-yo cinese, in cui un oggetto a forma di clessidra viene fatto correre avanti e indietro su un cordino tra due bacchette. Nel 1998 l'antico numero di giocoleria è servito da ispirazione per l'ultima collaborazione di Achille con Flos: l'omonima lampada a sospensione regolabile.

‘My father was a really, really good Diabolo player’, says Giovanna Castiglioni, daughter of legendary Italian designer Achille Castiglioni. She’s discussing one of his favorite pastimes—the juggling game, derived from a Chinese yo-yo, in which an hourglass-shaped object is spun back and forth on a string between two sticks. In 1998 the age-old balancing act served as inspiration for Achille’s final collaboration with Flos—an adjustable pendant lamp with the same name.



Courtesy of Fondazione Achille Castiglioni





NEW

# INFRA-STRUCTURE EPISODE 2

SUSPENSION

Technical info p. 468-469

INFRA-STRUCTURE

Vincent Van Duysen, 2020



Essenziale struttura tubolare  
incredibilmente versatile.  
Grazie ad uno speciale sistema  
di connessione è possibile  
combinare elementi verticali e  
orizzontali tra di loro per creare  
combinazioni tridimensionali in  
infinite varianti utilizzando moduli  
lineari e geometrici.

Subtle, incredibly versatile  
tubular structure. Thanks to a  
special connection system, it is  
possible to combine vertical and  
horizontal elements to create  
three-dimensional combinations  
in infinite variations using linear  
and geometric modules.



Il progettare che equivale a scomporre e decostruire, l'osservazione dell'esistente come gesto che forgia la forma, sono solo alcuni dei comandamenti attuati dai fratelli Castiglioni.

When designing means breaking down or deconstructing, and shapes are forged through observation of what already exists – these are some of the commandments put in place by the Castiglioni brothers.



NEW

## BULBO57



Achille & Pier Giacomo Castiglioni, 2019



Bulbo è stata ideata nel 1957 per un allestimento della XI Triennale di Milano. Nel progetto dell'esposizione, quando la lampada era collegata in serie a un'altra, il suo potenziale veniva drasticamente ridotto e il filamento interno assumeva un colore rossastro, che regalava una luce calda, ambientale, di leggera intensità. Nell'edizione 2019 di Flos il filamento in tungsteno è riprodotto ma con fonte a LED, mantenendo lo stesso colore e intensità della luce esattamente come per l'originale.

Bulbo was designed for an installation at the XI Triennale in Milan in 1957. A large industrial bulb deprived of its screw cap and with a shortened neck to take the shape of a bubble, with a filament inside as the distinguishing feature. The 2019 edition by Flos reproduces the classic filament in tungsten with an LED source, preserving the same color and intensity of the light as in the original.

Achille Castiglioni nel suo studio in Piazza Castello 27, Milano. Sopra di lui è appesa una delle lampade Bulbo originali.  
(Courtesy of Fondazione Achille Castiglioni)

Achille Castiglioni in his Studio in Piazza Castello 27, Milan. Hanging on top is one of the original Bulbo lamps.  
(Courtesy of Fondazione Achille Castiglioni)



NEW

## 2097/18



Gino Sarfatti, 1958

La collezione di moderni chandelier viene arricchita dal nuovissimo modello 2097/18, che ospita 18 lampadine a LED disponibili in versione trasparente o satinata, con due diverse temperature di colore. Stesso design e fascino, in una versione più discreta.

The collection of modern chandeliers is enriched by the brand new 2097/18 model, hosting 18 LED light bulbs available in clear or frosted versions, with two different color temperatures. Same design and allure, in a more discreet version.






2097



Gino Sarfatti, 1958



MAKE YOUR ARRANGEMENTS  
[FLOS.COM/ARRANGEMENTS-CONFIGURATOR](https://www.flos.com/arrangements-configurator)

# ARRANGEMENTS



Michael Anastassiades, 2018




"Arrangements è un sistema modulare di elementi geometrici di luce che si possono combinare in modo diverso per creare composizioni multiple di singoli chandelier. Ogni modulo si fissa al precedente in modo semplice, adagiato in perfetto equilibrio, come un elemento di una catena luminosa."  
- Michael Anastassiades

"Arrangements is a modular system of geometric light elements that can be combined in different ways, creating multiple compositions into individual chandeliers. Each unit simply attaches onto the previous one as if resting, balancing perfectly as part of a glowing chain."  
- Michael Anastassiades



CUSTOM APPLICATIONS





## OVERLAP



Michael Anastassiades, 2018



# NOCTAMBULE



Konstantin Greic, 2018



La nuova collezione di lampade è realizzata in moduli di vetro soffiato, trasparenti e dunque quasi inesistenti durante il giorno. Ma se accesi nell'oscurità si trasformano in splendide lampade illuminate. I moduli in vetro a forma cilindrica sono i fondamenti della collezione.

The new collection of lamps is made of blown glass modules, which are see-through and therefore almost inexistent at day-time. But, when you switch them on in the dark, they transform into gorgeous, illuminated lamps. The cylindrical glass modules set the basic grammar of the collection.

Il modulo singolo è una lanterna. Diversi moduli sovrapposti creano una colonna di luce, o un chandelier per il vano delle scale. Altri elementi come la cupola in vetro o la testa a forma di cono consentono ulteriori performance come una piantana e una sospensione.

The single module is a lantern. Several modules stacked on top of each other create a light column, or suspended chandelier inside a stair well. Extra elements such as a glass dome or cone shaped head allow for added performance such as a floorstanding uplighter and pendant.







# STRING LIGHT

SUSPENSION

Technical info p.499-500

STRING LIGHT


Photo by Zoë Ghermer

Michael Anastassiades, 2014

"Quando viaggio in treno, osservo sempre quei cavi elettrici fuori dal finestrino. E' così bello e poetico il modo in cui collegano i tralicci gli uni agli altri e, al contempo, spezzano il paesaggio. Volevo tradurre tutto ciò in architettura d'interni"  
- M. Anastasiades

"When I sit on a train travelling, I always see these strings of electricity out of the window. It's so beautiful and poetic the way they connect the pylons but at the same time they divide the landscape. I wanted to translate this into interior architecture."  
- M. Anastasiades







Michael Anastassiades, 2014

NEW COLORS

IC



# TARAXACUM 88



Photo by Zoë Ghermer

Achille Castiglioni, 1988



A. Castiglioni esamina il primo prototipo di Taraxacum 88 nel suo Studio di Piazza Castello a Milano.

A. Castiglioni examines the first prototype of Taraxacum 88 in his Piazza Castello Studio in Milan.



# TATOU



Patricia Urquiola, 2012



OK



Photo by Zoë Ghermer

Konstantin Grcic, 2014

# SPLÜGEN BRÄU



Achille & Pier Giacomo Castiglioni, 1961

La lampada Splügen Bräu, disegnata dai fratelli Castiglioni per illuminare l'omonima birreria-ristorante di Milano.

The Splügen Bräu lamp designed by the Castiglioni brothers to light the restaurant and beer house of the same name in Milan.



Courtesy of Fondazione Achille Castiglioni - Photo by Studio Casati

# FUCSIA



Achille Castiglioni, 1996



# RAY



Rodolfo Dordoni, 2007

# WAN



Johanna Grawunder, 2006

"Nella mia casa precedente c'era un fantastico soffitto antico intonacato. L'ho chiamato il mio Giardino sul tetto [...] Mi piaceva così tanto che quando mi trasferii, non riuscii a separarmene. Dovevo trovare il modo di portarlo nella nuova casa." - M. Wanders

"In my previous home there was a fantastic antique plaster ceiling. I called it my garden on the roof [...] I liked it so much that when I moved I couldn't live without it and had to find a way to transfer it to my new home." - M. Wanders



# SKYGARDEN



Photo by Zoë Ghermer

Marcel Wanders, 2007





A. Castiglioni lavora illuminato dalla lampada Frisbi: un disco che appare sospeso a mezz'aria, acceso dalla luce riflessa da una piccola cupola cromata.

A. Castiglioni at work under the Frisbi lamp: a disk that seems to hang in mid-air, lit by the light reflected from a small chrome-plated dome.

## FRISBI



Achille Castiglioni, 1978

# ROMEO BABE



Philippe Starck, 1997


# ROMEO MOON




Philippe Starck, 1996

Taraxacum è tra le prime lampade realizzate in cocoon, un materiale plastico ottenuto spruzzando una resina, utilizzato in origine dall' Esercito Americano come materiale protettivo di imballaggio.

Taraxacum is one of the first lamps produced using cocoon, a plastic material obtained using a resin spray, originally used by the US Army as a protective material for packaging.




## TARAXACUM



Achille & Pier Giacomo Castiglioni, 1960

# VISCONTEA



Achille & Pier Giacomo Castiglioni, 1960



Achille e Pier Giacomo Castiglioni con Marcel Breuer e la lampada Viscontea al negozio di Gavina a Milano, 1962.

Achille and Pier Giacomo Castiglioni with Marcel Breuer and the Viscontea lamp at the Gavina store in Milan, 1962.


# NEBULA



Joris Laarman, 2007

"Chasen si ispira ad un antico strumento orientale, la tradizionale frusta in bamboo per la cerimonia del tè, in cui i delicati filamenti assumono forme sempre diverse."  
- P. Urquiola

"Chasen takes its inspiration from an ancient oriental instrument, the traditional bamboo whip used during the tea ceremony, whose delicate filaments continue to change shape."  
- P. Urquiola



## CHASEN



Patricia Urquiola, 2007



# AIM & AIM SMALL



Erwan & Ronan Bouroullec, 2013/2014



"Con Aim abbiamo elaborato una nuova tipologia di lampada che si posiziona nello spazio in modo naturale - come farebbe una pianta - grazie ai lunghi cavi di sospensione che facilitano liberamente l'orientamento e l'altezza della luce." - R. & E. Bouroullec

"With Aim we devised a new type of lamp that stands in space in a natural way, like a plant, thanks to the long suspension wires that make it easy to direct the light and adjust its height." - R. & E. Bouroullec



2620



Ron Gilad, 2013



## GLO-BALL



Jasper Morrison, 1998/2006



# PARENTESI



Achille Castiglioni and Pio Manzú, 1971

# SMITHFIELD



Photo by Zoë Ghermer

Jasper Morrison, 2009



M. Wanders sperimenta in modo giocoso la tecnica del cocoon, con cui è realizzata la lampada Zepelin.

M. Wanders plays ironically with cocoon, the material from which the Zepelin lamp is made.

# ZEPPELIN



Marcel Wanders, 2005

# KTRIBE



Philippe Starck, 2005

«I cannot help mocking our unwavering certainties. It is, for example, great fun deliberately to confuse two and three dimensions, the plane and space, or to poke fun at gravity. Are you sure that a floor cannot also be a ceiling? Are you absolutely certain that you go up when you walk up a staircase?» — *Maurits Cornelis Escher*

## **WALL & CEILING LAMPS**

NEW

**COORDINATES, FLAUTA,  
IC LIGHT DOUBLE**

NEW COLORS

**IC LIGHTS, FOGLIO**





NEW  
**COORDINATES**




Michael Anastassiades, 2020



Coordinates è una collezione di luci dal forte impatto visivo, disegnate in origine da Michael Anastassiades per il leggendario ristorante Four Seasons di New York. Caratterizzata da barre di LED lineare saldamente intrecciate, la sua forma sembra ispirarsi alla precisione matematica di una griglia cartesiana, illuminata ed estesa in brillanti volumi tridimensionali.

A dramatic lighting collection originally designed by Michael Anastassiades for New York's legendary Four Seasons restaurant, Coordinates features a series of interlocking linear LED luminaires that take their formal inspiration from the mathematical precision of the Cartesian grid, illuminated and expanded to three brilliant dimensions.





Coordinates è composta da un corpo in alluminio estruso, dalla sofisticata finitura anodizzata color champagne, e da un diffusore bianco opale in silicone platinico. Rigorosa, elegante e facilmente adattabile, questa collezione rappresenta una soluzione flessibile e allo stesso tempo formalmente impeccabile per illuminare tante diverse tipologie di ambienti, regalando il massimo impatto scenografico con un minimo tocco magico.

Coordinates is made from extruded aluminium with a sophisticated anodised champagne finish, and an opal-white platinic silicone diffuser. Exact, elegant, and easily adaptable, this collection offers a flexible yet formally rigorous solution for a diverse range of indoor environments, providing maximum impact with a minimal touch.

Le lampade a parete Flauta di Patricia Urquiola, ispirate all'organo a canne e ai dettagli delle scanalature architettoniche, rappresentano uno studio sulla consistenza e la semplicità.

Patricia Urquiola's Flauta wall lamps—inspired by organ pipes and fluted architectural details—are a study in texture and simplicity.



High-definition renderings by Pablo Limón




NEW  
FLAUTA

Patricia Urquiola, 2020

FLAUTA

Technical info p.446-447


WALL & CEILING



High-definition renderings by Pablo Limón



In Flauta Riga, una serie di incisioni sapientemente calibrate sulla superficie tracciano un segno caratterizzato da puro rigore e riferimenti classici. La peculiarità di Flauta Spiga è invece il motivo a spina di pesce, sinonimo di eleganza e dettaglio sofisticato: un gioiello dal gusto antico e dal raffinato design contemporaneo. L'accessorio deflettore, il cui colore si abbina al corpo della lampada, si può installare sulla testa superiore o inferiore. Fissato da magneti e viti di sicurezza, crea un effetto decorativo con la luce riflessa.



In Flauta Riga, a series of skillfully calibrated etchings on the surface trace a sign characterised by pure rigour and classical references. Flauta Spiga is characterised by a herringbone pattern, a synonym of elegance and sophisticated detail: a jewel with ancient taste and a refined contemporary design.

The deflector accessory, painted to match the lamp body, can be installed on either the upper or lower head. Held in place by magnets and safety screws, it creates a decorative effect with reflected light.

NEW

# IC DOUBLE



Michael Anastassiades, 2020

Una palla opalescente, che pare voglia scivolare via, apparentemente instabile. Come se si trattasse dello strumento del numero di un giocoliere che magicamente riesce a far stare in equilibrio sfera e bastone.

An apparently unstable opalescent ball that seems to want to slide away. As a juggler who magically balances a sphere on a stick.



NEW COLORS

IC



Michael Anastassiades, 2014




## LA PLUS BELLE




Philippe Starck, 2018





Il sistema di fissaggio a parete  
permette di appendere lo specchio  
come un quadro.

The wall fixing system that allows you  
to hang the mirror like a picture.





In alto: La Plus Belle è progettata per fornire il meglio della luce. Sotto il suo diffusore in silicone ottico si nascondono LED speciali assemblati in modo molto frequente per aumentare l'uniformità di diffusione e forniscono una performance unica grazie alla combinazione eccezionale di un indice di fedeltà cromatica (CRI) pari a 95 più un indicatore di stabilità dei rossi superiore a 90 (R9>90). Inoltre, la luce di La Plus Belle è gradevole e morbida (2700K) e gestibile dal dimmer a sensore integrato nello specchio.

A destra: La cornice di La Plus Belle è realizzata in una speciale lega di alluminio che consente di ottenere colorazioni anodiche di elevatissima qualità. Le finiture disponibili si dividono in anodizzato spazzolato (oro, rame) o anodizzato lucidato (bronzo, alluminio naturale).

Top: La Plus Belle is designed to provide the best possible light. Special LEDs are hidden beneath the optical silicone diffuser, assembled in a very frequent mode to increase the uniformity of the diffusion and provide a unique performance thanks to the exceptional combination of a chromatic rendering index (CRI) of 95 plus a reds stability indicator of over 90 (R9>90). Furthermore, the light from La Plus Belle is pleasant and soft (2700K) as well as manageable by the dimmer with a sensor integrated in the mirror. Right: The frame of La Plus Belle is made of a special aluminium alloy that provides the best possible extremely high quality anode colourations. The finishes available are brushed anodized (gold, copper) or polished anodized (bronze, natural aluminium).





## WIRERING



Formafantasma, 2018



Il cavo e l'anello possono avere diverse combinazioni di colore, scegliendo tra una gamma di tre finiture per il cavo e cinque per l'anello.

The cable and ring are available in different colour combinations. There is a range of three finishes for the cable and five for the ring.



# SMITHFIELD



Jasper Morrison, 2009



## CLESSIDRA



Antonio Citterio, 2011

# FORT KNOX



Philippe Starck, 2008



265



Paolo Rizzato, 1973



La tecnica artigianale di soffiatura a bocca del vetro, con cui è realizzato il diffusore della lampada Glo-ball.

The diffuser of the Glo-ball lamp is hand blown glass.



## GLO-BALL



Jasper Morrison, 1999/2009

# TIGHT LIGHT



Piero Lissoni, 2011

# ON THEROCKS



Antonio Citterio assistant Toan Nguyen, 2003

Clara è concepita per offrire un'illuminazione diffusa e confortevole. La lampada può essere completata con un anello esterno, per ottenere un abbinamento perfetto con l'ambiente circostante.

Clara is designed to provide a comfortable and diffuse light. The lamp can be completed by an optional external ring, to perfectly match the taste of the environment.



# CLARA

WALL & CEILING

Technical info p. 435

CLARA

Piero Lissoni, 2014


# TARAXACUM 88



Achille Castiglioni, 1988



# ARIETTE



Tobia Scarpa, 1973

# WAN



Johanna Grawunder, 2005

# SKYGARDEN RECESSED



Marcel Wanders, 2009



## POCHETTE



Rodolfo Dordoni, 2003

# KTRIBE



Philippe Starck, 2007

# ROMEO BABE



Philippe Starck, 1996/2004




# MINI BUTTON



Piero Lissoni, 2005

# BUTTON



Piero Lissoni, 2004


NEW COLORS

# FOGLIO



Tobia Scarpa, 1966





## ABAJOURD'HUI



Flos Soft Architecture

# SOFT SPUN



Flos Soft Architecture

Grazie all'innovativo materiale composito Under Cover della versione Soft, la lampada Spun Light si integra perfettamente all'architettura degli spazi affiorando dalla parete.

Making use of the Soft version of the innovative composite material Under Cover, the Spun Light integrates seamlessly with the architecture of spaces, rising out of the surface of the wall.



«To me a lush carpet of pine needles or  
spongy grass is more welcome than  
the most luxurious Persian rug» — *Helen Keller*

**OUTDOOR/INDOOR**

NEW

**FLAUTA, HECO,  
IC WALL, LAST ORDER**

NEW COLORS


**CAPTAIN FLINT, IC FLOOR**

NEW


# FLAUTA



Patricia Urquiola, 2020




RIGA



SPIGA

Le versioni outdoor della lampada da parete Flauta sono disponibili nelle finiture Grigio, Antracite, Forest Green, Deep Brown, Nero e Bianco.

The outdoor versions of Flauta wall lamp are available in Grey, Anthracite, Forest Green, Deep Brown, Black and White finishes.



High-definition renderings by Pablo Limón




NEW

# HECO




Nendo, 2020



Bevedere coniuga il massimo di funzionalità, con forme espressive, dalla grande nitidezza compositiva e sorgenti LED a fosfori remoti.

Bevedere combines maximum functionality with forms that express great compositional clarity and remote phosphor LED light sources.




“Unendo una cornice sottile e una sfera illuminata, la collezione offre due configurazioni, in cui gli elementi possono essere utilizzati come tavolino o come lampada da terra appoggiata a una parete. Grazie alla curva creata ad hoc sulla struttura metallica, la cornice sembra sprofondare delicatamente sotto il “peso” della sfera illuminata.” -Nendo

“With a combination of a thin frame and an illuminated sphere, the collection offers two configurations of objects; either as side tables or as floor lamps leaned against a wall. The “soft” shape of the frames, grants the objects a sense of character and creates a unique visual, as if capturing the weight of light itself. ” -Nendo



Le finiture verde opaco e acciaio lucido possono essere utilizzate anche in ambienti esterni.

Matt green and polished inox finishes can also be used in outdoor locations.



NEW

## LAST ORDER



Michael Anastassiades, 2020

NEW


# IC WALL OUTDOOR



Michael Anastassiades, 2020

NEW COLORS

# IC FLOOR OUTDOOR



Michael Anastassiades, 2019

NEW COLORS

# CAPTAIN FLINT OUTDOOR



Michael Anastassiades, 2019



## BELLHOP





Edward Barber & Jay Osgerby, 2018

# MY WAY



Piero Lissoni, 2017





# REAL MATTER

Piero Lissoni, 2017

Technical info p. 491-492 OUTDOOR/INDOOR

REAL MATTER



# IPNOS




Nicoletta Rossi and Guido Bianchi, 2014

# CLIMBER



Piero Lissoni, 2017





## CAMOUFLAGE



Piero Lissoni, 2017

# KTRIBE OUTDOOR



Philippe Starck, 2011

La versione outdoor della celebre Ktribe, arricchita dai diffusori a intreccio, creati in esclusiva da Dedon.

The outdoor version of the famous Ktribe, embellished by interwoven diffusers, created exclusively by Dedon.



# ROMEO OUTDOOR



Philippe Starck, 2006

# SUPERARCHIMON OUTDOOR



Philippe Starck, 2006



# CLESSIDRA




Antonio Citterio, 2011

**TECHNICAL INFO**





**265**  
 Paolo Rizzatto, 1973  
 Potenza · Power MAX 75W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 A+ → E 1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE o · or 1 4 LED 10W E27 965lm 2700K [e] cod. [RF28782](#) DIMMABLE

Materiali · Materials  
 acciaio · steel

Peso · Weight 6,0 Kg

CE   p. 349

Finiture Finishes  
 bianco · white  
 nero · black

Colori Colors  
 ○ A0300009  
 ● A0300030

**2097/18 CLEAR BULBS**  
 Gino Sarfatti, 1958  
 Potenza · Power 18 x MAX 15W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 A+ LED 2W E14 100lm 2200K [i] cod. [RF28890](#) DIMMABLE

Supplied with 20xclear LED lamps (2xspare)

Materiali · Materials  
 acciaio · steel

Peso · Weight 3,2 Kg

CE   p. 242

Finiture Finishes  
 cromo · chrome  
 ottone · brass  
 nero opaco · matt black

Colori Colors  
 || A1352057  
 || A1352059  
 ● A1352031

**2097/18 FROSTED BULBS**  
 Gino Sarfatti, 1958  
 Potenza · Power 18 x MAX 15W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 A+ LED 2,7W E14 150lm 2700K [i] cod. [RF28889](#) DIMMABLE

Materiali · Materials  
 acciaio · steel

Peso · Weight 3,2 Kg

CE   p. 242

Finiture Finishes  
 cromo · chrome  
 ottone · brass  
 nero opaco · matt black

Colori Colors  
 || A1351057  
 || A1351059  
 ● A1351031


**2097/30 CLEAR BULBS**  
 Gino Sarfatti, 1958  
 Potenza · Power 30 x MAX 15W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 A+ LED 2W E14 100lm 2200K [i] cod. [RF28988](#) DIMMABLE

Materiali · Materials  
 acciaio · steel

Peso · Weight 5,1 Kg

CE   p. 244

Finiture Finishes  
 cromo · chrome  
 ottone · brass  
 nero opaco · matt black

Colori Colors  
 || A1402057  
 || A1402059  
 ● A1402031

**2097/30 FROSTED BULBS**  
 Gino Sarfatti, 1958  
 Potenza · Power 30 x MAX 15W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 A+ LED 2,7W E14 150lm 2700K [i] cod. [RF28987](#) DIMMABLE

Materiali · Materials  
 acciaio · steel


Peso · Weight 5,1 Kg

CE   p. 244

Finiture Finishes  
 cromo · chrome  
 ottone · brass  
 nero opaco · matt black

Colori Colors  
 || A1401057  
 || A1401059  
 ● A1401031



**2097/50 CLEAR BULBS**  
 Gino Sarfatti, 1958  
 Potenza · Power 50 x MAX 15W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 A+ LED 2W E14 100lm 2200K [i] cod. [RF28890+RF28988](#) DIMMABLE

Materiali · Materials  
 acciaio · steel

Peso · Weight 9,2 Kg

CE   p. 244

Finiture Finishes  
 cromo · chrome  
 ottone · brass  
 nero opaco · matt black

Colori Colors  
 || A1502057  
 || A1502059  
 ● A1502031

**2097/50 FROSTED BULBS**  
 Gino Sarfatti, 1958  
 Potenza · Power 50 x MAX 15W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 A+ LED 2,7W E14 150lm 2700K [i] cod. [RF28889+RF28987](#) DIMMABLE

Materiali · Materials  
 acciaio · steel

Peso · Weight 9,2 Kg

CE   p. 244

Finiture Finishes  
 cromo · chrome  
 ottone · brass  
 nero opaco · matt black

Colori Colors  
 || A1501057  
 || A1501059  
 ● A1501031

**2620**  
 Ron Gilad, 2013  
 Potenza · Power 170W  
 Tensione · Voltage 120-277V



Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 2620 CHIP LED 170W 11760lm total 3000K CRI85 [i]

Materiali · Materials  
 alluminio, PMMA, acciaio · aluminum, PMMA, steel

ON DEMAND

Peso · Weight 18 Kg


CE   p. 303

Finiture Finishes  
 bianco · white

Colori Colors  
 ○ F0031009

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**AIM SMALL**  
R. & E. Bouroullec, 2014  
Potenza · Power 12W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
1 Multichip LED 12W 725lm 2700K CRI90 [i]

Finiture Finishes  
bianco · white  
nero · black


Colori Colors  
○ F0095009  
● F0095030

ROSONE MULTIPLO / MULTIPLE ROSE  
○ F0093009  
● F0093030

DIMMABLE PARETE / WALL DIMMABLE  
RF22227

Materiali · Materials  
alluminio, PC · aluminum, PC

Peso · Weight 1,9 Kg (1 Aim small)

CE  p. 298



**AIM SMALL CAVO SPINA/CABLE+PLUG**  
R. & E. Bouroullec, 2014  
Potenza · Power 12W  
Tensione · Voltage 230V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
1 Multichip LED 12W 725lm 2700K CRI90 [i]

Finiture Finishes  
bianco · white  
nero · black

Colori Colors  
○ F0097009  
● F0097030

Materiali · Materials  
alluminio, PC · aluminum, PC

Peso · Weight 1,9 Kg

CE  p. 298



**AIM**  
R. & E. Bouroullec, 2013  
Potenza · Power 16W  
Tensione · Voltage 220/240V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
1 Multichip LED 16W 895lm 2700K CRI90 [i]

Finiture Finishes  
bianco · white  
nero · black

Colori Colors  
○ F0090009  
● F0090030

ROSONE MULTIPLO / MULTIPLE ROSE  
○ F0093009  
● F0093030

DIMMABLE PARETE / WALL DIMMABLE  
RF22227

Materiali · Materials  
alluminio, PC · aluminum, PC

Peso · Weight 3,2 Kg (1 AIM)

CE  p. 298



**AIM CAVO SPINA/CABLE+PLUG**  
R. & E. Bouroullec, 2013  
Potenza · Power 16W  
Tensione · Voltage 230V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
1 Multichip LED 16W 895lm 2700K CRI90 [i] DIMMABLE

Finiture Finishes  
bianco · white  
nero · black


Colori Colors  
○ F0092009  
● F0092030

Materiali · Materials  
alluminio, PC · aluminum, PC

Peso · Weight 3,2 Kg

CE  p. 298

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source





**AOY**  
Achille Castiglioni, 1975  
Potenza · Power 1 x MAX 100W + 1 x MAX 70W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E 1 LED 10W E27 965lm 3000K [e]  
A+ → D cod. RF29186 DIMMABLE + 1 LED 10W E27 965lm 2700K [e] cod. RF28782 DIMMABLE o · or 1 LED 8W E27 525lm 2700K [e] cod. RF25570 DIMMABLE

Materiali · Materials  
vetro · glass

Peso · Weight 12,1 Kg

CE  p. 144




**ARCO**  
Achille and Pier Giacomo Castiglioni, 1962  
Potenza · Power MAX 100W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E 1 x 10W E27 965lm 2700K [e] cod. RF28663 DIMMABLE  
Interruttore on/off · On/off switch

Materiali · Materials  
marmo, acciaio inox, alluminio · marble, stainless steel, aluminum

Peso · Weight 63,8 Kg

CE  p. 178



**ARCO LED**  
Achille and Pier Giacomo Castiglioni, 1962  
Potenza · Power 28W  
Tensione · Voltage 100-240V/48V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
1 MULTICHIP LED 28W 1224lm 2700K CRI93 [i] DIMMABLE

Materiali · Materials  
marmo, acciaio inox, alluminio · marble, stainless steel, aluminum

Peso · Weight 63,8 Kg DIMMER INCLUDED

CE  p. 178



**ARIETTE 1/2**  
Tobia Scarpa, 1973  
Potenza · Power 4 x MAX 40W  
Tensione · Voltage 220-250V


Fonte luminosa (disponibile) · Light source (available)  
A+ → E 4 LED 10W E27 965lm 3000K [e] cod. RF29186 DIMMABLE o · or 1 4 LED 10W E27 965lm 2700K [e] cod. RF28782 DIMMABLE

Materiali · Materials  
tessuto · fabric

Peso · Weight 0,8 Kg (1) - 1 Kg (2)

CE  p. 359

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**ARRANGEMENTS - LINE**  
 Michael Anastassiades, 2018  
 Potenza · Power 29W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED FLEX STRIP LED 29W 1480lm 2700K  
 NOT REPLACEABLE CRI90 [i]

Materiali · Materials  
 alluminio · aluminum

Rosone escluso  
 Ceiling rose excluded

Peso · Weight 0,7 Kg

CE IP20

Finiture Finishes nero opaco · matt black  
 Colori Colors ● F0401030

p. 246



**ARRANGEMENTS - BROKEN LINE**  
 Michael Anastassiades, 2018  
 Potenza · Power 24W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED FLEX STRIP LED 24W 1200lm 2700K  
 NOT REPLACEABLE CRI90 [i]

Materiali · Materials  
 alluminio · aluminum

Rosone escluso  
 Ceiling rose excluded

Peso · Weight 0,65 Kg

CE IP20

Finiture Finishes nero opaco · matt black  
 Colori Colors ● F0405030

p. 246



**ARRANGEMENTS - DROP UP**  
 Michael Anastassiades, 2018  
 Potenza · Power 32W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED FLEX STRIP LED 32W 1530lm 2700K  
 NOT REPLACEABLE CRI90 [i]

Materiali · Materials  
 alluminio · aluminum

Rosone escluso  
 Ceiling rose excluded

Peso · Weight 0,5 Kg

CE IP20

Finiture Finishes nero opaco · matt black  
 Colori Colors ● F0414030

p. 246



**ARRANGEMENTS - DROP DOWN**  
 Michael Anastassiades, 2018  
 Potenza · Power 30W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED FLEX STRIP LED 30W 1530lm 2700K  
 NOT REPLACEABLE CRI90 [i]

Materiali · Materials  
 alluminio · aluminum

Rosone escluso  
 Ceiling rose excluded

Peso · Weight 0,5 Kg

CE IP20

Finiture Finishes nero opaco · matt black  
 Colori Colors ● F0413030

p. 246

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**ARRANGEMENTS - SQUARE SMALL**  
 Michael Anastassiades, 2018  
 Potenza · Power 20W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED FLEX STRIP LED 20W 883lm 2700K  
 NOT REPLACEABLE CRI90 [i]

Materiali · Materials  
 alluminio · aluminum

Rosone escluso  
 Ceiling rose excluded

Peso · Weight 0,5 Kg

CE IP20

Finiture Finishes nero opaco · matt black  
 Colori Colors ● F0410030

p. 246



**ARRANGEMENTS - SQUARE LARGE**  
 Michael Anastassiades, 2018  
 Potenza · Power 34W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED FLEX STRIP LED 34W 1657lm 2700K  
 NOT REPLACEABLE CRI90 [i]

Materiali · Materials  
 alluminio · aluminum

Rosone escluso  
 Ceiling rose excluded

Peso · Weight 0,7 Kg

CE IP20

Finiture Finishes nero opaco · matt black  
 Colori Colors ● F0409030

p. 246



**ARRANGEMENTS - ROUND SMALL**  
 Michael Anastassiades, 2018  
 Potenza · Power 21W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED FLEX STRIP LED 21W 1068lm 2700K  
 NOT REPLACEABLE CRI90 [i]

Materiali · Materials  
 alluminio · aluminum

Rosone escluso  
 Ceiling rose excluded

Peso · Weight 0,5 Kg

CE IP20

Finiture Finishes nero opaco · matt black  
 Colori Colors ● F0406030

p. 246



**ARRANGEMENTS - ROUND MEDIUM**  
 Michael Anastassiades, 2018  
 Potenza · Power 35W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED FLEX STRIP LED 35W 1770lm 2700K  
 NOT REPLACEABLE CRI90 [i]

Materiali · Materials  
 alluminio · aluminum

Rosone escluso  
 Ceiling rose excluded

Peso · Weight 0,8 Kg

CE IP20

Finiture Finishes nero opaco · matt black  
 Colori Colors ● F0407030

p. 246

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



### ARRANGEMENTS - ROUND LARGE

Michael Anastassiades, 2018  
Potenza · Power 54W  
Tensione · Voltage 48V

Fonte luminosa (disponibile) -  
Light source (available)  
LED INCLUDED  
NOT REPLACEABLE FLEX STRIP LED 54W 2751lm 2700K  
CRI90 [i]


Materiali · Materials  
alluminio · aluminum

Peso · Weight 1,3 Kg

Finiture  
Finishes  
nero opaco · matt black ● F0408030



p. 246



### ARRANGEMENTS SMALL ROSE ACCESSORI · ACCESSORIES

Tensione · Voltage 120-270V

Descrizione · Description  
Rosone dimmerabile piccolo da soffitto per  
l'installazione di combinazioni fino a max 70W ·  
Small dimmable ceiling rose for the installation of  
combinations within max 70W


Peso · Weight 1 Kg

DIMMER INCLUDED  
1-10/PUSH/DALI

Finiture  
Finishes  
nero · black ● F0416030



p. 246



### ARRANGEMENTS BIG ROSE ACCESSORI · ACCESSORIES

Tensione · Voltage 100-240V

Descrizione · Description  
Rosone dimmerabile grande da soffitto per  
l'installazione di combinazioni fino a max 190W ·  
Big dimmable ceiling rose for the installation of  
combinations within max 190W


Peso · Weight 2,8 Kg

DIMMER INCLUDED  
1-10/PUSH/DALI

Finiture  
Finishes  
nero · black ● F0415030



p. 246



### ARRANGEMENTS RECESSED ROSE ACCESSORI · ACCESSORIES

Tensione · Voltage 48V

Descrizione · Description  
Rosone da soffitto con alimentazione remota per  
l'installazione di combinazioni fino a max 190W ·  
Ceiling rose with remote power supply for the  
installation of combinations within max 190W


Peso · Weight 0,6 Kg

DIMMER INCLUDED  
1-10/PUSH/DALI

Finiture  
Finishes  
nero · black ● F0418030



p. 246



### BELLHOP BATTERY

E. Barber & J. Osgerby, 2018  
Potenza · Power 2,5W  
Tensione · Voltage 1N 5V

Fonte luminosa (disponibile) -  
Light source (available)  
LED INCLUDED  
NOT REPLACEABLE 84 LED 2,5W 109lm 2700K CRI90 [i]  
6/24 HOURS BATTERY LIFE, RECHARGEABLE  
WITH MICRO-USB-C KIT


Materiali · Materials  
policarbonato · polycarbonate

Peso · Weight 0,73 Kg DIMMER INCLUDED

Finiture  
Finishes  
bianco · white ○ F1060009  
cioko ● F1060026  
grigio · grey ● F1060020  
rosso mattone · brick red ● F1060075  
giallo · yellow ● F1060019  
grey blue ● F1060014



p. 78



### BELLHOP WALL OUTDOOR/INDOOR

E. Barber & J. Osgerby, 2018  
Potenza · Power 8W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) -  
Light source (available)  
LED INCLUDED  
NOT REPLACEABLE LED 8W 783lm ≠ FIXT 551lm 2700K  
CRI80 [i] NO DIMMABLE


Materiali · Materials  
alluminio, acciaio inox · aluminum, stainless steel

Peso · Weight 1,10 Kg

Finiture  
Finishes  
antracite · anthracite ● F003C21A033  
nero · black ● F003C21A030  
deep brown ● F003C21A018  
grigio · grey ● F003C21A006  
acciaio inox · stainless steel (||) F003C21A005  
bianco · white ○ F003C21A001  
forest green ● F003C21A012



p. 392



### BELLHOP WALL OUTDOOR/INDOOR

E. Barber & J. Osgerby, 2018  
Potenza · Power 8W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) -  
Light source (available)  
LED INCLUDED  
NOT REPLACEABLE LED 8W 783lm ≠ FIXT 551lm 2700K  
CRI80 [i] DIMMABLE 1-10V


Materiali · Materials  
alluminio, acciaio inox · aluminum, stainless steel

Peso · Weight 1,10 Kg

Finiture  
Finishes  
antracite · anthracite ● F003C21B033  
nero · black ● F003C21B030  
deep brown ● F003C21B018  
grigio · grey ● F003C21B006  
acciaio inox · stainless steel (||) F003C21B005  
bianco · white ○ F003C21B001  
forest green ● F003C21B012



p. 392



### BELLHOP WALL OUTDOOR/INDOOR

E. Barber & J. Osgerby, 2018  
Potenza · Power 8W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) -  
Light source (available)  
LED INCLUDED  
NOT REPLACEABLE LED 8W 783lm ≠ FIXT 551lm 2700K  
CRI80 [i] DIMMABLE DALI

Materiali · Materials  
alluminio, acciaio inox · aluminum, stainless steel

Peso · Weight 1,10 Kg

Finiture  
Finishes  
antracite · anthracite ● F003C21D033  
nero · black ● F003C21D030  
deep brown ● F003C21D018  
grigio · grey ● F003C21D006  
acciaio inox · stainless steel (||) F003C21D005  
bianco · white ○ F003C21D001  
forest green ● F003C21D012



p. 392

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**BELLHOP WALL OUTDOOR/INDOOR**  
E. Barber & J. Osgerby, 2018  
Potenza · Power 8W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
LED 8W 816lm ≠ FIXT 580lm 3000K  
CRI80 [i] NO DIMMABLE

Materiali · *Materials*  
alluminio, acciaio inox · *aluminum, stainless steel*

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

Peso · Weight 1,10 Kg

Finiture Finishes  
antracite · *anthracite*  
nero · *black*  
deep brown  
grigio · *grey*  
acciaio inox · *stainless steel*  
bianco · *white*  
forest green

Colori Colors  
● F003C31A033  
● F003C31A030  
● F003C31A018  
● F003C31A006  
|| F003C31A005  
○ F003C31A001  
● F003C31A012

CE L P 65

p. 392



**BELLHOP WALL OUTDOOR/INDOOR**  
E. Barber & J. Osgerby, 2018  
Potenza · Power 8W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
LED 8W 816lm ≠ FIXT 580lm 3000K  
CRI80 [i] DIMMABLE 1-10V

Materiali · *Materials*  
alluminio, acciaio inox · *aluminum, stainless steel*

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

Peso · Weight 1,10 Kg

Finiture Finishes  
antracite · *anthracite*  
nero · *black*  
deep brown  
grigio · *grey*  
acciaio inox · *stainless steel*  
bianco · *white*  
forest green

Colori Colors  
● F003C31B033  
● F003C31B030  
● F003C31B018  
● F003C31B006  
|| F003C31B005  
○ F003C31B001  
● F003C31B012

CE L P 65

p. 392



**BELLHOP WALL OUTDOOR/INDOOR**  
E. Barber & J. Osgerby, 2018  
Potenza · Power 8W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
LED 8W 816lm ≠ FIXT 580lm 3000K  
CRI80 [i] DIMMABLE DALI

Materiali · *Materials*  
alluminio, acciaio inox · *aluminum, stainless steel*

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

Peso · Weight 1,10 Kg

Finiture Finishes  
antracite · *anthracite*  
nero · *black*  
deep brown  
grigio · *grey*  
acciaio inox · *stainless steel*  
bianco · *white*  
forest green

Colori Colors  
● F003C31D033  
● F003C31D030  
● F003C31D018  
● F003C31D006  
|| F003C31D005  
○ F003C31D001  
● F003C31D012

CE L P 65

p. 392



**BELLHOP WALL OUTDOOR/INDOOR**  
E. Barber & J. Osgerby, 2018  
Potenza · Power 8W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
LED 8W 873lm ≠ FIXT 607lm 4000K  
CRI80 [i] NO DIMMABLE

Materiali · *Materials*  
alluminio, acciaio inox · *aluminum, stainless steel*

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

Peso · Weight 1,10 Kg

Finiture Finishes  
antracite · *anthracite*  
nero · *black*  
deep brown  
grigio · *grey*  
acciaio inox · *stainless steel*  
bianco · *white*  
forest green

Colori Colors  
● F003C41A033  
● F003C41A030  
● F003C41A018  
● F003C41A006  
|| F003C41A005  
○ F003C41A001  
● F003C41A012

CE L P 65

p. 392



**BELLHOP WALL OUTDOOR/INDOOR**  
E. Barber & J. Osgerby, 2018  
Potenza · Power 8W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
LED 8W 873lm ≠ FIXT 607lm 4000K  
CRI80 [i] DIMMABLE 1-10

Materiali · *Materials*  
alluminio, acciaio inox · *aluminum, stainless steel*

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

Peso · Weight 1,10 Kg

Finiture Finishes  
antracite · *anthracite*  
nero · *black*  
deep brown  
grigio · *grey*  
acciaio inox · *stainless steel*  
bianco · *white*  
forest green

Colori Colors  
● F003C41B033  
● F003C41B030  
● F003C41B018  
● F003C41B006  
|| F003C41B005  
○ F003C41B001  
● F003C41B012

CE L P 65

p. 392



**BELLHOP WALL OUTDOOR/INDOOR**  
E. Barber & J. Osgerby, 2018  
Potenza · Power 8W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
LED 8W 873lm ≠ FIXT 607lm 4000K  
CRI80 [i] DIMMABLE DALI

Materiali · *Materials*  
alluminio, acciaio inox · *aluminum, stainless steel*

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

Peso · Weight 1,10 Kg

Finiture Finishes  
antracite · *anthracite*  
nero · *black*  
deep brown  
grigio · *grey*  
acciaio inox · *stainless steel*  
bianco · *white*  
forest green

Colori Colors  
● F003C41D033  
● F003C41D030  
● F003C41D018  
● F003C41D006  
|| F003C41D005  
○ F003C41D001  
● F003C41D012

CE L P 65

p. 392



**BELLHOP BOLLARD H 380 OUTDOOR**  
E. Barber & J. Osgerby, 2018  
Potenza · Power 8W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
LED 8W 783lm ≠ FIXT 551lm 2700K  
CRI80 [i] NO DIMMABLE

Materiali · *Materials*  
alluminio, acciaio inox · *aluminum, stainless steel*

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

Peso · Weight 2,20 Kg

Finiture Finishes  
antracite · *anthracite*  
nero · *black*  
deep brown  
grigio · *grey*  
acciaio inox · *stainless steel*  
bianco · *white*  
forest green

Colori Colors  
● F003A21A033  
● F003A21A030  
● F003A21A018  
● F003A21A006  
|| F003A21A005  
○ F003A21A001  
● F003A21A012

CE L P 65

p. 392



**BELLHOP BOLLARD H 380 OUTDOOR**  
E. Barber & J. Osgerby, 2018  
Potenza · Power 8W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
LED 8W 783lm ≠ FIXT 551lm 2700K  
CRI80 [i] DIMMABLE 1-10

Materiali · *Materials*  
alluminio, acciaio inox · *aluminum, stainless steel*

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

Peso · Weight 2,20 Kg

Finiture Finishes  
antracite · *anthracite*  
nero · *black*  
deep brown  
grigio · *grey*  
acciaio inox · *stainless steel*  
bianco · *white*  
forest green

Colori Colors  
● F003A21B033  
● F003A21B030  
● F003A21B018  
● F003A21B006  
|| F003A21B005  
○ F003A21B001  
● F003A21B012

CE L P 65

p. 392

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*



**BELLHOP BOLLARD H 380 OUTDOOR**  
E. Barber & J. Osgerby, 2018  
Potenza · Power 8W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LED 8W 783lm ≠ FIXT 551lm 2700K  
CRI80 [i] DIMMABLE DALI

Finiture Finishes  
antracite · anthracite  
nero · black  
deep brown  
grigio · grey  
acciaio inox · stainless steel  
bianco · white  
forest green

Colori Colors  
● F003A21D033  
● F003A21D030  
● F003A21D018  
● F003A21D006  
|| F003A21D005  
○ F003A21D001  
● F003A21D012

Materiali · Materials  
alluminio, acciaio inox · aluminum, stainless steel

Peso · Weight 2,20 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE L P 65

p. 392



**BELLHOP BOLLARD H 380 OUTDOOR**  
E. Barber & J. Osgerby, 2018  
Potenza · Power 8W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LED 8W 816lm ≠ FIXT 580lm 3000K  
CRI80 [i] NO DIMMABLE

Finiture Finishes  
antracite · anthracite  
nero · black  
deep brown  
grigio · grey  
acciaio inox · stainless steel  
bianco · white  
forest green

Colori Colors  
● F003A31A033  
● F003A31A030  
● F003A31A018  
● F003A31A006  
|| F003A31A005  
○ F003A31A001  
● F003A21A012

Materiali · Materials  
alluminio, acciaio inox · aluminum, stainless steel

Peso · Weight 2,20 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE L P 65

p. 392



**BELLHOP BOLLARD H 380 OUTDOOR**  
E. Barber & J. Osgerby, 2018  
Potenza · Power 8W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LED 8W 816lm ≠ FIXT 580lm 3000K  
CRI80 [i] DIMMABLE 1-10

Finiture Finishes  
antracite · anthracite  
nero · black  
deep brown  
grigio · grey  
acciaio inox · stainless steel  
bianco · white  
forest green

Colori Colors  
● F003A31B033  
● F003A31B030  
● F003A31B018  
● F003A31B006  
|| F003A31B005  
○ F003A31B001  
● F003A21B012

Materiali · Materials  
alluminio, acciaio inox · aluminum, stainless steel

Peso · Weight 2,20 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE L P 65

p. 392



**BELLHOP BOLLARD H 380 OUTDOOR**  
E. Barber & J. Osgerby, 2018  
Potenza · Power 8W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LED 8W 816lm ≠ FIXT 580lm 3000K  
CRI80 [i] DIMMABLE DALI

Finiture Finishes  
antracite · anthracite  
nero · black  
deep brown  
grigio · grey  
acciaio inox · stainless steel  
bianco · white  
forest green

Colori Colors  
● F003A31D033  
● F003A31D030  
● F003A31D018  
● F003A31D006  
|| F003A31D005  
○ F003A31D001  
● F003A21D012

Materiali · Materials  
alluminio, acciaio inox · aluminum, stainless steel

Peso · Weight 2,20 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE L P 65

p. 392



**BELLHOP BOLLARD H 380 OUTDOOR**  
E. Barber & J. Osgerby, 2018  
Potenza · Power 8W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LED 8W 873lm ≠ FIXT 607lm 4000K  
CRI80 [i] NO DIMMABLE

Finiture Finishes  
antracite · anthracite  
nero · black  
deep brown  
grigio · grey  
acciaio inox · stainless steel  
bianco · white  
forest green

Colori Colors  
● F003A41A033  
● F003A41A030  
● F003A41A018  
● F003A41A006  
|| F003A41A005  
○ F003A41A001  
● F003A41A012

Materiali · Materials  
alluminio, acciaio inox · aluminum, stainless steel

Peso · Weight 2,20 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE L P 65

p. 392



**BELLHOP BOLLARD H 380 OUTDOOR**  
E. Barber & J. Osgerby, 2018  
Potenza · Power 8W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LED 8W 873lm ≠ FIXT 607lm 4000K  
CRI80 [i] DIMMABLE 1-10

Finiture Finishes  
antracite · anthracite  
nero · black  
deep brown  
grigio · grey  
acciaio inox · stainless steel  
bianco · white  
forest green

Colori Colors  
● F003A41B033  
● F003A41B030  
● F003A41B018  
● F003A41B006  
|| F003A41B005  
○ F003A41B001  
● F003A41B012

Materiali · Materials  
alluminio, acciaio inox · aluminum, stainless steel

Peso · Weight 2,20 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE L P 65

p. 392



**BELLHOP BOLLARD H 380 OUTDOOR**  
E. Barber & J. Osgerby, 2018  
Potenza · Power 8W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LED 8W 873lm ≠ FIXT 607lm 4000K  
CRI80 [i] DIMMABLE DALI

Finiture Finishes  
antracite · anthracite  
nero · black  
deep brown  
grigio · grey  
acciaio inox · stainless steel  
bianco · white  
forest green

Colori Colors  
● F003A41D033  
● F003A41D030  
● F003A41D018  
● F003A41D006  
|| F003A41D005  
○ F003A41D001  
● F003A41D012

Materiali · Materials  
alluminio, acciaio inox · aluminum, stainless steel

Peso · Weight 2,20 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE L P 65

p. 392



**BELLHOP BOLLARD H 850 OUTDOOR**  
E. Barber & J. Osgerby, 2018  
Potenza · Power 8W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LED 8W 783lm ≠ FIXT 551lm 2700K  
CRI80 [i] NO DIMMABLE

Finiture Finishes  
antracite · anthracite  
nero · black  
deep brown  
grigio · grey  
acciaio inox · stainless steel  
bianco · white  
forest green

Colori Colors  
● F003B21A033  
● F003B21A030  
● F003B21A018  
● F003B21A006  
|| F003B21A005  
○ F003B21A001  
● F003B21A012

Materiali · Materials  
alluminio, acciaio inox · aluminum, stainless steel

Peso · Weight 3,0 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE L P 65

p. 392

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**BELLHOP BOLLARD H 850 OUTDOOR**  
 E. Barber & J. Osgerby, 2018  
 Potenza · Power 8W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 8W 783lm ≠ FIXT 551lm 2700K  
 CR180 [i] DIMMABLE 1-10V

Finiture Finishes  
 antracite · anthracite  
 nero · black  
 deep brown  
 grigio · grey  
 acciaio inox · stainless steel  
 bianco · white  
 forest green

Colori Colors  
 F003B21B033  
 F003B21B030  
 F003B21B018  
 F003B21B006  
 F003B21B005  
 F003B21B001  
 F003B21B012

Materiali · Materials  
 alluminio, acciaio inox · aluminum, stainless steel

Peso · Weight 3,0 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE L P 65

p. 392



**BELLHOP BOLLARD H 850 OUTDOOR**  
 E. Barber & J. Osgerby, 2018  
 Potenza · Power 8W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 8W 816lm ≠ FIXT 580lm 3000K  
 CR180 [i] DIMMABLE DALI

Finiture Finishes  
 antracite · anthracite  
 nero · black  
 deep brown  
 grigio · grey  
 acciaio inox · stainless steel  
 bianco · white  
 forest green

Colori Colors  
 F003B31D033  
 F003B31D030  
 F003B31D018  
 F003B31D006  
 F003B31D005  
 F003B31D001  
 F003B31D012

Materiali · Materials  
 alluminio, acciaio inox · aluminum, stainless steel

Peso · Weight 3,0 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE L P 65

p. 392



**BELLHOP BOLLARD H 850 OUTDOOR**  
 E. Barber & J. Osgerby, 2018  
 Potenza · Power 8W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 8W 783lm ≠ FIXT 551lm 2700K  
 CR180 [i] DIMMABLE DALI

Finiture Finishes  
 antracite · anthracite  
 nero · black  
 deep brown  
 grigio · grey  
 acciaio inox · stainless steel  
 bianco · white  
 forest green

Colori Colors  
 F003B21D033  
 F003B21D030  
 F003B21D018  
 F003B21D006  
 F003B21D005  
 F003B21D001  
 F003B21D012

Materiali · Materials  
 alluminio, acciaio inox · aluminum, stainless steel

Peso · Weight 3,0 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE L P 65

p. 392



**BELLHOP BOLLARD H 850 OUTDOOR**  
 E. Barber & J. Osgerby, 2018  
 Potenza · Power 8W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 8W 873lm ≠ FIXT 607lm 4000K  
 CR180 [i] NO DIMMABLE

Finiture Finishes  
 antracite · anthracite  
 nero · black  
 deep brown  
 grigio · grey  
 acciaio inox · stainless steel  
 bianco · white  
 forest green

Colori Colors  
 F003B41A033  
 F003B41A030  
 F003B41A018  
 F003B41A006  
 F003B41A005  
 F003B41A001  
 F003B41A012

Materiali · Materials  
 alluminio, acciaio inox · aluminum, stainless steel

Peso · Weight 3,0 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE L P 65

p. 392



**BELLHOP BOLLARD H 850 OUTDOOR**  
 E. Barber & J. Osgerby, 2018  
 Potenza · Power 8W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 8W 816lm ≠ FIXT 580lm 3000K  
 CR180 [i] NO DIMMABLE

Finiture Finishes  
 antracite · anthracite  
 nero · black  
 deep brown  
 grigio · grey  
 acciaio inox · stainless steel  
 bianco · white  
 forest green

Colori Colors  
 F003B31A033  
 F003B31A030  
 F003B31A018  
 F003B31A006  
 F003B31A005  
 F003B31A001  
 F003B31A012

Materiali · Materials  
 alluminio, acciaio inox · aluminum, stainless steel

Peso · Weight 3,0 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE L P 65

p. 392



**BELLHOP BOLLARD H 850 OUTDOOR**  
 E. Barber & J. Osgerby, 2018  
 Potenza · Power 8W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 8W 873lm ≠ FIXT 607lm 4000K  
 CR180 [i] DIMMABLE 1-10V

Finiture Finishes  
 antracite · anthracite  
 nero · black  
 deep brown  
 grigio · grey  
 acciaio inox · stainless steel  
 bianco · white  
 forest green

Colori Colors  
 F003B41B033  
 F003B41B030  
 F003B41B018  
 F003B41B006  
 F003B41B005  
 F003B41B001  
 F003B41B012

Materiali · Materials  
 alluminio, acciaio inox · aluminum, stainless steel

Peso · Weight 3,0 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE L P 65

p. 392



**BELLHOP BOLLARD H 850 OUTDOOR**  
 E. Barber & J. Osgerby, 2018  
 Potenza · Power 8W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 8W 816lm ≠ FIXT 580lm 3000K  
 CR180 [i] DIMMABLE 1-10

Finiture Finishes  
 antracite · anthracite  
 nero · black  
 deep brown  
 grigio · grey  
 acciaio inox · stainless steel  
 bianco · white  
 forest green

Colori Colors  
 F003B31B033  
 F003B31B030  
 F003B31B018  
 F003B31B006  
 F003B31B005  
 F003B31B001  
 F003B31B012

Materiali · Materials  
 alluminio, acciaio inox · aluminum, stainless steel

Peso · Weight 3,0 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE L P 65

p. 392



**BELLHOP BOLLARD H 850 OUTDOOR**  
 E. Barber & J. Osgerby, 2018  
 Potenza · Power 8W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 8W 873lm ≠ FIXT 607lm 4000K  
 CR180 [i] DIMMABLE DALI

Finiture Finishes  
 antracite · anthracite  
 nero · black  
 deep brown  
 grigio · grey  
 acciaio inox · stainless steel  
 bianco · white  
 forest green

Colori Colors  
 F003B41D033  
 F003B41D030  
 F003B41D018  
 F003B41D006  
 F003B41D005  
 F003B41D001  
 F003B41D012

Materiali · Materials  
 alluminio, acciaio inox · aluminum, stainless steel

Peso · Weight 3,0 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE L P 65

p. 392

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**BELT**  
Ronan & Erwan Bouroullec, 2020  
Potenza · Power MAX 27,5W/m  
Tensione · Voltage 48V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
LED INCLUDED  
NOT REPLACEABLE  
TOP LED 55W 2020lm UP - 4000lm  
DOWN 2700K CRI95[i] CASAMBI DIMMABLE

Materiali · *Materials*  
alluminio estruso rivestito in pelle naturale, policarbonato opale ·  
*extruded aluminum covered in real leather, opal polycarbonate*

Peso · Weight 5 Kg REMOTE DRIVER INCLUDED

Finiture Finishes: nero · black, verde · green, pelle naturale · natural leather  
Colori Colors: 03.8530.14.CB, 03.8530.GN.CB, 03.8530.18.CB

CE, I.P. 20, RoHS

p. 225



**BIAGIO**  
Tobia Scarpa, 1968  
Potenza · Power MAX 70W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
A+ → E 1 LED 10W E27 965lm 3000K [e] cod. RF29186 DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. RF28782 DIMMABLE

Materiali · *Materials*  
marmo · marble

Peso · Weight 7,5 Kg

Finiture Finishes: marmo · marble  
Colori Colors: F0700000

CE, I.P. 20, RoHS

p. 138



**BIBLIOTHEQUE NATIONALE**  
Philippe Starck, 2013  
Potenza · Power MAX 150W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
A+ → E 1 LED 21W E27 2452lm 3000K [e] cod. RF26998 DIMMABLE + CHARGER USB 5VDC

Materiali · *Materials*  
PC, acciaio inox, metacrilato · PC, stainless steel, methacrylate

Peso · Weight 10,3 Kg DIMMER INCLUDED

Finiture Finishes: trasparente · transparent, argento · silver, bronzo · bronze, tessuto · fabric, fumè · fumée  
Colori Colors: F1011000, F1011004, F1011046, F1011007, F1011030

CE, I.P. 20, RoHS

p. 196



**BON JOUR**  
Philippe Starck, 2015  
Potenza · Power 13W  
Tensione · Voltage 100-240V/24V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
LED INCLUDED  
NOT REPLACEABLE  
EDGE LIGHTING 13W 884lm 2700K CRI90 [i] DIMMABLE


Materiali · *Materials*  
polimetilmetacrilato · polymethylmethacrylate

Peso · Weight 2,0 Kg DIMMER INCLUDED

Finiture Finishes: bianco · white, cromo · chrome, rame · copper, cromo opaco · matt chrome  
Colori Colors: F1032009, F1032057, F1032015, F1032046

CE, I.P. 20, RoHS

p. 92




**BON JOUR ACCESSORI · ACCESSORIES**

Descrizione · *Description*  
Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · *Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.*

Finiture Finishes: giallo · yellow, ambra · amber, rafia · rattan, tessuto · fabric, trasparente · transparent, fumè · fumée  
Colori Colors: F1033019, F1033070, F1033088, F1033007, F1033000, F1033030

p. 92



**BON JOUR UNPLUGGED**  
Philippe Starck, 2015  
Potenza · Power 2,5W  
Tensione · Voltage 100-240V/5V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
LED INCLUDED  
NOT REPLACEABLE  
EDGE LIGHTING 2,5W 114lm 2700K CRI 90 [i] DIMMABLE  
6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT


Materiali · *Materials*  
alluminio, ABS, PMMA · aluminum, ABS, PMMA

Peso · Weight 0,6 Kg DIMMER INCLUDED

Finiture Finishes: bianco · white, cromo · chrome, rame · copper, cromo opaco · matt chrome  
Colori Colors: F1037009, F1037057, F1037015, F1037046

CE, I.P. 20, RoHS

p. 96



**BON JOUR UNPLUGGED ACCESSORI · ACCESSORIES**

Descrizione · *Description*  
Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · *Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.*

Finiture Finishes: giallo · yellow, ambra · amber, rafia · rattan, tessuto · fabric, trasparente · transparent, fumè · fumée, rosso · red  
Colori Colors: F1036019, F1036070, F1036088, F1036007, F1036000, F1036030, F1036035

p. 96



**BON JOUR VERSAILLES**  
Philippe Starck, 2017  
Potenza · Power 13W  
Tensione · Voltage 100-240V/24V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
LED INCLUDED  
NOT REPLACEABLE  
EDGE LIGHTING 13W 811lm 2700K CRI90 [i] DIMMABLE

Materiali · *Materials*  
polimetilmetacrilato · polymethylmethacrylate

Peso · Weight 1,54 Kg DIMMER INCLUDED

Finiture Finishes: cromo · chrome, rame · copper  
Colori Colors: F1041057, F1041015


CE, I.P. 20, RoHS

p. 88

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source





**BON JOUR VERSAILLES ACCESSORI - ACCESSORIES**

Descrizione - Description  
Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate - Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.

Finiture Finishes	Colori Colors
giallo - yellow	F1033019
ambra - amber	F1033070
rafia - rattan	F1033088
tessuto - fabric	F1033007
trasparente - transparent	F1033000
tumè - fumée	F1033030

LED INCLUDED  
NOT REPLACEABLE


Fonte luminosa (disponibile) - Light source (available)  
EDGE LIGHTING 2,5W 208lm 2700K CRI 90 [I] DIMMABLE

Materiali - Materials  
polimetilmetacrilato - polymethylmethacrylate

Peso - Weight 0,28 Kg DIMMER INCLUDED

CE IP 20

p. 88



**BON JOUR VERSAILLES SMALL**

Philippe Starck, 2017

Potenza - Power 3,5W

Tensione - Voltage 100-240V/24V

Finiture Finishes	Colori Colors
chromo - chrome	F1042057
rame - copper	F1042015

LED INCLUDED  
NOT REPLACEABLE


Fonte luminosa (disponibile) - Light source (available)  
EDGE LIGHTING 2,5W 208lm 2700K CRI 90 [I] DIMMABLE

Materiali - Materials  
polimetilmetacrilato - polymethylmethacrylate

Peso - Weight 0,28 Kg DIMMER INCLUDED

CE IP 20

p. 88



**BON JOUR VERSAILLES SMALL ACCESSORI - ACCESSORIES**

Descrizione - Description  
Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate - Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.

Finiture Finishes	Colori Colors
giallo - yellow	F1036019
ambra - amber	F1036070
rafia - rattan	F1036088
tessuto - fabric	F1036007
trasparente - transparent	F1036000
tumè - fumée	F1036030
rosso - red	F1036035

LED INCLUDED  
NOT REPLACEABLE

Fonte luminosa (disponibile) - Light source (available)  
micro LED 6W 210-450lm 2200K CRI 95 [I]

Materiali - Materials  
vetro - glass

Peso - Weight 0,87 Kg

CE IP 20

p. 238



**BULBO 57**

Achille and Pier Giacomo Castiglioni, 2019

Potenza - Power 6W

Tensione - Voltage 240/24V

LED INCLUDED  
NOT REPLACEABLE


Fonte luminosa (disponibile) - Light source (available)  
micro LED 6W 210-450lm 2200K CRI 95 [I]

Materiali - Materials  
vetro - glass

Peso - Weight 0,87 Kg

CE IP 20

p. 238



**MINI BUTTON**

Piero Lissoni, 2005

Potenza - Power MAX 25W

Tensione - Voltage 220-250V


Fonte luminosa (disponibile) - Light source (available)  
1 LED 3W G9 290lm 2700K\* [e] cod. RF28425 o - or 1 LED 2W G9 240lm 2700K\* [e] cod. RF26520

Materiali - Materials  
polycarbonato o vetro - polycarbonate or glass

Peso - Weight 0,3 Kg (pol.) - 0,6 Kg (vetro/glass)

CE IP 44

p. 366



**BUTTON**

Piero Lissoni, 2004

Potenza - Power 22W + 40W

Tensione - Voltage 220-240V

Fonte luminosa (disponibile) - Light source (available)  
1 x 22W 2GX13 T5 FSC 1800lm warm white [e] cod. RF11177 + 1 x 40W 2GX13 T5 FSC 3400lm warm white [e] cod. RF11178  
Ballast elettronico - Electronic Ballast

Materiali - Materials  
polycarbonato - polycarbonate

Peso - Weight 2,1 Kg

CE IP 44

p. 367



**BUTTON HL**

Piero Lissoni, 2005

Potenza - Power 5 x MAX 40W

Tensione - Voltage 220-250V

Fonte luminosa (disponibile) - Light source (available)  
5 LED 3W G9 290lm 2700K\* [e] cod. RF28425 o - or 5 LED 2W G9 240lm 2700K\* [e] cod. RF26520

Materiali - Materials  
vetro - glass

Peso - Weight 13,5 Kg

CE IP 40

p. 367



**CAMOUFLAGE 140 OUTDOOR/INDOOR**

Piero Lissoni, 2017

Potenza - Power 8W

Tensione - Voltage 24V

LED INCLUDED  
NOT REPLACEABLE

Fonte luminosa (disponibile) - Light source (available)  
MID-POWER LED 8W 786lm ≠ FIXT 474lm 2700K CRI80 24V [I]

Finiture Finishes	Colori Colors
cemento - concrete	F1310089
crema d'Orcia	F1310090
Basaltina	F1310087
primer	F1310000
bianco - white	F1310001
grigio - grey	F1310006
antracite - anthracite	F1310033
nero - black	F1310030
deep brown	F1310018
forest green	F1310012

Materiali - Materials  
alluminio, polycarbonato, pietra, cemento - aluminum, polycarbonate, stone, concrete

Peso - Weight 0,45 Kg

CE IP 65

p. 402

[e] fonte luminosa esclusa - excluded light source - [I] fonte luminosa inclusa - included light source - \* fonte luminosa non dimmerabile - not dimmable light source

[e] fonte luminosa esclusa - excluded light source - [I] fonte luminosa inclusa - included light source - \* fonte luminosa non dimmerabile - not dimmable light source

32/35 mm



ø 140 mm

### CAMOUFLAGE 140 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · Power 8W

Tensione · Voltage 24V

LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
Light source (available)  
MID-POWER LED 8W 913lm ≠ FIXT  
551lm 3000K CRI80 24V [i]

Finiture Finishes  
cemento · concrete  
crema d'Orcia  
Basaltina  
primer  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori Colors  
● F1311089  
○ F1311090  
● F1311087  
○ F1311000  
○ F1311001  
● F1311006  
● F1311033  
● F1311030  
● F1311018  
● F1311012

Materiali · Materials  
alluminio, policarbonato, pietra, cemento ·  
aluminum, polycarbonate, stone, concrete

Peso · Weight 0,45 Kg



p. 402

32/35 mm



ø 140 mm

### CAMOUFLAGE 140 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · Power 8W

Tensione · Voltage 24V

LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
Light source (available)  
MID-POWER LED 8W 960lm ≠ FIXT  
579lm 4000K CRI80 24V [i]

Finiture Finishes  
cemento · concrete  
crema d'Orcia  
Basaltina  
primer  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori Colors  
● F1312089  
○ F1312090  
● F1312087  
○ F1312000  
○ F1312001  
● F1312006  
● F1312033  
● F1312030  
● F1312018  
● F1312012

Materiali · Materials  
alluminio, policarbonato, pietra, cemento ·  
aluminum, polycarbonate, stone, concrete

Peso · Weight 0,45 Kg



p. 402

42/48 mm



ø 240 mm

### CAMOUFLAGE 240 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · Power 12W

Tensione · Voltage 220-240V

LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
Light source (available)  
MID-POWER LED 12W 1281lm ≠ FIXT  
773lm 2700K CRI80 220-240V [i]

Finiture Finishes  
cemento · concrete  
crema d'Orcia  
Basaltina  
primer  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown

Colori Colors  
● F1315089  
○ F1315090  
● F1315087  
○ F1315000  
○ F1315001  
● F1315006  
● F1315033  
● F1315030  
● F1315018  
● F1315012

Materiali · Materials  
alluminio, policarbonato, pietra, cemento ·  
aluminum, polycarbonate, stone, concrete

Peso · Weight 1,50 Kg



p. 402

42/48 mm



ø 240 mm

### CAMOUFLAGE 240 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · Power 12W

Tensione · Voltage 220-240V

LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
Light source (available)  
MID-POWER LED 12W 1488lm ≠ FIXT  
898lm 3000K CRI80 220-240V [i]

Finiture Finishes  
cemento · concrete  
crema d'Orcia  
Basaltina  
primer  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori Colors  
● F1316089  
○ F1316090  
● F1316087  
○ F1316000  
○ F1316001  
● F1316006  
● F1316033  
● F1316030  
● F1316018  
● F1311012

Materiali · Materials  
alluminio, policarbonato, pietra, cemento ·  
aluminum, polycarbonate, stone, concrete

Peso · Weight 1,50 Kg



p. 402

42/48 mm



ø 240 mm

### CAMOUFLAGE 240 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potenza · Power 12W

Tensione · Voltage 220-240V

LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
Light source (available)  
MID-POWER LED 12W 1563lm ≠ FIXT  
944lm 4000K CRI80 220-240V [i]

Finiture Finishes  
cemento · concrete  
crema d'Orcia  
Basaltina  
primer  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori Colors  
● F1317089  
○ F1317090  
● F1317087  
○ F1317000  
○ F1317001  
● F1317006  
● F1317033  
● F1317030  
● F1317018  
● F1311012

Materiali · Materials  
alluminio, policarbonato, pietra, cemento ·  
aluminum, polycarbonate, stone, concrete

Peso · Weight 1,50 Kg



p. 402

373 mm

ø 210

1537 mm

ø 320 mm

### CAPTAIN FLINT

Michael Anastassiades, 2015

Potenza · Power 20W

Tensione · Voltage 100-240V/48V

LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
Light source (available)  
1 COB LED 20W 557lm 2700K CRI93  
[i] DIMMABLE

Finiture Finishes  
ottone spazzolato ·  
brushed brass  
antracite · anthracite

Colori Colors  
● F1530059  
● F1530030

Materiali · Materials  
acciaio, policarbonato, marmo · steel,  
polycarbonate, marble

Peso · Weight 9 Kg

DIMMER INCLUDED



p. 183

373 mm

ø 210

1537 mm

ø 320 mm

### CAPTAIN FLINT OUTDOOR/INDOOR

Michael Anastassiades, 2019

Potenza · Power 13W

Tensione · Voltage 100-240V

LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
Light source (available)  
1 COB LED 13W 557lm 2700K CRI80  
[i] DIMMABLE

Finiture Finishes  
acciaio inox · stainless steel  
(occhio di pernice marble)  
ottone · brass  
(grey lava marble)  
deep brown  
(travertino imperiale marble)  
nero · black  
(black lava marble)  
rosso burgundy · red burgundy  
(black lava marble)

Colori Colors  
● F011A24F005  
● F011A23F059  
● F011A21F018  
● F011A22F030  
● F011A22F037

Materiali · Materials  
acciaio, policarbonato, alluminio, ottone, marmo ·  
steel, polycarbonate, aluminum, brass, marble

Peso · Weight 10 Kg

DIMMER INCLUDED



p. 391

373 mm

ø 210

1537 mm

ø 320 mm

### CAPTAIN FLINT OUTDOOR/INDOOR

Michael Anastassiades, 2019

Potenza · Power 13W

Tensione · Voltage 230-240V

LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
Light source (available)  
1 COB LED 20W 598lm 3000K CRI80  
[i] DIMMABLE

Finiture Finishes  
acciaio inox · stainless steel  
(occhio di pernice marble)  
ottone · brass  
(grey lava marble)  
deep brown  
(travertino imperiale marble)  
nero · black  
(black lava marble)  
red burgundy · red burgundy  
(black lava marble)

Colori Colors  
● F011A34F005  
● F011A33F059  
● F011A31F018  
● F011A32F030  
● F011A32F037

Materiali · Materials  
acciaio, policarbonato, alluminio, ottone, marmo ·  
steel, polycarbonate, aluminum, brass, marble

Peso · Weight 10 Kg



p. 391

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

**CAPTAIN FLINT OUTDOOR/INDOOR**  
 Michael Anastassiades, 2019  
 Potenza · Power 13W  
 Tensione · Voltage 230-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 1 COB LED 20W 644lm 4000K CRI80  
 [i] DIMMABLE

LED INCLUDED  
 NOT REPLACEABLE

- Finiture Finishes  
 acciaio inox · stainless steel (occhio di pernice marble)  
 ottone · brass (grey lava marble)  
 deep brown (travertino imperiale marble)  
 nero · black (black lava marble)  
 red burgundy · red burgundy (black lava marble)
- Colori Colors  
 F011A44F005  
 F011A43F059  
 F011A41F018  
 F011A42F030  
 F011A42F037

Materiali · Materials  
 acciaio, policarbonato, alluminio, ottone, marmo ·  
 steel, polycarbonate, aluminum, brass, marble

Peso · Weight 10 Kg



p. 391

**CHASEN**  
 Patricia Urquiola, 2007  
 Potenza · Power 120W  
 Tensione · Voltage 230V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 1 x MAX 120W E27 PAR38 872lm  
 2700K [i] cod. RF24480 DIMMABLE

A+ → E

- Finiture Finishes  
 bianco · white  
 nero · black
- Colori Colors  
 F1636009  
 F1636030

Materiali · Materials  
 acciaio inox, alluminio, vetro · stainless steel,  
 aluminum, glass

Peso · Weight 6,5 Kg



p. 296

**CHIARA F**  
 Mario Bellini, 1969 -2020  
 Potenza · Power 15W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 1 LED 15W E27 2000lm 2700K  
 [i] cod. RF28665 DIMMABLE or LED  
 15W E27 2000lm 3000K [e] cod.  
 RF28666 DIMMABLE

A+ → E

- Finiture Finishes  
 stainless steel with black edge
- Colori Colors  
 F1590056

Materiali · Materials  
 acciaio inox, tpu · stainless steel, tpu

Peso · Weight 10,5 Kg DIMMER INCLUDED



p. 156

**CHIARA T**  
 Mario Bellini, 2020  
 Potenza · Power 1 x MAX 10W LED  
 Tensione · Voltage 220 -240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 1 LED 10W E14 800lm 2700K [e] cod.  
 RF26261 DIMMABLE o · or 1 LED 10W E14  
 900lm 3000K [e] cod. RF26260 DIMMABLE  
 o · or 1 LED 8W E14 900lm 2700K  
 [e] cod. RF30263 DIMMABLE o · or 1 LED  
 8W E14 700lm 3000K [e] cod. RF26565  
 DIMMABLE or 1 LED 8W E14 700lm 3000K  
 [e] cod. RF30264 DIMMABLE

A+ → E

- Finiture Finishes  
 dark grey with olive green edge-  
 aluminum with anthra-cite edge  
 pink gold with oxide red edge
- Colori Colors  
 F1595023  
 F1595004  
 F1595034

Materiali · Materials  
 alluminio, tpu · aluminum, tpu

Peso · Weight 1,3 Kg DIMMER INCLUDED



p. 56

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

**CHRYSALIS**  
 Marcel Wanders, 2011  
 Potenza · Power 1 x MAX 65W + 1 x 80W  
 Tensione · Voltage 230-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 1 x 60W GY 6 12V HSGS 1650lm  
 3000K [i] cod. RF19578 + 1 x 80W G5  
 T5 6450lm 2700K [i] cod. RF20767

A+ → B  
 A

- Finiture Finishes  
 bianco · white
- Colori Colors  
 F1670009

Materiali · Materials  
 Cocoon, vetro, acciaio · Cocoon, glass, steel

Peso · Weight 13,5 Kg



p. 193

**CLARA**  
 Piero Lissoni, 2014  
 Potenza · Power 57W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 TOP LED 57W 3141lm 2700K CRI>90  
 [i] DIMMABLE

LED INCLUDED  
 NOT REPLACEABLE

- Finiture Finishes  
 bianco · white
- Colori Colors  
 F1570009
- FINITURE FREGIO / FRIEZE FINISHES  
 F1571057  
 F1571015  
 F1571000  
 F1571030A
- cromo · chrome  
 rame · copper  
 trasparente · transparent  
 fumè · fumée

Materiali · Materials  
 policarbonato · polycarbonate

Peso · Weight 3 Kg



p. 354

**CLESSIDRA OUTDOOR/INDOOR**  
 Antonio Citterio, 2011  
 Potenza · Power 10W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 2 LED 10W 637lm 3000K CRI80 [i]

LED INCLUDED  
 NOT REPLACEABLE

- Finiture Finishes  
 grigio · grey  
 deep brown  
 grigio · grey  
 deep brown
- Colori Colors  
 F1583006 20°+20° OUTDOOR  
 F1583018 20°+20° OUTDOOR  
 F1584006 40°+40° OUTDOOR  
 F1584018 40°+40° OUTDOOR

Materiali · Materials  
 alluminio, PMMA · aluminum, PMMA

Peso · Weight 1,1 Kg



p. 410

**CLESSIDRA INDOOR**  
 Antonio Citterio, 2011  
 Potenza · Power 10W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 2 LED 10W 637lm 3000K CRI80 [i]

LED INCLUDED  
 NOT REPLACEABLE

- Finiture Finishes  
 bianco · white  
 cromo · chrome  
 bianco · white  
 cromo · chrome
- Colori Colors  
 F1583009 20°+20°  
 F1583057 20°+20°  
 F1584009 40°+40°  
 F1584057 40°+40°

Materiali · Materials  
 alluminio, PMMA · aluminum, PMMA

Peso · Weight 1,1 Kg



p. 344

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

**CLIMBER DOWN 87 OUTDOOR/INDOOR**  
Piero Lissoni, 2017  
Potenza · Power 7W  
Tensione · Voltage 100-240V



Fonte luminosa (disponibile) · Light source (available)  
POWER LED 7W 432lm ≠ FIXT 387lm  
2700K CRI80 110/240V [i]  
(FIXT lm = Spot Optic)

LED INCLUDED  
NOT REPLACEABLE

Materiali · Materials  
alluminio, vetro · aluminum, glass

Peso · Weight 1,17 Kg

Finiture Finishes  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori Colors  
F1110001 SPOT 14°  
F1110006 SPOT 14°  
F1110033 SPOT 14°  
F1110030 SPOT 14°  
F1110018 SPOT 14°  
F1110012 SPOT 14°  
F1111001 FLOOD 73°  
F1111006 FLOOD 73°  
F1111033 FLOOD 73°  
F1111030 FLOOD 73°  
F1111018 FLOOD 73°  
F1111012 FLOOD 73°

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE I P 65

p. 400

**CLIMBER DOWN 87 OUTDOOR/INDOOR**  
Piero Lissoni, 2017  
Potenza · Power 7W  
Tensione · Voltage 100-240V



Fonte luminosa (disponibile) · Light source (available)  
POWER LED 7W 468lm ≠ FIXT 419lm  
3000K CRI80 110/240V [i]  
(FIXT lm = Spot Optic)

LED INCLUDED  
NOT REPLACEABLE

Materiali · Materials  
alluminio, vetro · aluminum, glass

Peso · Weight 1,17 Kg

Finiture Finishes  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori Colors  
F1112001 SPOT 14°  
F1112006 SPOT 14°  
F1112033 SPOT 14°  
F1112030 SPOT 14°  
F1112018 SPOT 14°  
F1112012 SPOT 14°  
F1113001 FLOOD 73°  
F1113006 FLOOD 73°  
F1113033 FLOOD 73°  
F1113030 FLOOD 73°  
F1113018 FLOOD 73°  
F1113012 FLOOD 73°

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE I P 65

p. 400

**CLIMBER DOWN 87**  
Piero Lissoni, 2017  
Potenza · Power 7W  
Tensione · Voltage 100-240V



Fonte luminosa (disponibile) · Light source (available)  
POWER LED 7W 504lm ≠ FIXT 451lm  
4000K CRI80 110/240V [i]  
(FIXT lm = Spot Optic)

LED INCLUDED  
NOT REPLACEABLE

Materiali · Materials  
alluminio, vetro · aluminum, glass

Peso · Weight 1,17 Kg

Finiture Finishes  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori Colors  
F1114001 SPOT 14°  
F1114006 SPOT 14°  
F1114033 SPOT 14°  
F1114030 SPOT 14°  
F1114018 SPOT 14°  
F1114012 SPOT 14°  
F1115001 FLOOD 73°  
F1115006 FLOOD 73°  
F1115033 FLOOD 73°  
F1115030 FLOOD 73°  
F1115018 FLOOD 73°  
F1115012 FLOOD 73°

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE I P 65

p. 400

**CLIMBER DOWN 175**  
Piero Lissoni, 2017  
Potenza · Power 12W  
Tensione · Voltage 100-240V



Fonte luminosa (disponibile) · Light source (available)  
POWER LED 12W 864lm ≠ FIXT 721lm  
2700K CRI80 110/240V [i]  
(FIXT lm = Spot Optic)

LED INCLUDED  
NOT REPLACEABLE

Materiali · Materials  
alluminio, vetro · aluminum, glass

Peso · Weight 2,13 Kg

Finiture Finishes  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori Colors  
F1140001 SPOT 16°  
F1140006 SPOT 16°  
F1140033 SPOT 16°  
F1140030 SPOT 16°  
F1140018 SPOT 16°  
F1140012 SPOT 16°  
F1141001 FLOOD 72°  
F1141006 FLOOD 72°  
F1141033 FLOOD 72°  
F1141030 FLOOD 72°  
F1141018 FLOOD 72°  
F1141012 FLOOD 72°

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE I P 65

p. 400

**CLIMBER DOWN 175**  
Piero Lissoni, 2017  
Potenza · Power 12W  
Tensione · Voltage 100-240V



Fonte luminosa (disponibile) · Light source (available)  
POWER LED 12W 936lm ≠ FIXT 781lm  
3000K CRI80 110/240V [i]  
(FIXT lm = Spot Optic)

LED INCLUDED  
NOT REPLACEABLE

Materiali · Materials  
alluminio, vetro · aluminum, glass

Peso · Weight 2,13 Kg

Finiture Finishes  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green


Colori Colors  
F1142001 SPOT 16°  
F1142006 SPOT 16°  
F1142033 SPOT 16°  
F1142030 SPOT 16°  
F1142018 SPOT 16°  
F1142012 SPOT 16°  
F1143001 FLOOD 72°  
F1143006 FLOOD 72°  
F1143033 FLOOD 72°  
F1143030 FLOOD 72°  
F1143018 FLOOD 72°  
F1143012 FLOOD 72°

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE I P 65

p. 400

**CLIMBER DOWN 175**  
Piero Lissoni, 2017  
Potenza · Power 12W  
Tensione · Voltage 100-240V



Fonte luminosa (disponibile) · Light source (available)  
POWER LED 12W 1008lm ≠ FIXT 841lm  
4000K CRI80 110/240V [i]  
(FIXT lm = Spot Optic)

LED INCLUDED  
NOT REPLACEABLE

Materiali · Materials  
alluminio, vetro · aluminum, glass

Peso · Weight 2,13 Kg

Finiture Finishes  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green


Colori Colors  
F1144001 SPOT 16°  
F1144006 SPOT 16°  
F1144033 SPOT 16°  
F1144030 SPOT 16°  
F1144018 SPOT 16°  
F1144012 SPOT 16°  
F1145001 FLOOD 72°  
F1145006 FLOOD 72°  
F1145033 FLOOD 72°  
F1145030 FLOOD 72°  
F1145018 FLOOD 72°  
F1145012 FLOOD 72°

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE I P 65

p. 400

**CLIMBER UP & DOWN 87**  
Piero Lissoni, 2017  
Potenza · Power 12W  
Tensione · Voltage 110-240V



Fonte luminosa (disponibile) · Light source (available)  
POWER LED 12W 2x432lm ≠ FIXT 2x392lm  
2700K CRI80 110/240V [i]  
(FIXT lm = Spot Optic)

LED INCLUDED  
NOT REPLACEABLE

Materiali · Materials  
alluminio, vetro · aluminum, glass

Peso · Weight 1,25 Kg

Finiture Finishes  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green

Colori Colors  
F1116001 SPOT 14°  
F1116006 SPOT 14°  
F1116033 SPOT 14°  
F1116030 SPOT 14°  
F1116018 SPOT 14°  
F1116012 SPOT 14°  
F1117001 FLOOD 73°  
F1117006 FLOOD 73°  
F1117033 FLOOD 73°  
F1117030 FLOOD 73°  
F1117018 FLOOD 70°  
F1117012 FLOOD 70°

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE I P 65

p. 400

**CLIMBER UP & DOWN 87**  
Piero Lissoni, 2017  
Potenza · Power 12W  
Tensione · Voltage 110-240V



Fonte luminosa (disponibile) · Light source (available)  
POWER LED 12W 2x468lm ≠ FIXT 2x425lm  
3000K CRI80 110/240V [i]  
(FIXT lm = Spot Optic)

LED INCLUDED  
NOT REPLACEABLE

Materiali · Materials  
alluminio, vetro · aluminum, glass

Peso · Weight 1,25 Kg

Finiture Finishes  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown  
forest green


Colori Colors  
F1118001 SPOT 14°  
F1118006 SPOT 14°  
F1118033 SPOT 14°  
F1118030 SPOT 14°  
F1118018 SPOT 14°  
F1118012 SPOT 14°  
F1119001 FLOOD 73°  
F1119006 FLOOD 73°  
F1119033 FLOOD 73°  
F1119030 FLOOD 73°  
F1119018 FLOOD 73°  
F1119012 FLOOD 73°

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

CE I P 65

p. 400

**CLIMBER UP & DOWN 87**  
 Piero Lissoni, 2017  
 Potenza · Power 12W  
 Tensione · Voltage 110-240V



Fonte luminosa (disponibile) · Light source (available)  
 POWER LED 12W 2x504lm ≠ FIXT  
 2x458lm 4000K CRI80 110/240V [i]  
 (FIXT lm = Spot Optic)

LED INCLUDED  
 NOT REPLACEABLE

Materiali · Materials  
 alluminio, vetro · aluminum, glass

Peso · Weight 1,25 Kg

Finiture Finishes  
 bianco · white  
 grigio · grey  
 antracite · anthracite  
 nero · black  
 deep brown  
 forest green

Colori Colors  
 F1120001 SPOT 14°  
 F1120006 SPOT 14°  
 F1120033 SPOT 14°  
 F1120030 SPOT 14°  
 F1120018 SPOT 14°  
 F1120012 SPOT 14°  
 F1121001 FLOOD 73°  
 F1121006 FLOOD 73°  
 F1121033 FLOOD 73°  
 F1121030 FLOOD 73°  
 F1121018 FLOOD 73°  
 F1121018 FLOOD 73°

CE I P 65

p. 400

**CLIMBER UP & DOWN 175**  
 Piero Lissoni, 2017  
 Potenza · Power 21W  
 Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · Light source (available)  
 POWER LED 21W 2x864lm ≠ FIXT  
 2x739lm 2700K CRI80 220/240V [i]  
 (FIXT lm = Spot Optic)

LED INCLUDED  
 NOT REPLACEABLE

Materiali · Materials  
 alluminio, vetro · aluminum, glass

Peso · Weight 2,20 Kg

Finiture Finishes  
 bianco · white  
 grigio · grey  
 antracite · anthracite  
 nero · black  
 deep brown  
 forest green

Colori Colors  
 F1146001 SPOT 16°  
 F1146006 SPOT 16°  
 F1146033 SPOT 16°  
 F1146030 SPOT 16°  
 F1146018 SPOT 16°  
 F1146018 SPOT 16°  
 F1146018 SPOT 16°  
 F1147001 FLOOD 72°  
 F1147006 FLOOD 72°  
 F1147033 FLOOD 72°  
 F1147030 FLOOD 72°  
 F1147018 FLOOD 72°  
 F1147018 FLOOD 72°

CE I P 65

p. 400

**CLIMBER UP & DOWN 175**  
 Piero Lissoni, 2017  
 Potenza · Power 21W  
 Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · Light source (available)  
 POWER LED 21W 2x936lm ≠ FIXT  
 2x800lm 3000K CRI80 220/240V [i]  
 (FIXT lm = Spot Optic)

LED INCLUDED  
 NOT REPLACEABLE

Materiali · Materials  
 alluminio, vetro · aluminum, glass

Peso · Weight 2,20 Kg

Finiture Finishes  
 bianco · white  
 grigio · grey  
 antracite · anthracite  
 nero · black  
 deep brown  
 forest green

Colori Colors  
 F1148001 SPOT 16°  
 F1148006 SPOT 16°  
 F1148033 SPOT 16°  
 F1148030 SPOT 16°  
 F1148018 SPOT 16°  
 F1148012 SPOT 16°  
 F1149001 FLOOD 72°  
 F1149006 FLOOD 72°  
 F1149033 FLOOD 72°  
 F1149030 FLOOD 72°  
 F1149018 FLOOD 72°  
 F1149012 FLOOD 72°

CE I P 65

p. 400

**CLIMBER UP & DOWN 175**  
 Piero Lissoni, 2017  
 Potenza · Power 21W  
 Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · Light source (available)  
 POWER LED 21W 2x1008lm ≠ FIXT  
 2x862lm 4000K CRI80 220/240V [i]  
 (FIXT lm = Spot Optic)

LED INCLUDED  
 NOT REPLACEABLE

Materiali · Materials  
 alluminio, vetro · aluminum, glass

Peso · Weight 2,20 Kg

Finiture Finishes  
 bianco · white  
 grigio · grey  
 antracite · anthracite  
 nero · black  
 deep brown  
 forest green


Colori Colors  
 F1150001 SPOT 16°  
 F1150006 SPOT 16°  
 F1150033 SPOT 16°  
 F1150030 SPOT 16°  
 F1150018 SPOT 16°  
 F1150018 SPOT 16°  
 F1151001 FLOOD 72°  
 F1151006 FLOOD 72°  
 F1151033 FLOOD 72°  
 F1151030 FLOOD 72°  
 F1151018 FLOOD 72°  
 F1151012 FLOOD 72°

CE I P 65

p. 400

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

**COORDINATES C1**  
 Michael Anastassiades, 2020  
 Potenza · Power 45W  
 Tensione · Voltage 100 - 240V



Fonte luminosa (disponibile) · Light source (available)  
 STRIP LED 45W 2270lm 2700K  
 CRI95 [i]

LED INCLUDED  
 NOT REPLACEABLE

Materiali · Materials  
 alluminio estruso, silicone platinico opale estruso · extruded aluminum, platinic silicone extruded opal

Peso · Weight 3,8 Kg

DIMMER INCLUDED  
 1-10/PUSH/DALI


Finiture Finishes  
 anodizzato champagne · anodized champagne

Colori Colors  
 F1852044

CE I P 20

p. 318

**COORDINATES C1 CL III**  
 Michael Anastassiades, 2020  
 Potenza · Power 38W  
 Tensione · Voltage 48V



Fonte luminosa (disponibile) · Light source (available)  
 STRIP LED 38W 2270lm 2700K  
 CRI95 [i]

LED INCLUDED  
 NOT REPLACEABLE

Materiali · Materials  
 alluminio estruso, silicone platinico opale estruso · extruded aluminum, platinic silicone extruded opal

Peso · Weight 1,3 Kg

DIMMER LED / LED DIMMER  
 RF26994

Finiture Finishes  
 anodizzato champagne · anodized champagne


Colori Colors  
 F1832044

ALIMENTATORE / POWER SUPPLY  
 RF29208

CE I P 20

p. 318

**COORDINATES C1 LONG**  
 Michael Anastassiades, 2020  
 Potenza · Power 52W  
 Tensione · Voltage 100 - 240V



Fonte luminosa (disponibile) · Light source (available)  
 STRIP LED 52W 2670lm 2700K  
 CRI95 [i]

LED INCLUDED  
 NOT REPLACEABLE

Materiali · Materials  
 alluminio estruso, silicone platinico opale estruso · extruded aluminum, platinic silicone extruded opal

Peso · Weight 4 Kg

DIMMER INCLUDED  
 1-10/PUSH/DALI


Finiture Finishes  
 anodizzato champagne · anodized champagne

Colori Colors  
 F1864044

CE I P 20

p. 318

**COORDINATES C1 LONG CL III**  
 Michael Anastassiades, 2020  
 Potenza · Power 45W  
 Tensione · Voltage 48V



Fonte luminosa (disponibile) · Light source (available)  
 STRIP LED 45W 2670lm 2700K  
 CRI95 [i]

LED INCLUDED  
 NOT REPLACEABLE

Materiali · Materials  
 alluminio estruso, silicone platinico opale estruso · extruded aluminum, platinic silicone extruded opal

Peso · Weight 1,5 Kg

DIMMER LED / LED DIMMER  
 RF26994

Finiture Finishes  
 anodizzato champagne · anodized champagne

Colori Colors  
 F1830044


ALIMENTATORE / POWER SUPPLY  
 RF29208

CE I P 20

p. 318

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

**COORDINATES C2**  
 Michael Anastassiades, 2020  
 Potenza · Power 69W  
 Tensione · Voltage 100 - 240V



Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 STRIP LED 69W 3660lm 2700K  
 CRI95 [i]

Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinum silicone extruded opal*

Peso · Weight 4,6 Kg

Finiture Finishes anodizzato champagne ·  
*anodized champagne* Colori Colors F1858044


ALIMENTATORE / POWER SUPPLY RF29209

DIMMER LED / LED DIMMER RF26994

CE I P 20

p. 318

**COORDINATES C2 CL III**  
 Michael Anastassiades, 2020  
 Potenza · Power 61W  
 Tensione · Voltage 48V



Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 STRIP LED 61W 3660lm 2700K  
 CRI95 [i]

Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinum silicone extruded opal*

Peso · Weight 2,1 Kg

Finiture Finishes anodizzato champagne ·  
*anodized champagne* Colori Colors F1836044


ALIMENTATORE / POWER SUPPLY RF29209

DIMMER LED / LED DIMMER RF26994

CE I P 20

p. 318

**COORDINATES C2 LONG**  
 Michael Anastassiades, 2020  
 Potenza · Power 83W  
 Tensione · Voltage 100 - 240V



Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 STRIP LED 83W 4470lm 2700K  
 CRI95 [i]

Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinum silicone extruded opal*

Peso · Weight 5,1 Kg

Finiture Finishes anodizzato champagne ·  
*anodized champagne* Colori Colors F1866044


ALIMENTATORE / POWER SUPPLY RF29209

DIMMER LED / LED DIMMER RF26994

CE I P 20

p. 318

**COORDINATES C2 LONG CL III**  
 Michael Anastassiades, 2020  
 Potenza · Power 75W  
 Tensione · Voltage 48V



Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 STRIP LED 75W 4470lm 2700K  
 CRI95 [i]

Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinum silicone extruded opal*

Peso · Weight 2,6 Kg

Finiture Finishes anodizzato champagne ·  
*anodized champagne* Colori Colors F1834044

ALIMENTATORE / POWER SUPPLY RF29209


DIMMER LED / LED DIMMER RF26994

CE I P 20

p. 318

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*

**COORDINATES C4**  
 Michael Anastassiades, 2020  
 Potenza · Power 157W  
 Tensione · Voltage 100 - 240V



Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 STRIP LED 157W 8830lm 2700K  
 CRI95 [i]

Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinum silicone extruded opal*

Peso · Weight 8,1 Kg

Finiture Finishes anodizzato champagne ·  
*anodized champagne* Colori Colors F1856044


ALIMENTATORE / POWER SUPPLY RF29209

DIMMER LED / LED DIMMER RF26994

CE I P 20

p. 318

**COORDINATES C4 CL III**  
 Michael Anastassiades, 2020  
 Potenza · Power 147W  
 Tensione · Voltage 48V



Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 STRIP LED 147W 8830lm 2700K  
 CRI95 [i]

Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinum silicone extruded opal*

Peso · Weight 5,1 Kg

Finiture Finishes anodizzato champagne ·  
*anodized champagne* Colori Colors F1840044


ALIMENTATORE / POWER SUPPLY RF29209

DIMMER LED / LED DIMMER RF26994

CE I P 20

p. 318

**COORDINATES C4 LONG**  
 Michael Anastassiades, 2020  
 Potenza · Power 185W  
 Tensione · Voltage 100 - 240V



Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 STRIP LED 185W 10450lm 2700K  
 CRI95 [i]

Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinum silicone extruded opal*

Peso · Weight 9,0 Kg

Finiture Finishes anodizzato champagne ·  
*anodized champagne* Colori Colors F1868044


ALIMENTATORE / POWER SUPPLY RF29209

DIMMER LED / LED DIMMER RF26994

CE I P 20

p. 318

**COORDINATES C4 LONG CL III**  
 Michael Anastassiades, 2020  
 Potenza · Power 174W  
 Tensione · Voltage 48V



Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 STRIP LED 174W 10450lm 2700K  
 CRI95 [i]

Materiali · *Materials*  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinum silicone extruded opal*

Peso · Weight 6,0 Kg

Finiture Finishes anodizzato champagne ·  
*anodized champagne* Colori Colors F1838044

ALIMENTATORE / POWER SUPPLY RF27617

DIMMER LED / LED DIMMER RF26994

CE I P 20

p. 318

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*



**COORDINATES F**

Michael Anastassiades, 2020  
 Potenza · Power 61W  
 Tensione · Voltage 100 - 240/48V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
*Light source (available)*  
 STRIP LED 61W 3240lm 2700K  
 CRI95 [i] DIMMABLE


Materiali · Materials  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinic silicone extruded opal*

Peso · Weight 11,8 Kg DIMMER INCLUDED

Finiture  
 Finishes  
 anodizzato champagne ·  
*anodized champagne*  
 Colori  
 Colors  
 ● F1801044



p. 152



**COORDINATES MODULE C**

Michael Anastassiades, 2020  
 Potenza · Power 180W  
 Tensione · Voltage 120 - 240V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
*Light source (available)*  
 STRIP LED 183W 10230lm 2700K  
 CRI90 [i]


Materiali · Materials  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinic silicone extruded opal*

Peso · Weight 8,9 Kg DIMMER INCLUDED  
 1-10/PUSH/DALI

Finiture  
 Finishes  
 anodizzato champagne ·  
*anodized champagne*  
 Colori  
 Colors  
 ● F1883044



p. 318



**COORDINATES MODULE C CL III**

Michael Anastassiades, 2020  
 Potenza · Power 170W  
 Tensione · Voltage 48V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
*Light source (available)*  
 STRIP LED 170W 10230lm 2700K  
 CRI90 [i]

Materiali · Materials  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinic silicone extruded opal*

Peso · Weight 5,9 Kg


Finiture  
 Finishes  
 anodizzato champagne ·  
*anodized champagne*  
 Colori  
 Colors  
 ● F1886044

ALIMENTATORE / POWER SUPPLY  
 RF27617

DIMMER LED / LED DIMMER  
 RF26994



p. 318



**COORDINATES MODULE S**

Michael Anastassiades, 2020  
 Potenza · Power 180W  
 Tensione · Voltage 120 - 240V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
*Light source (available)*  
 STRIP LED 183W 10230lm 2700K  
 CRI90 [i]


Materiali · Materials  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinic silicone extruded opal*

Peso · Weight 8,7 Kg DIMMER INCLUDED  
 1-10/PUSH/DALI

Finiture  
 Finishes  
 anodizzato champagne ·  
*anodized champagne*  
 Colori  
 Colors  
 ● F1880044



p. 216



**COORDINATES MODULE S CL III**

Michael Anastassiades, 2020  
 Potenza · Power 170W  
 Tensione · Voltage 48V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
*Light source (available)*  
 STRIP LED 170W 10230lm 2700K  
 CRI90 [i]

Materiali · Materials  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinic silicone extruded opal*

Peso · Weight 5,9 Kg


Finiture  
 Finishes  
 anodizzato champagne ·  
*anodized champagne*  
 Colori  
 Colors  
 ● F1889044

ALIMENTATORE / POWER SUPPLY  
 RF27617

DIMMER LED / LED DIMMER  
 RF26994



p. 216



**COORDINATES S1**

Michael Anastassiades, 2020  
 Potenza · Power 37W  
 Tensione · Voltage 120 - 277V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
*Light source (available)*  
 STRIP LED 37W 1920lm 2700K CRI95  
 [i]


Materiali · Materials  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinic silicone extruded opal*

Peso · Weight 2,1 Kg DIMMER INCLUDED  
 1-10/PUSH/DALI

Finiture  
 Finishes  
 anodizzato champagne ·  
*anodized champagne*  
 Colori  
 Colors  
 ● F1860044



p. 216



**COORDINATES S1 CL III**

Michael Anastassiades, 2020  
 Potenza · Power 32W  
 Tensione · Voltage 48V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
*Light source (available)*  
 STRIP LED 32W 1920lm 2700K  
 CRI95 [i]

Materiali · Materials  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinic silicone extruded opal*

Peso · Weight 1,1 Kg


Finiture  
 Finishes  
 anodizzato champagne ·  
*anodized champagne*  
 Colori  
 Colors  
 ● F1842044

ALIMENTATORE / POWER SUPPLY  
 RF29208

DIMMER LED / LED DIMMER  
 RF26994



p. 216



**COORDINATES S2**

Michael Anastassiades, 2020  
 Potenza · Power 32W  
 Tensione · Voltage 120 - 277V

LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
*Light source (available)*  
 STRIP LED 32W 2960lm 2700K  
 CRI95 [i]

Materiali · Materials  
 alluminio estruso, silicone platinico opale estruso ·  
*extruded aluminum, platinic silicone extruded opal*

Peso · Weight 2,7 Kg DIMMER INCLUDED  
 1-10/PUSH/DALI

Finiture  
 Finishes  
 anodizzato champagne ·  
*anodized champagne*  
 Colori  
 Colors  
 ● F1862044



p. 216

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*

**COORDINATES S2 CLIII**

Michael Anastassiades, 2020  
 Potenza · Power 50W  
 Tensione · Voltage 48V



LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 STRIP LED 55W 2960lm 2700K  
 CRI95 [i]

Materiali · Materials  
 alluminio estruso, silicone platinico opale estruso ·  
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 1,7 Kg

Finiture  
 Finishes  
 anodizzato champagne ·  
 anodized champagne

Colori  
 Colors  
 ● F1844044

ALIMENTATORE / POWER SUPPLY  
 RF29208


DIMMER LED / LED DIMMER  
 RF26994



p. 216

**COORDINATES S3**

Michael Anastassiades, 2020  
 Potenza · Power 71W  
 Tensione · Voltage 120 - 277V



LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 STRIP LED 71W 3850lm 2700K  
 CRI95 [i]

Materiali · Materials  
 alluminio estruso, silicone platinico opale estruso ·  
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 3,2 Kg  
 DIMMER INCLUDED  
 1-10/PUSH/DALI

Finiture  
 Finishes  
 anodizzato champagne ·  
 anodized champagne


Colori  
 Colors  
 ● F1850044



p. 216

**COORDINATES S3 CL III**

Michael Anastassiades, 2020  
 Potenza · Power 64W  
 Tensione · Voltage 48V



LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 STRIP LED 64W 3850lm 2700K  
 CRI95 [i]

Materiali · Materials  
 alluminio estruso, silicone platinico opale estruso ·  
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 2,2 Kg

Finiture  
 Finishes  
 anodizzato champagne ·  
 anodized champagne

Colori  
 Colors  
 ● F1846044

ALIMENTATORE / POWER SUPPLY  
 RF29209


DIMMER LED / LED DIMMER  
 RF26994



p. 216

**COORDINATES S4**

Michael Anastassiades, 2020  
 Potenza · Power 161W  
 Tensione · Voltage 120 - 240V



LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 STRIP LED 161W 8830lm 2700K  
 CRI95 [i]

Materiali · Materials  
 alluminio estruso, silicone platinico opale estruso ·  
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 7,9 Kg  
 DIMMER INCLUDED  
 1-10/PUSH/DALI

Finiture  
 Finishes  
 anodizzato champagne ·  
 anodized champagne


Colori  
 Colors  
 ● F1854044



p. 216

**COORDINATES S4 CLIII**

Michael Anastassiades, 2020  
 Potenza · Power 161W  
 Tensione · Voltage 48V



LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 STRIP LED 161W 8830lm 2700K  
 CRI95 [i]

Materiali · Materials  
 alluminio estruso, silicone platinico opale estruso ·  
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 5,1 Kg  
 DIMMER INCLUDED  
 1-10/PUSH/DALI

Finiture  
 Finishes  
 anodizzato champagne ·  
 anodized champagne

Colori  
 Colors  
 ● F1848044

ALIMENTATORE / POWER SUPPLY  
 RF29209


DIMMER LED / LED DIMMER  
 RF26994



p. 216

**COPYCAT**

Michael Anastassiades, 2015  
 Potenza · Power 16W  
 Tensione · Voltage 100-240V/24V



LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 1 COB LED 16W 900lm total 2700K  
 CR183 [i] DIMMABLE

Materiali · Materials  
 alluminio, vetro soffiato · aluminum, blown glass

Peso · Weight 3,6 Kg

Finiture  
 Finishes  
 oro 24K · 24K gold  
 rame · copper  
 nero · black  
 alluminio · aluminum

Colori  
 Colors  
 ● F1952044  
 ● F1952015  
 ● F1952030  
 || F1952050



p. 105

**DIABOLO**

Achille Castiglioni, 1998 - 2020  
 Potenza · Power max 70W - 21W LED  
 Tensione · Voltage 220-240V



LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 1 LED 21W E27 2452lm total 3000K  
 CR180 [e] cod. RF26998 DIMMABLE OR  
 1 LED E27 2200lm total 2700K CR180  
 [e] cod. RF30429 DIMMABLE

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 2,9 Kg

Finiture  
 Finishes  
 beaver brown  
 cherry red  
 bianco · white

Colori  
 Colors  
 ● F2121026  
 ● F2121035  
 ○ F2121009



p. 230

**FANTASMA**

Tobia Scarpa, 1961  
 Potenza · Power 4 x MAX 60W  
 Tensione · Voltage 220-240V




LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 4 LED 10W E27 965lm 3000K [e]  
 cod. RF29186 DIMMABLE o · or 4 LED  
 10W E27 965lm 2700K [e] cod.  
 RF28782 DIMMABLE

Materiali · Materials  
 Cocoon, acciaio · Cocoon, steel

Peso · Weight 10,5 Kg  
 DIMMER INCLUDED

Finiture  
 Finishes  
 bianco · white

Colori  
 Colors  
 ○ F2201009



p. 192

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source





**FANTASMA PICCOLO**  
Tobia Scarpa, 1961  
Potenza · Power 3 x MAX 60W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) -  
*Light source (available)*  
3 LED 10W E27 965lm 3000K [e] cod. **RF29186** DIMMABLE o. or 3 LED 10W E27 965lm 2700K [e] cod. **RF28782** DIMMABLE

Materiali · Materials  
Cocoon, acciaio · Cocoon, steel

Peso · Weight 10 Kg DIMMER INCLUDED

CE IP20

Finiture Finishes  
bianco · white

Colori Colors  
● F2101009

p. 192



**FLAUTA H225 RIGA/INDOOR**  
Patricia Urquiola, 2020  
Potenza · Power 12W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) -  
*Light source (available)*  
2 LED 12W 493lm 2700K CRI95 [i]

Materiali · Materials  
alluminio · aluminum

Peso · Weight 0,8 Kg DIMMER INCLUDED PUSH/DALI

CE IP40

Finiture Finishes  
nero-black  
bianco · white  
anodized blue steel  
anodized copper  
anodized ruby red

Colori Colors  
● F2340030  
○ F2340009  
● F2340023  
● F2340015  
● F2340035

p. 324



**FLAUTA H225 SPIGA/INDOOR**  
Patricia Urquiola, 2020  
Potenza · Power 12W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) -  
*Light source (available)*  
2 LED 12W 493lm 2700K CRI95 [i]

Materiali · Materials  
alluminio · aluminum


Peso · Weight 0,8 Kg DIMMER INCLUDED PUSH/DALI

CE IP40

Finiture Finishes  
nero-black  
bianco · white  
anodized blue steel  
anodized copper  
anodized ruby red

Colori Colors  
● F2341030  
○ F2341009  
● F2341023  
● F2341015  
● F2341035

p. 324



**FLAUTA H500 RIGA/INDOOR**  
Patricia Urquiola, 2020  
Potenza · Power 12W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) -  
*Light source (available)*  
2 LED 12W 493lm 2700K CRI95 [i]

Materiali · Materials  
alluminio · aluminum

Peso · Weight 1,5 Kg DIMMER INCLUDED PUSH/DALI

CE IP40

Finiture Finishes  
nero-black  
bianco · white  
anodized blue steel  
anodized copper  
anodized ruby red

Colori Colors  
● F2342030  
○ F2342009  
● F2342023  
● F2342015  
● F2342035

p. 324



**FLAUTA H500 SPIGA/INDOOR**  
Patricia Urquiola, 2020  
Potenza · Power 12W  
Tensione · Voltage 220-240V

LED INCLUDED NOT REPLACEABLE  
Fonte luminosa (disponibile) -  
*Light source (available)*  
2 LED 12W 493lm 2700K CRI95 [i]

Materiali · Materials  
alluminio · aluminum

Peso · Weight 1,5 Kg DIMMER INCLUDED PUSH/DALI

CE IP40

Finiture Finishes  
nero-black  
bianco · white  
anodized blue steel  
anodized copper  
anodized ruby red

Colori Colors  
● F2343030  
○ F2343009  
● F2343023  
● F2343015  
● F2343035

p. 324



**FLAUTA H1000 RIGA/INDOOR**  
Patricia Urquiola, 2020  
Potenza · Power 12W  
Tensione · Voltage 220-240V

LED INCLUDED NOT REPLACEABLE  
Fonte luminosa (disponibile) -  
*Light source (available)*  
2 LED 12W 493lm 2700K CRI95 [i]

Materiali · Materials  
alluminio · aluminum

Peso · Weight 2,7 Kg DIMMER INCLUDED PUSH/DALI

CE IP40

Finiture Finishes  
nero-black  
bianco · white  
anodized blue steel  
anodized copper  
anodized ruby red

Colori Colors  
● F2344030  
○ F2344009  
● F2344023  
● F2344015  
● F2344035

p. 324



**FLAUTA H1000 SPIGA/INDOOR**  
Patricia Urquiola, 2020  
Potenza · Power 12W  
Tensione · Voltage 220-240V

LED INCLUDED NOT REPLACEABLE  
Fonte luminosa (disponibile) -  
*Light source (available)*  
2 LED 12W 493lm 2700K CRI95 [i]

Materiali · Materials  
alluminio · aluminum

Peso · Weight 2,7 Kg DIMMER INCLUDED PUSH/DALI

CE IP40

Finiture Finishes  
nero-black  
bianco · white  
anodized blue steel  
anodized copper  
anodized ruby red

Colori Colors  
● F2345030  
○ F2345009  
● F2345023  
● F2345015  
● F2345035

p. 324



**FLAUTA H225 RIGA/OUTDOOR**  
Patricia Urquiola, 2020  
Potenza · Power 12W  
Tensione · Voltage 220-240V

LED INCLUDED NOT REPLACEABLE  
Fonte luminosa (disponibile) -  
*Light source (available)*  
LED 12W 2x555lm ≠ FIXT 2x347lm 2700K CRI80 [i]

Materiali · Materials  
alluminio · aluminum

Peso · Weight 0,8 Kg DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
nero · black  
bianco · white  
antracite · anthracite  
grigio · grey  
deep brown  
forest green

Colori Colors  
● F019A21D030  
○ F019A21D001  
● F019A21D033  
● F019A21D006  
● F019A21D018  
● F019A21D012

p. 379

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**FLAUTA H225 RIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE LED 12W 2x597lm ≠ FIXT 2x372lm 3000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,8 Kg DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
 nero · black  
 bianco · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019A31D030  
 ○ F019A31D001  
 ● F019A31D033  
 ● F019A31D006  
 ● F019A31D018  
 ● F019A31D012

p. 379



**FLAUTA H225 RIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE LED 12W 2x638lm ≠ FIXT 2x398lm 4000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,8 Kg DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
 nero · black  
 bianco · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019A41D030  
 ○ F019A41D001  
 ● F019A41D033  
 ● F019A41D006  
 ● F019A41D018  
 ● F019A41D012

p. 379



**FLAUTA H225 SPIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE LED 12W 2x555lm ≠ FIXT 2x347lm 2700K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,8 Kg DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
 nero · black  
 bianco · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019B21D030  
 ○ F019B21D001  
 ● F019B21D033  
 ● F019B21D006  
 ● F019B21D018  
 ● F019B21D012

p. 379



**FLAUTA H225 SPIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE LED 12W 2x597lm ≠ FIXT 2x372lm 3000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum


Peso · Weight 0,8 Kg DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
 nero · black  
 bianco · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019B31D030  
 ○ F019B31D001  
 ● F019B31D033  
 ● F019B31D006  
 ● F019B31D018  
 ● F019B31D012

p. 379



**FLAUTA H225 SPIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE LED 12W 2x638lm ≠ FIXT 2x398lm 4000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 0,8 Kg DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
 nero · black  
 bianco · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019B41D030  
 ○ F019B41D001  
 ● F019B41D033  
 ● F019B41D006  
 ● F019B41D018  
 ● F019B41D012

p. 379



**FLAUTA H500 RIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE LED 12W 2x555lm ≠ FIXT 2x347lm 2700K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 1,5 Kg DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
 nero · black  
 bianco · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019A22D030  
 ○ F019A22D001  
 ● F019A22D033  
 ● F019A22D006  
 ● F019A22D018  
 ● F019A22D012

p. 379



**FLAUTA H500 RIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE LED 12W 2x597lm ≠ FIXT 2x372lm 3000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 1,5 Kg DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
 nero · black  
 bianco · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019A32D030  
 ○ F019A32D001  
 ● F019A32D033  
 ● F019A32D006  
 ● F019A32D018  
 ● F019A32D012

p. 379



**FLAUTA H500 RIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE LED 12W 2x638lm ≠ FIXT 2x398lm 4000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 1,5 Kg DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
 nero · black  
 bianco · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019A42D030  
 ○ F019A42D001  
 ● F019A42D033  
 ● F019A42D006  
 ● F019A42D018  
 ● F019A42D012

p. 379

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

**FLAUTA H500 SPIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) - *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x555lm ≠ FIXT 2x347lm  
 2700K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 1,5 Kg DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
 nero · black  
 bianco · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019B22D030  
 ○ F019B22D001  
 ● F019B22D033  
 ● F019B22D006  
 ● F019B22D018  
 ● F019B22D012

p. 379

**FLAUTA H500 SPIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) - *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x597lm ≠ FIXT 2x372lm  
 3000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 1,5 Kg DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
 nero · black  
 bianco · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019B32D030  
 ○ F019B32D001  
 ● F019B32D033  
 ● F019B32D006  
 ● F019B32D018  
 ● F019B32D012

p. 379

**FLAUTA H500 SPIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) - *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x638lm ≠ FIXT 2x398lm  
 4000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 1,5 Kg DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
 nero · black  
 bianco · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019B42D030  
 ○ F019B42D001  
 ● F019B42D033  
 ● F019B42D006  
 ● F019B42D018  
 ● F019B42D012

p. 379

**FLAUTA H1000 RIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) - *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x555lm ≠ FIXT 2x347lm  
 2700K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 2,7 Kg DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
 nero · black  
 white · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019A23D030  
 ○ F019A23D001  
 ● F019A23D033  
 ● F019A23D006  
 ● F019A23D018  
 ● F019A23D012

p. 379

**FLAUTA H1000 RIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) - *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x597lm ≠ FIXT 2x372lm  
 3000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 2,7 Kg DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
 nero · black  
 bianco · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019A33D030  
 ○ F019A33D001  
 ● F019A33D033  
 ● F019A33D006  
 ● F019A33D018  
 ● F019A33D012

p. 379

**FLAUTA H1000 RIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) - *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x638lm ≠ FIXT 2x398lm  
 4000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 2,7 Kg DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
 nero · black  
 bianco · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019A43D030  
 ○ F019A43D001  
 ● F019A43D033  
 ● F019A43D006  
 ● F019A43D018  
 ● F019A43D012

p. 379

**FLAUTA H1000 SPIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) - *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x555lm ≠ FIXT 2x347lm  
 2700K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 2,7 Kg DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
 black · black  
 bianco · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019B23D030  
 ○ F019B23D001  
 ● F019B23D033  
 ● F019B23D006  
 ● F019B23D018  
 ● F019B23D012

p. 379

**FLAUTA H1000 SPIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) - *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x597lm ≠ FIXT 2x372lm  
 3000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 2,7 Kg DIMMER INCLUDED PUSH/DALI

CE IP65

Finiture Finishes  
 nero · black  
 bianco · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019B33D030  
 ○ F019B33D001  
 ● F019B33D033  
 ● F019B33D006  
 ● F019B33D018  
 ● F019B33D012

p. 379

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**FLAUTA H1000 SPIGA/OUTDOOR**  
 Patricia Urquiola, 2020  
 Potenza · Power 12W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 LED 12W 2x638lm ≠ FIXT 2x398lm 4000K CRI80 [i]

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 2,7 Kg


DIMMER INCLUDED PUSH/DALI

Finiture Finishes  
 nero · black  
 bianco · white  
 antracite · anthracite  
 grigio · grey  
 deep brown  
 forest green

Colori Colors  
 ● F019B43D030  
 ○ F019B43D001  
 ● F019B43D033  
 ● F019B43D006  
 ● F019B43D018  
 ● F019B43D012

CE IP 65

p. 379



**FOGLIO**  
 Tobia Scarpa, 1966  
 Potenza · Power 2 x MAX 100W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · *Light source (available)*  
 A+ → E  
 2 LED 10W E27 965lm 3000K [e] cod. RF29186 DIMMABLE 0 · or 2 LED 10W E27 965lm 2700K [e] cod. RF28782 DIMMABLE

Materiali · Materials  
 acciaio · steel

Peso · Weight 3,7 Kg

Finiture Finishes  
 bianco · white  
 nero · black  
 cromo · chrome  
 black nikel · black nikel  
 oro 22K · gold 22K

Colori Colors  
 ○ F2400009  
 ● F2400030  
 || F2400057  
 ● F2400063  
 || F2400044

CE IP 20

p. 368



**FORT KNOX WALL LED MINI**  
 Philippe Starck, 2008  
 Potenza · Power 25W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 Power LED 25W 1985lm 3000K CRI90 [i] NO DIMMABLE

Materiali · Materials  
 alluminio pressofuso · die-cast aluminum

Peso · Weight 0,6 Kg

Finiture Finishes  
 bianco · white  
 nero · black  
 alluminio lucido · polished aluminum

Colori Colors  
 ○ 09.2125.40  
 ● 09.2125.14  
 || 09.2125.05

CE IP 20

p. 346



**FORT KNOX WALL LED MINI**  
 Philippe Starck, 2008  
 Potenza · Power 25W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 Power LED 25W 2133lm 4000K CRI90 [i] NO DIMMABLE

Materiali · Materials  
 alluminio pressofuso · die-cast aluminum

Peso · Weight 0,6 Kg

Finiture Finishes  
 bianco · white  
 nero · black  
 alluminio lucido · polished aluminum

Colori Colors  
 ○ 09.2127.40  
 ● 09.2127.14  
 || 09.2127.05

CE IP 20

p. 346

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**FORT KNOX WALL LED**  
 Philippe Starck, 2008  
 Potenza · Power 32W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 Power LED 32W 2896lm 3000K CRI90 [i] DIMMABLE 1-10V

Materiali · Materials  
 alluminio pressofuso · die-cast aluminum

Peso · Weight 1,4 Kg

Finiture Finishes  
 bianco · white  
 nero · black  
 alluminio lucido · polished aluminum

Colori Colors  
 ○ 09.2110.40A  
 ● 09.2110.14A  
 || 09.2110.05A

CE IP 20

p. 346



**FORT KNOX WALL LED**  
 Philippe Starck, 2008  
 Potenza · Power 32W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 Power LED 32W 2896lm 3000K CRI90 [i] DIMMABLE DALI

Materiali · Materials  
 alluminio pressofuso · die-cast aluminum

Peso · Weight 1,4 Kg

Finiture Finishes  
 bianco · white  
 nero · black  
 alluminio lucido · polished aluminum

Colori Colors  
 ○ 09.2110.40ADA  
 ● 09.2110.14ADA  
 || 09.2110.05ADA

CE IP 20

p. 346



**FORT KNOX WALL LED**  
 Philippe Starck, 2008  
 Potenza · Power 32W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 Power LED 32W 32566lm 4000K CRI90 [i] DIMMABLE DALI

Materiali · Materials  
 alluminio pressofuso · die-cast aluminum

Peso · Weight 1,4 Kg

Finiture Finishes  
 bianco · white  
 nero · black  
 alluminio lucido · polished aluminum

Colori Colors  
 ○ 09.2112.40A  
 ● 09.2112.14A  
 || 09.2110.05ADA

CE IP 20

p. 346



**FORT KNOX WALL LED**  
 Philippe Starck, 2008  
 Potenza · Power 32W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 Power LED 32W 32566lm 4000K CRI90 [i] DIMMABLE 1-10V

Materiali · Materials  
 alluminio pressofuso · die-cast aluminum

Peso · Weight 1,4 Kg

Finiture Finishes  
 bianco · white  
 nero · black  
 alluminio lucido · polished aluminum

Colori Colors  
 ○ 09.2112.40A  
 ● 09.2112.14A  
 || 09.2110.05A

CE IP 20

p. 346

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**FRISBI**  
Achille Castiglioni, 1978  
Potenza · Power 1 x MAX 105W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A++ → E  
1 LED 8W E27 740lm 2700K [e] cod. [RF25314](#)

Materiali · Materials  
polimetilmetacrilato, acciaio · polymethylmethacrylate, steel

Peso · Weight 2,7 Kg

Finiture Finishes: cromo · chrome  
Colori Colors: F2500000

CE, IP20, 0,3m

p. 286



**FUCSIA 1**  
Achille Castiglioni, 1996  
Potenza · Power MAX 40W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E  
1 LED 4W E14 360lm 2700K\* [e] cod. [RF25318](#)


Materiali · Materials  
vetro, acciaio · glass, steel

Peso · Weight 1 Kg

Finiture Finishes: vetro · glass  
Colori Colors: F2410000

CE, IP20, 0,3m

p. 280



**FUCSIA 3**  
Achille Castiglioni, 1996  
Potenza · Power 3 x MAX 40W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E  
3 LED 4W E14 360lm 2700K\* [e] cod. [RF25318](#)

Materiali · Materials  
vetro, acciaio · glass, steel

Peso · Weight 2,5 Kg

Finiture Finishes: vetro · glass  
Colori Colors: F2411000

CE, IP20, 0,3m

p. 280



**FUCSIA 8**  
Achille Castiglioni, 1996  
Potenza · Power 8 x MAX 40W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E  
8 LED 4W E14 360lm 2700K\* [e] cod. [RF25318](#)

Materiali · Materials  
vetro, acciaio · glass, steel


Peso · Weight 8,9 Kg

Finiture Finishes: vetro · glass  
Colori Colors: F2412000

CE, IP20, 0,3m

p. 280

[e] fonte luminosa esclusa · excluded light source - [] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**GAKU WIRELESS**  
Nendo, 2018  
Potenza · Power 2W

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LED Array 2W 116lm 2700K  
CRI 90 [I] DIMMABLE  
WIRELESS CHARGING

Materiali · Materials  
legno d'acero, policarbonato · ash wood, polycarbonate

Peso · Weight 2,5 Kg DIMMER INCLUDED

Finiture Finishes: bianco · white, nero · black  
Colori Colors: F2520009, F2520030

CE, IP20

p. 82



**GAKU WIRE**  
Nendo, 2018  
Potenza · Power 5W

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LED Array 5,5W 100lm 2700K  
CRI 90 [I] DIMMABLE

Materiali · Materials  
legno d'acero, policarbonato · ash wood, polycarbonate

Peso · Weight 2,4 Kg DIMMER INCLUDED

Finiture Finishes: bianco · white, nero · black  
Colori Colors: F2521009, F2521030

CE, IP20

p. 82



**GAKU ACCESSORIES BOWL**

Materiali · Materials  
policarbonato · polycarbonate

Peso · Weight 2,5 Kg

Finiture Finishes: bianco · white, nero · black  
Colori Colors: F2522009, F2522030

CE

p. 82



**GAKU ACCESSORIES VASE**

Materiali · Materials  
policarbonato · polycarbonate

Peso · Weight 2,5 Kg


Finiture Finishes: bianco · white, nero · black  
Colori Colors: F2523009, F2523030

CE

p. 82

[e] fonte luminosa esclusa · excluded light source - [] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

### GAKU ACCESSORIES KEY BOWL



Finiture Finishes	Colori Colors
bianco · white	○ F2524009
nero · black	● F2524030

Materiali · Materials  
policarbonato · polycarbonate



p. 82

### GAKU ACCESSORIES BOOKEND



Finiture Finishes	Colori Colors
bianco · white	○ F2525009
nero · black	● F2525030

Materiali · Materials  
policarbonato · polycarbonate



p. 82

### GAKU ACCESSORIES MIRROR



Finiture Finishes	Colori Colors
bianco · white	○ F2526009
nero · black	● F2526030

Materiali · Materials  
policarbonato · polycarbonate



p. 82




### GATTO



Achille and Pier Giacomo Castiglioni, 1960  
Potenza · Power MAX 60W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
A+ → E 1 LED 10W E27 965lm 3000K [e] cod. RF29186 DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. RF28782 DIMMABLE

Materiali · Materials  
cocoon, acciaio · cocoon, steel

Peso · Weight 2,3 Kg DIMMER INCLUDED   

p. 114




### GATTO PICCOLO



Achille and Pier Giacomo Castiglioni, 1960  
Potenza · Power MAX 60W  
Tensione · Voltage 220-240V


Fonte luminosa (disponibile) ·  
Light source (available)  
A+ → E 1 LED 8W E14 900lm 2700K [e] cod. RF30263 DIMMABLE o · or 1 LED 8W E14 700lm 3000K [e] cod. RF26565 DIMMABLE o · or 1 LED 8W E14 700lm 3000K [e] cod. RF30264 DIMMABLE o · or 1 LED 10W E14 800lm 2700K [e] cod. RF26261 DIMMABLE o · or 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE

Materiali · Materials  
cocoon, acciaio · cocoon, steel

Peso · Weight 0,9 Kg DIMMER INCLUDED   

p. 114




### GLO-BALL BASIC ZERO



Jasper Morrison, 2009  
Potenza · Power MAX 60W  
Tensione · Voltage 220-240V


Fonte luminosa (disponibile) ·  
Light source (available)  
A+ → E 1 LED 8W E14 900lm 2700K [e] cod. RF30263 DIMMABLE o · or 1 LED 8W E14 700lm 3000K [e] cod. RF26565 DIMMABLE o · or 1 LED 8W E14 700lm 3000K [e] cod. RF30264 DIMMABLE o · or 1 LED 10W E14 800lm 2700K [e] cod. RF26261 DIMMABLE o · or 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE

Materiali · Materials  
vetro · glass

Peso · Weight 1 Kg DIMMER INCLUDED   

p. 134




### GLO-BALL BASIC ZERO SWITCH



Jasper Morrison, 2009  
Potenza · Power MAX 60W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
A+ → E 1 LED 8W E14 900lm 2700K [e] cod. RF30263 DIMMABLE o · or 1 LED 8W E14 700lm 3000K [e] cod. RF26565 DIMMABLE o · or 1 LED 8W E14 700lm 3000K [e] cod. RF30264 DIMMABLE o · or 1 LED 10W E14 800lm 2700K [e] cod. RF26261 DIMMABLE o · or 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE

Materiali · Materials  
vetro · glass

Peso · Weight 1 Kg   

p. 134




### GLO-BALL BASIC 1



Jasper Morrison, 1998  
Potenza · Power MAX 150W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
A+ → E 1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE


Materiali · Materials  
vetro · glass

Peso · Weight 2,6 Kg DIMMER INCLUDED   

p. 134

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**GLO-BALL BASIC 2**  
 Jasper Morrison, 1998  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE o · or 1 LED 18W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · or 1 LED 18W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE

Materiali · Materials  
 vetro · glass

Peso · Weight 5,3 Kg DIMMER INCLUDED

Finiture Finishes bianco · white  
 Colori Colors ○ F3026000

CE IP20

p. 134



**GLO-BALL WALL MINI**  
 Jasper Morrison, 2002  
 Potenza · Power MAX 25W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 3W G9 290lm 2700K\* [e] cod. 28425 [e] o · or 1 LED 2W G9 240lm 2700K\* cod. RF26520 [e]

Materiali · Materials  
 vetro · glass

Peso · Weight 5,3 Kg

Finiture Finishes bianco · white  
 Colori Colors ○ F4190009 ova ○ F4194009 MIRROR

CE IP44 MIRROR MOUNTING

p. 134



**GLO-BALL C/W ZERO**  
 Jasper Morrison, 2009  
 Potenza · Power MAX 60W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 8W E14 900lm 2700K [e] cod. RF30263 DIMMABLE o · or 1 LED 8W E14 700lm 3000K [e] cod. RF26565 DIMMABLE o · or 1 LED 8W E14 700lm 3000K [e] cod. RF30264 DIMMABLE o · or 1 LED 10W E14 800lm 2700K [e] cod. RF26261 DIMMABLE o · or 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE

Materiali · Materials  
 vetro · glass

Peso · Weight 1 Kg

Finiture Finishes bianco · white  
 Colori Colors ○ F3335009

CE IP40

p. 350



**GLO-BALL C1**  
 Jasper Morrison, 1999  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE

Materiali · Materials  
 vetro · glass


Peso · Weight 2,5 Kg

Finiture Finishes bianco · white  
 Colori Colors ○ F3023000

CE IP40

p. 350

[e] fonte luminosa esclusa · excluded light source - [] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**GLO-BALL C2**  
 Jasper Morrison, 1999  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE o · or 1 LED 18W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · or 1 LED 18W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE

Materiali · Materials  
 vetro · glass

Peso · Weight 5,1 Kg

Finiture Finishes bianco · white  
 Colori Colors ○ F3028000

CE IP40

p. 350



**GLO-BALL W**  
 Jasper Morrison, 1999  
 Potenza · Power MAX 100W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 10W E27 965lm 3000K [e] cod. RF29186 DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. RF28782 DIMMABLE


Materiali · Materials  
 vetro · glass

Peso · Weight 1,8 Kg

Finiture Finishes bianco · white  
 Colori Colors ○ F3022000

CE IP40

p. 350



**GLO-BALL F1**  
 Jasper Morrison, 1998  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE

Materiali · Materials  
 vetro, acciaio · glass, steel

Peso · Weight 12 Kg DIMMER INCLUDED

Finiture Finishes argento · silver ○ F3031020 nero opaco · matt black ● F3031031

CE IP40

p. 190



**GLO-BALL F2**  
 Jasper Morrison, 1998  
 Potenza · Power MAX 250W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE

Materiali · Materials  
 vetro, acciaio · glass, steel


Peso · Weight 12,5 Kg DIMMER INCLUDED

Finiture Finishes argento · silver ○ F3032020 nero opaco · matt black ● F3032031

CE IP20

p. 190

[e] fonte luminosa esclusa · excluded light source - [] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source




**GLO-BALL F3**

Jasper Morrison, 1998  
 Potenza · Power MAX 250W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 1 LED 15W E27 2000lm 2700K [e] cod. [RF28665](#) DIMMABLE 0 · or 1 LED 15W  
 E27 2000lm 3000K [e] cod. [RF28666](#)  
 DIMMABLE 0 · or 1 LED 18W E27 1900lm  
 2700K [e] cod. [RF26259](#) DIMMABLE 0 · or  
 1 LED 18W E27 2000lm 3000K [e] cod.  
[RF26258](#) DIMMABLE

Materiali · Materials  
 vetro, acciaio · glass, steel


Peso · Weight 18,9 Kg DIMMER INCLUDED



p. 190

Finiture Finishes  
 argento · silver ● F3030000  
 nero opaco · matt black ● F3030031

Colori Colors



**MINI GLO-BALL S**

Jasper Morrison, 1998  
 Potenza · Power MAX 25W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED 3W G9 290lm 2700K\* [e] cod. [28425](#) [e] o · or 1 LED 2W G9 240lm  
 2700K\* cod. [RF26520](#) [e]

Materiali · Materials  
 vetro · glass

Peso · Weight 0,7 Kg



p. 304

Finiture Finishes  
 bianco · white ○ F4195009

Colori Colors



**GLO-BALL S1**

Jasper Morrison, 1998  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 1 LED 15W E27 2000lm 2700K [e] cod. [RF28665](#) DIMMABLE 0 · or 1 LED 15W  
 E27 2000lm 3000K [e] cod. [RF28666](#)  
 DIMMABLE

Materiali · Materials  
 vetro · glass

Peso · Weight 2,7 Kg



p. 304

Finiture Finishes  
 bianco · white ○ F3005061

Colori Colors



**GLO-BALL S2**

Jasper Morrison, 1998  
 Potenza · Power MAX 250W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 1 LED 15W E27 2000lm 2700K [e] cod. [RF28665](#) DIMMABLE 0 · or 1 LED 15W  
 E27 2000lm 3000K [e] cod. [RF28666](#)  
 DIMMABLE 0 · or 1 LED 18W E27 1900lm  
 2700K [e] cod. [RF26259](#) DIMMABLE 0 · or  
 1 LED 18W E27 2000lm 3000K [e] cod.  
[RF26258](#) DIMMABLE

Materiali · Materials  
 vetro · glass

Peso · Weight 5,6 Kg



p. 304

Finiture Finishes  
 bianco · white ○ F3010061

Colori Colors



**GLO-BALL S2 ECO**

Jasper Morrison, 1998  
 Potenza · Power 42W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 1 x 42W Gx24q-4 3200lm 3000K [e]  
 cod. [RF14594](#) Ballast nel rosone · Ballast in  
 the rose

Materiali · Materials  
 vetro · glass


Peso · Weight 5,6 Kg



p. 304

Finiture Finishes  
 bianco · white ○ F3011061

Colori Colors



**MINI GLO-BALL T**

Jasper Morrison, 2003  
 Potenza · Power MAX 25W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 1 LED 3W G9 290lm 2700K\* [e] cod. [RF28425](#) [e] o · or 1 LED 2W G9  
 240lm 2700K\* cod. [RF26520](#) [e]

Materiali · Materials  
 vetro · glass


Peso · Weight 0,4 Kg



p. 134

Finiture Finishes  
 bianco · white ○ F4191009

Colori Colors



**GLO-BALL T1**

Jasper Morrison, 1998  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 1 LED 15W E27 2000lm 2700K [e] cod. [RF28665](#) DIMMABLE 0 · or 1 LED 15W  
 E27 2000lm 3000K [e] cod. [RF28666](#)  
 DIMMABLE

Materiali · Materials  
 vetro, acciaio · glass, steel

Peso · Weight 7 Kg DIMMER INCLUDED



p. 134

Finiture Finishes  
 argento · silver ● F3020000  
 nero opaco · matt black ● F3020031

Colori Colors



**GOLDMAN**

Ron Gilad, 2013  
 Potenza · Power 8W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 42 LED 8W 248lm total 2700K CRI  
 85 + CHARGER USB 5VDC 1,5A [I]  
 DIMMABLE

Materiali · Materials  
 alluminio, metacrilato · aluminum, methacrylate

Peso · Weight 0,9 Kg DIMMER INCLUDED



p. 118

Finiture Finishes  
 ottone/verde · brass/green ● F3440044  
 nero/fumè · black/fumée ● F3440030

Colori Colors

[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**GUNS - BEDSIDE GUN**  
 Philippe Starck, 2005  
 Potenza · Power MAX 75W  
 Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · *Light source (available)*  
 A+ → E 1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE o. or 1 LED 10W E27 965lm 2700K [e] cod. [RF28782](#) DIMMABLE

Materiali · *Materials*  
 alluminio, carta plastificata · *aluminum, plasticized paper*

Peso · Weight 1,7 Kg DIMMER INCLUDED

CE I.P. 20

Finiture Finishes oro 18K · 18K gold Colori Colors F2953000

p. 136

**GUNS - LOUNGE GUN**  
 Philippe Starck, 2005  
 Potenza · Power MAX 250W  
 Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · *Light source (available)*  
 A+ → E 1 LED 21W E27 2452lm 3000K [e] cod. [RF26998](#) DIMMABLE

Materiali · *Materials*  
 alluminio, carta plastificata · *aluminum, plasticized paper*

Peso · Weight 19,5 Kg DIMMER INCLUDED

CE I.P. 20

Finiture Finishes oro 18K · 18K gold Colori Colors F2955000

p. 184

**GUNS - TABLE GUN**  
 Philippe Starck, 2005  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · *Light source (available)*  
 A+ → E 1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE o. or 1 LED 10W E27 965lm 2700K [e] cod. [RF28782](#) DIMMABLE

Materiali · *Materials*  
 alluminio, carta plastificata · *aluminum, plasticized paper*


Peso · Weight 6,2 Kg DIMMER INCLUDED

CE I.P. 20

Finiture Finishes oro 18K · 18K gold Colori Colors F2954000

p. 136

**HECO CORNER**  
 Nendo, 2020  
 Potenza · Power 9W  
 Tensione · Voltage 100-240V



Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE LED 9W 394lm total 2700K CRI 80 [i] DIMMABLE

Materiali · *Materials*  
 acciaio inox, vetro · *stainless steel, glass*

Peso · Weight 2,1 Kg DIMMER INCLUDED

CE I.P. 65

Finiture Finishes nero opaco · matt black Colori Colors F014A20K030

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

p. 382

**HECO CORNER**  
 Nendo, 2020  
 Potenza · Power 9W  
 Tensione · Voltage 100-240V



Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE LED 9W 423lm total 3000K CRI 80 [i] DIMMABLE

Materiali · *Materials*  
 acciaio inox, vetro · *stainless steel, glass*

Peso · Weight 2,1 Kg DIMMER INCLUDED

CE I.P. 65

Finiture Finishes nero opaco · matt black Colori Colors F014A30K030

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

p. 382

**HECO WALL**  
 Nendo, 2020  
 Potenza · Power 9W  
 Tensione · Voltage 100-240V



Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE LED 9W 394lm total 2700K CRI 80 [i] DIMMABLE

Materiali · *Materials*  
 acciaio inox, vetro · *stainless steel, glass*

Peso · Weight 3,2 Kg DIMMER INCLUDED

CE I.P. 65

Finiture Finishes nero opaco · matt black Colori Colors F014B20K030

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

p. 382

**HECO WALL**  
 Nendo, 2020  
 Potenza · Power 9W  
 Tensione · Voltage 100-240V



Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE LED 9W 423lm total 3000K CRI 80 [i] DIMMABLE

Materiali · *Materials*  
 acciaio inox, vetro · *stainless steel, glass*

Peso · Weight 3,2 Kg DIMMER INCLUDED

CE I.P. 65

Finiture Finishes nero opaco · matt black Colori Colors F014B30K030

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

p. 382

**HECO RECTANGULAR TABLE**  
 Nendo, 2020  
 Potenza · Power 9W  
 Tensione · Voltage 100-240V



Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE LED 6W 179lm total 2700K CRI 80 [i] DIMMABLE

Materiali · *Materials*  
 acciaio inox, vetro · *stainless steel, glass*

Peso · Weight 4,7 Kg DIMMER INCLUDED

CE I.P. 65


Finiture Finishes london brown crema d'orcia Colori Colors PIANO IN PIETRA · STONE SURFACE F014Z010000 F014Z050000

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

p. 382

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*



**HECO RECTANGULAR TABLE**  
Nendo, 2020  
Potenza · Power 9W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
LED 6W 192lm total 3000K CRI 80 [I] DIMMABLE

Materiali · *Materials*  
acciaio inox, vetro · *stainless steel, glass*

Peso · Weight 4,7 Kg DIMMER INCLUDED

Finiture Finishes: nero opaco · *matt black*  
Colori Colors: ● F014C30K030

PIANO IN PIETRA · STONE SURFACE  
london brown ● F014Z010000  
crema d'orcia ● F014Z050000

CE I P 65

p. 382

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com



**HECO SQUARE TABLE**  
Nendo, 2020  
Potenza · Power 9W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
LED 6W 179lm total 2700K CRI 80 [I] DIMMABLE

Materiali · *Materials*  
acciaio inox, vetro · *stainless steel, glass*

Peso · Weight 3,7 Kg DIMMER INCLUDED

Finiture Finishes: nero opaco · *matt black*  
Colori Colors: ● F014D20K030

PIANO IN PIETRA · STONE SURFACE  
london brown ● F014Z010000  
crema d'orcia ● F014Z050000

CE I P 65

p. 382

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com



**HECO SQUARE TABLE**  
Nendo, 2020  
Potenza · Power 9W  
Tensione · Voltage 100-240V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
LED 6W 192lm total 3000K CRI 80 [I] DIMMABLE

Materiali · *Materials*  
acciaio inox, vetro · *stainless steel, glass*

Peso · Weight 4,7 Kg DIMMER INCLUDED


Finiture Finishes: nero opaco · *matt black*  
Colori Colors: ● F014D30K030

PIANO IN PIETRA · STONE SURFACE  
london brown ● F014Z010000  
crema d'orcia ● F014Z050000

CE I P 65

p. 382

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com



**IC C/W1**  
Michael Anastassiades, 2014  
Potenza · Power MAX 60W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
1 LED 8W E14 900lm 2700K [e] cod. RF30263 DIMMABLE o · or 1 LED 8W E14 700lm 3000K [e] cod. RF26565 DIMMABLE o · or 1 LED 8W E14 700lm 3000K [e] cod. RF30264 DIMMABLE o · or 1 LED 10W E14 800lm 2700K [e] cod. RF26261 DIMMABLE o · or 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE

Materiali · *Materials*  
acciaio, ottone, vetro soffiato · *steel, brass, blown glass*

Peso · Weight 2 Kg

Finiture Finishes: cromo · *chrome*, ottone · *brass*, nero · *black*, rosso burgundy · *red burgundy*  
Colori Colors: || F3178057, ● F3178059, ● F3178030, ● F3178035

CE I P 20

p. 330

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com



**IC C/W1 OUTDOOR/INDOOR**  
Michael Anastassiades, 2020  
Potenza · Power MAX 60W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
1 LED 8W E14 900lm 2700K [e] cod. RF30263 DIMMABLE o · or 1 LED 8W E14 800lm 3000K [e] cod. RF26565 DIMMABLE o · or 1 LED 8W E14 800lm 3000K [e] cod. RF30264 DIMMABLE

Materiali · *Materials*  
acciaio, ottone, vetro soffiato · *steel, brass, blown glass*

Peso · Weight 2,2 Kg

Finiture Finishes: acciaio inox spazzolato · *brushed stainless steel*, finitura ottone · *brass finish*, nero · *black*, deep brown ● F012H00C018, rosso burgundy · *red burgundy* ● F012H00C037  
Colori Colors: || F012H00C005, ● F012H00C059, ● F012H00C030, ● F012H00C018, ● F012H00C037

CE I P 65

p. 388

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com



**IC C/W1 DOUBLE**  
Michael Anastassiades, 2020  
Potenza · Power MAX 60W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
2 LED 8W E14 900lm 2700K [e] cod. RF30263 DIMMABLE o · or 2 LED 8W E14 700lm 3000K [e] cod. RF26565 DIMMABLE o · or 2 LED 8W E14 700lm 3000K [e] cod. RF30264 DIMMABLE o · or 2 LED 10W E14 800lm 2700K [e] cod. RF26261 DIMMABLE o · or 2 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE

Materiali · *Materials*  
acciaio, ottone, vetro soffiato · *steel, brass, blown glass*


Peso · Weight 2,7 Kg

Finiture Finishes: cromo · *chrome*, ottone · *brass*, nero · *black*, rosso burgundy · *red burgundy*  
Colori Colors: || F3157057, ● F3157059, ● F3157030, ● F3157035

CE I P 65

p. 329

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com



**IC C/W2**  
Michael Anastassiades, 2014  
Potenza · Power MAX 205W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE o · or 1 LED 18W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · or 1 LED 18W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE

Materiali · *Materials*  
acciaio, ottone, vetro soffiato · *steel, brass, blown glass*

Peso · Weight 3,7 Kg

Finiture Finishes: cromo · *chrome*, ottone · *brass*, nero · *black*, rosso burgundy · *red burgundy*  
Colori Colors: || F3179057, ● F3179059, ● F3179030, ● F3179035

CE I P 20

p. 330

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com



**IC C/W2 OUTDOOR/INDOOR**  
Michael Anastassiades, 2020  
Potenza · Power MAX 205W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE

Materiali · *Materials*  
acciaio, ottone, vetro soffiato · *steel, brass, blown glass*

Peso · Weight 3,8 Kg

Finiture Finishes: acciaio inox spazzolato · *brushed stainless steel*, finitura ottone · *brass finish*, nero · *black*, deep brown ● F012J00C018, rosso burgundy · *red burgundy* ● F012J00C037  
Colori Colors: || F012J00C005, ● F012J00C059, ● F012J00C030, ● F012J00C018, ● F012J00C037


CE I P 65

p. 388

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

[e] fonte luminosa esclusa · *excluded light source* - [I] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*

[e] fonte luminosa esclusa · *excluded light source* - [I] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*



**IC C/W2 DOUBLE**  
 Michael Anastassiades, 2020  
 Potenza · Power MAX 205W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 2 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE o · or 2 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE o · or 2 LED 18W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · or 2 LED 18W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE


Materiali · Materials  
 acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 4,3 Kg

Finiture Finishes: cromo · chrome, ottone · brass, nero · black, rosso burgundy · red burgundy  
 Colori Colors: F3159057, F3159059, F3159030, F3159035

CE, LP 20, 65

p. 329



**IC F1**  
 Michael Anastassiades, 2014  
 Potenza · Power MAX 60W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 8W E14 900lm 2700K [e] cod. RF30263 DIMMABLE o · or 1 LED 8W E14 700lm 3000K [e] cod. RF26565 DIMMABLE o · or 1 LED 10W E14 800lm 2700K [e] cod. RF26261 DIMMABLE o · or 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE

Materiali · Materials  
 acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 5 Kg DIMMER INCLUDED

Finiture Finishes: cromo · chrome, ottone · brass, nero · black, rosso burgundy · red burgundy  
 Colori Colors: F3173057, F3173059, F3173030, F3173035

CE, LP 20, 65

p. 174



**IC F1 OUTDOOR/INDOOR**  
 Michael Anastassiades, 2019  
 Potenza · Power 8W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 8W E14 900lm 2700K [e] cod. RF30263 DIMMABLE o · or 1 LED 8W E14 700lm 3000K [e] cod. RF26565 DIMMABLE o · or 1 LED 8W E14 700lm 3000K [e] cod. RF30264 DIMMABLE


Materiali · Materials  
 acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 5 Kg DIMMER INCLUDED

Finiture Finishes: acciaio inox · stainless steel (occhio di pernice marble), ottone · brass (grey lava marble), deep brown (travertino imperiale marble), nero · black (black lava marble), rosso burgundy · red burgundy (black lava marble)  
 Colori Colors: F012A04C005, F012A03C059, F012A01C018, F012A02C030, F012A02C037

CE, LP 65

p. 389



**IC F2**  
 Michael Anastassiades, 2014  
 Potenza · Power MAX 205W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE o · or 1 LED 18W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · or 1 LED 18W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE

Materiali · Materials  
 acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 10 Kg DIMMER INCLUDED

Finiture Finishes: cromo · chrome, ottone · brass, nero · black, rosso burgundy · red burgundy  
 Colori Colors: F3174057, F3174059, F3174030, F3174035

CE, LP 20, 65

p. 174



**IC F2 OUTDOOR/INDOOR**  
 Michael Anastassiades, 2019  
 Potenza · Power 17W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE


Materiali · Materials  
 acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 10 Kg DIMMER INCLUDED

Finiture Finishes: acciaio inox · stainless steel (occhio di pernice marble), ottone · brass (grey lava marble), deep brown (travertino imperiale marble), nero · black (black lava marble), rosso burgundy · red burgundy (black lava marble)  
 Colori Colors: F012B04C005, F012B03C059, F012B01C018, F012B02C030, F012B02C037

CE, LP 65

p. 389



**IC S1**  
 Michael Anastassiades, 2014  
 Potenza · Power MAX 60W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 8W E14 900lm 2700K [e] cod. RF30263 DIMMABLE o · or 1 LED 8W E14 700lm 3000K [e] cod. RF26565 DIMMABLE o · or 1 LED 8W E14 700lm 3000K [e] cod. RF30264 DIMMABLE o · or 1 LED 10W E14 800lm 2700K [e] cod. RF26261 DIMMABLE o · or 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE


Materiali · Materials  
 acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 2,2 Kg

Finiture Finishes: cromo · chrome, ottone · brass, nero · black, rosso burgundy · red burgundy  
 Colori Colors: F3175057, F3175059, F3175030, F3175035

CE, LP 20, 65

p. 268



**IC S2**  
 Michael Anastassiades, 2014  
 Potenza · Power MAX 205W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE o · or 1 LED 18W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · or 1 LED 18W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE

Materiali · Materials  
 acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 3,9 Kg

Finiture Finishes: cromo · chrome, ottone · brass, nero · black, rosso burgundy · red burgundy  
 Colori Colors: F3176057, F3176059, F3176030, F3176035

CE, LP 20, 65

p. 268



**IC T1 HIGH**  
 Michael Anastassiades, 2014  
 Potenza · Power MAX 60W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 8W E14 900lm 2700K [e] cod. RF30263 DIMMABLE o · or 1 LED 8W E14 700lm 3000K [e] cod. RF26565 DIMMABLE o · or 1 LED 8W E14 700lm 3000K [e] cod. RF30264 DIMMABLE o · or 1 LED 10W E14 800lm 2700K [e] cod. RF26261 DIMMABLE o · or 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE

Materiali · Materials  
 acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 1,7 Kg DIMMER INCLUDED


Finiture Finishes: cromo · chrome, ottone · brass, nero · black, rosso burgundy · red burgundy  
 Colori Colors: F3170057, F3170059, F3170030, F3170035

CE, LP 20, 65

p. 101

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**IC T1 LOW**

Michael Anastassiades, 2014  
 Potenza · Power MAX 60W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 1 LED 8W E14 900lm 2700K [e] cod. RF30263 DIMMABLE o · or 1 LED 8W E14 700lm 3000K [e] cod. RF26565 DIMMABLE o · or 1 LED 8W E14 700lm 3000K [e] cod. RF30264 DIMMABLE o · or 1 LED 10W E14 900lm 2700K [e] cod. RF26261 DIMMABLE o · or 1 LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMABLE

Materiali · Materials

acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 1,6 Kg DIMMER INCLUDED

Finiture Finishes Cromo · chrome  
 Ottone · brass  
 Nero · black  
 Rosso burgundy · red burgundy

Colori Colors  
 F3171057  
 F3171059  
 F3171030  
 F3171035



p. 101



**IC T2**

Michael Anastassiades, 2014  
 Potenza · Power MAX 205W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE o · or 1 LED 18W E27 1900lm 2700K [e] cod. RF26259 DIMMABLE o · or 1 LED 18W E27 2000lm 3000K [e] cod. RF26258 DIMMABLE

Materiali · Materials

acciaio, ottone, vetro soffiato · steel, brass, blown glass


Peso · Weight 3,6 Kg DIMMER INCLUDED

Finiture Finishes Cromo · chrome  
 Ottone · brass  
 Nero · black  
 Rosso burgundy · red burgundy

Colori Colors  
 F3172057  
 F3172059  
 F3172030  
 F3172035



p. 101



**IPNOS OUTDOOR/INDOOR**

Nicoletta Rossi and Guido Bianchi, 2014  
 Potenza · Power 15W  
 Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) ·  
 Light source (available)  
 196 TOP LED 15W 665lm 2700K (indoor) 3500K (outdoor) CRI 85 [i]

Materiali · Materials

alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,8 Kg DIMMER INCLUDED


Finiture Finishes Nero · black  
 Anodizzato · anodized  
 Bronzo · bronze  
 Nero · black  
 Naturale · natural  
 Bronzo · bronze

Colori Colors  
 F3120030  
 F3120054  
 F3120046  
 F3150030 OUTDOOR  
 F3150054 OUTDOOR  
 F3150046 OUTDOOR

trasparente · transparent F3125000 TOP PLATE OPTIONAL



p. 194, 399



**INFRA-STRUCTURE EPISODE 2\_C2**

Vincent Van Duysen, 2020  
 Potenza · Power 25,5W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 TOP LED 25,5W 2366lm 2700K CRI90

Materiali · Materials

alluminio estruso policarbonato opale estruso · extruded aluminum, opal polycarbonate extruded


Peso · Weight 2,5 Kg REMOTE DRIVER INCLUDED

Finiture Finishes Nero opaco · matte black  
 Bianco opaco · matte white

Colori Colors  
 03.8461.14  
 03.8461.40



p. 234



**INFRA-STRUCTURE EPISODE 2\_C3**

Vincent Van Duysen, 2020  
 Potenza · Power 50W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 TOP LED 40W 3195lm + 20W 1820 2700K CRI90

Materiali · Materials

alluminio estruso e tornito in lastra, policarbonato opale estruso · extruded and spin-formed aluminum, opal polycarbonate extruded


Peso · Weight 7 Kg REMOTE DRIVER INCLUDED

Finiture Finishes Nero opaco · matte black  
 Bianco opaco · matte white

Colori Colors  
 03.8462.14  
 03.8462.40



p. 234



**INFRA-STRUCTURE EPISODE 2\_C4**

Vincent Van Duysen, 2020  
 Potenza · Power 105,5W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 TOP LED 40W 3195lm + 40W 3195lm + 25,5W 2366 2700K CRI90

Materiali · Materials

alluminio estruso e tornito in lastra, policarbonato opale estruso · extruded and spin-formed aluminum, opal polycarbonate extruded


Peso · Weight 12,5 Kg REMOTE DRIVER INCLUDED

Finiture Finishes Nero opaco · matte black  
 Bianco opaco · matte white

Colori Colors  
 03.8463.14  
 03.8463.40



p. 234



**INFRA-STRUCTURE EPISODE 2\_C6**

Vincent Van Duysen, 2020  
 Potenza · Power 50W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 TOP LED 30W 1325lm + TOP LED 20W 1820lm 2700K CRI90

Materiali · Materials

alluminio estruso e tornito in lastra, policarbonato opale estruso · extruded and spin-formed aluminum, opal polycarbonate extruded


Peso · Weight 5 Kg REMOTE DRIVER INCLUDED

Finiture Finishes Nero opaco · matte black  
 Bianco opaco · matte white

Colori Colors  
 03.8466.14  
 03.8466.40



p. 234



**INFRA-STRUCTURE EPISODE 2\_C7**

Vincent Van Duysen, 2020  
 Potenza · Power 85,5W  
 Tensione · Voltage 48V

Fonte luminosa (disponibile) ·  
 Light source (available)  
 TOP LED 2x30W 1325lm + TOP LED 30W 2366lm 2700K CRI90

Materiali · Materials

alluminio estruso e tornito in lastra, policarbonato opale estruso · extruded and spin-formed aluminum, opal polycarbonate extruded

Peso · Weight 10,5 Kg REMOTE DRIVER INCLUDED

Finiture Finishes Nero opaco · matte black  
 Bianco opaco · matte white


Colori Colors  
 03.8467.14  
 03.8467.40



p. 234

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



### MINIKELVIN LED

Antonio Citterio, 2011  
 Potenza · Power 4W  
 Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 36 TOP LED 4W 97lm 3000K total  
 CRI80 [i] DIMMING

Materiali · Materials  
 alluminio · aluminum


Peso · Weight 0,8 Kg DIMMER INCLUDED

Finiture  
 Finishes  
 cromo · chrome

Colori  
 Colors  
 (|) F4180057



p. 128



### KELVIN EDGE BASE

Antonio Citterio, 2015  
 Potenza · Power 7W  
 Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 EDGE LIGHTING 7W 306lm  
 2700/3200K CRI 90 [i] DIMMABLE K  
 SELECTION

Materiali · Materials  
 alluminio · aluminum


Peso · Weight 3 Kg DIMMER INCLUDED

Finiture  
 Finishes  
 bianco · white  
 nero · black  
 titanio · titanium  
 cromo · chrome

Colori  
 Colors  
 ○ F3452009  
 ● F3452030  
 ● F3452033  
 (|) F3452057



p. 130



### KELVIN EDGE MORSETTO · CLAMP

Antonio Citterio, 2015  
 Potenza · Power 7W  
 Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 EDGE LIGHTING 7W 306lm  
 2700/3200K CRI 90 [i] DIMMABLE K  
 SELECTION

Materiali · Materials  
 alluminio · aluminum


Peso · Weight 0,7 Kg DIMMER INCLUDED

Finiture  
 Finishes  
 bianco · white  
 nero · black  
 titanio · titanium  
 cromo · chrome

Colori  
 Colors  
 ○ F3460009  
 ● F3460030  
 ● F3460033  
 (|) F3460057



p. 130



### KELVIN EDGE SUPP. SCRIVANIA · DESK SUPP.

Antonio Citterio, 2015  
 Potenza · Power 7W  
 Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 EDGE LIGHTING 7W 306lm  
 2700/3200K CRI 90 [i] DIMMABLE K  
 SELECTION

Materiali · Materials  
 alluminio · aluminum


Peso · Weight 0,6 Kg DIMMER INCLUDED

Finiture  
 Finishes  
 bianco · white  
 bianco · white  
 nero · black  
 nero · black  
 titanio · titanium  
 titanio · titanium  
 cromo · chrome  
 cromo · chrome

Colori  
 Colors  
 ○ F3458009 CV · VC  
 ○ F3456009 CN · HC  
 ● F3458030 CV · VC  
 ● F3456030 CN · HC  
 ● F3458033 CV · VC  
 ● F3456033 CN · HC  
 ● F3458057 CV · VC  
 ● F3456057 CN · HC



p. 130  
 CV: cavo a vista CN: cavo  
 nascosto · VC: visible cable  
 HC: hidden cable



### KELVIN EDGE ATTACCO A PARETE · WALL

Antonio Citterio, 2015  
 Potenza · Power 7W  
 Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 EDGE LIGHTING 7W 306lm  
 2700/3200K CRI 90 [i] DIMMABLE K  
 SELECTION

Materiali · Materials  
 alluminio · aluminum


Peso · Weight 0,6 Kg DIMMER INCLUDED

Finiture  
 Finishes  
 bianco · white  
 nero · black  
 titanio · titanium  
 cromo · chrome

Colori  
 Colors  
 ○ F3454009  
 ● F3454030  
 ● F3454033  
 (|) F3454057



p. 130



### KELVIN LED BASE

Antonio Citterio assistant Toan Nguyen, 2009  
 Potenza · Power 8W  
 Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 30 TOP LED 7,5W 568lm total 3000K  
 CRI 95 [i] DIMMABLE GREEN MODE

Materiali · Materials  
 alluminio · aluminum


Peso · Weight 4,8 Kg DIMMER INCLUDED

Finiture  
 Finishes  
 bianco · white  
 nero · black  
 antracite · anthracite  
 cromo · chrome

Colori  
 Colors  
 ○ F3311009  
 ● F3311030  
 ● F3311033  
 (|) F3311057



p. 129



### KELVIN LED MORSETTO · CLAMP

Antonio Citterio assistant Toan Nguyen, 2009  
 Potenza · Power 8W  
 Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 30 TOP LED 7,5W 568lm total  
 3000K CRI 95 [i] DIMMABLE GREEN MODE

Materiali · Materials  
 alluminio · aluminum


Peso · Weight 1,6 Kg DIMMER INCLUDED

Finiture  
 Finishes  
 bianco · white  
 nero · black  
 antracite · anthracite  
 cromo · chrome

Colori  
 Colors  
 ○ F3301009  
 ● F3301030  
 ● F3301033  
 (|) F3313057



p. 129



### KELVIN LED SUPP. SCRIVANIA · DESK SUPP.

Antonio Citterio assistant Toan Nguyen, 2009  
 Potenza · Power 8W  
 Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) ·  
 Light source (available)  
 LED INCLUDED  
 NOT REPLACEABLE  
 30 TOP LED 7,5W 568lm total 3000K  
 CRI 95 [i] DIMMABLE GREEN MODE

Materiali · Materials  
 alluminio · aluminum


Peso · Weight 1,5 Kg DIMMER INCLUDED

Finiture  
 Finishes  
 bianco · white  
 bianco · white  
 nero · black  
 nero · black  
 antracite · anthracite  
 antracite · anthracite  
 cromo · chrome  
 cromo · chrome

Colori  
 Colors  
 ○ F3308009 CV · VC  
 ○ F3309009 CN · HC  
 ● F3308030 CV · VC  
 ● F3309030 CN · HC  
 ● F3308033 CV · VC  
 ● F3309033 CN · HC  
 ● F3308057 CV · VC  
 ● F3309057 CN · HC



p. 129  
 CV: cavo a vista CN: cavo  
 nascosto · VC: visible cable  
 HC: hidden cable



**KELVIN LED ATTACCO A PARETE · WALL**  
 Antonio Citterio assistant Toan Nguyen, 2009  
 Potenza · Power 8W  
 Tensione · Voltage 100-240V/24

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 30 TOP LED 7,5W 568lm total 3000K CRI 95 [i] DIMMABLE GREEN MODE

Finiture Finishes: bianco · white, nero · black, antracite · anthracite, cromo · chrome  
 Colori Colors: F3302009, F3302030, F3302033, F3314057

Materiali · Materials: alluminio · aluminum  
 Peso · Weight 1,5 Kg DIMMER INCLUDED

CE IP20

p. 129



**KELVIN LED F**  
 Antonio Citterio, 2011  
 Potenza · Power 8W  
 Tensione · Voltage 100-240V/24


Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 30 TOP LED 8W 568lm total 2700K CRI 95 [i]

Finiture Finishes: bianco · white, nero · black, antracite · anthracite  
 Colori Colors: F3305009, F3305030, F3305033

Materiali · Materials: alluminio · aluminum  
 Peso · Weight 3,8 Kg DIMMER INCLUDED

CE IP20

p. 203



**KTRIBE F1**  
 Philippe Starck, 2007  
 Potenza · Power MAX 100W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 1 LED 8,5W E27 740lm 2200-2700K [e] cod. RF28800 DIMMABLE o · or 1 LED 10W E27 965lm 3000K [e] cod. RF29186 DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. RF28782 DIMMABLE

A+ → E

Finiture Finishes: trasparente · transparent, argento alluminizzato · aluminized silver, bronzo alluminizzato · aluminized bronze, tessuto · fabric, fumè · fumée  
 Colori Colors: F6265000, F6265004, F6265046, F6265007, F6265030

Materiali · Materials: alluminio, policarbonato, PMMA, tessuto · aluminum, polycarbonate, PMMA, fabric  
 Peso · Weight 4,3 Kg DIMMER INCLUDED

CE IP20

p. 198



**KTRIBE F2**  
 Philippe Starck, 2007  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 1 LED 21W E27 2452lm 3000K [e] cod. RF26998 DIMMABLE


A+ → E

Finiture Finishes: trasparente · transparent, argento alluminizzato · aluminized silver, bronzo alluminizzato · aluminized bronze, tessuto · fabric, fumè · fumée  
 Colori Colors: F6305000, F6305004, F6305046, F6305007, F6305030

Materiali · Materials: alluminio, policarbonato, PMMA, tessuto · aluminum, polycarbonate, PMMA, fabric  
 Peso · Weight 6,7 Kg DIMMER INCLUDED

CE IP20

p. 198



**KTRIBE F3**  
 Philippe Starck, 2007  
 Potenza · Power MAX 250W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 1 LED 21W E27 2452lm 3000K [e] cod. RF26998 DIMMABLE

A+ → E

Finiture Finishes: trasparente · transparent, argento alluminizzato · aluminized silver, bronzo alluminizzato · aluminized bronze, tessuto · fabric, fumè · fumée  
 Colori Colors: F6301000, F6301004, F6301046, F6301007, F6301030

Materiali · Materials: alluminio, policarbonato, PMMA, tessuto · aluminum, polycarbonate, PMMA, fabric  
 Peso · Weight 14,0 Kg DIMMER INCLUDED

CE IP20

p. 198



**KTRIBE F3 OUTDOOR/INDOOR**  
 Philippe Starck, 2007  
 Potenza · Power MAX 250W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 1 LED 21W E27 2450lm 3000K [e] cod. RF26998 DIMMABLE


A+ → E

Finiture Finishes: panama · panama, green wall · green wall  
 Colori Colors: F6268022, F6268041

Materiali · Materials: alluminio, policarbonato, PVC · aluminum, polycarbonate, PVC  
 Peso · Weight 23,0 Kg DIMMER INCLUDED

CE IP65

p. 404



**KTRIBE S1**  
 Philippe Starck, 2005  
 Potenza · Power MAX 75W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 1 LED 3W G9 290lm 2700K\* [e] cod. RF28425 [e] o · or 1 LED 2W G9 240lm 2700K\* cod. RF26520 [e]


A+ → E

Finiture Finishes: argento alluminizzato · aluminized silver, fumè · fumée  
 Colori Colors: F6256000, F6256030

Materiali · Materials: policarbonato, PMMA · polycarbonate, PMMA  
 Peso · Weight 1 Kg

CE IP20

p. 313



**KTRIBE S2**  
 Philippe Starck, 2005  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 1 LED 21W E27 2452lm 3000K [e] cod. RF26998 DIMMABLE

A+ → E

Finiture Finishes: trasparente · transparent, argento alluminizzato · aluminized silver, bronzo alluminizzato · aluminized bronze, fumè · fumée  
 Colori Colors: F6257000A, F6257000, F6257046, F6257030


Materiali · Materials: policarbonato, PMMA · polycarbonate, PMMA  
 Peso · Weight 2,5 Kg

CE IP20

p. 313

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**KTRIBE S3**  
Philippe Starck, 2005  
Potenza · Power MAX 250W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
1 LED 21W E27 2452lm 3000K [e] cod. [RF26998](#) DIMMABLE

Materiali · Materials  
policarbonato, PMMA · polycarbonate, PMMA

Peso · Weight 4,5 Kg

Finiture Finishes  
trasparente · transparent F6258000A  
argento alluminizzato · aluminized silver F6258000  
bronzo alluminizzato · aluminized bronze F6258046  
fumè · fumée F6258030

Colori Colors

CE IP20

p. 313



**KTRIBE T1**  
Philippe Starck, 2007  
Potenza · Power MAX 100W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. [RF28782](#) DIMMABLE

Materiali · Materials  
alluminio, metacrilato, policarbonato · aluminum, methacrylate, polycarbonate

Peso · Weight 3,1 Kg DIMMER INCLUDED

Finiture Finishes  
trasparente · transparent F6263000  
fumè · fumée F6263030

Colori Colors

CE IP20

p. 124



**KTRIBE T1 GLASS**  
Philippe Starck, 2007  
Potenza · Power MAX 100W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. [RF28782](#) DIMMABLE

Materiali · Materials  
alluminio, vetro, policarbonato · aluminum, glass, polycarbonate


Peso · Weight 4,6 Kg DIMMER INCLUDED

Finiture Finishes  
trasparente · transparent F6281000

Colori Colors

CE IP20

p. 124



**KTRIBE T2**  
Philippe Starck, 2007  
Potenza · Power MAX 150W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
1 LED 15W E27 2000lm 2700K [e] cod. [RF28665](#) DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. [RF28666](#) DIMMABLE

Materiali · Materials  
alluminio, policarbonato, PMMA, tessuto · aluminum, polycarbonate, PMMA, fabric

Peso · Weight 5,9 Kg DIMMER INCLUDED

Finiture Finishes  
trasparente · transparent F6303000  
argento alluminizzato · aluminized silver F6303004  
bronzo alluminizzato · aluminized bronze F6303046  
tessuto · fabric F6303007  
fumè · fumée F6303030

Colori Colors

CE IP20

p. 124

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**KTRIBE W**  
Philippe Starck, 2007  
Potenza · Power MAX 100W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. [RF28782](#) DIMMABLE

Materiali · Materials  
alluminio, policarbonato, PMMA, tessuto · aluminum, polycarbonate, PMMA, fabric

Peso · Weight 1,7 Kg DIMMER INCLUDED

Finiture Finishes  
trasparente · transparent F6307000  
argento alluminizzato · aluminized silver F6307004  
bronzo alluminizzato · aluminized bronze F6307046  
tessuto · fabric F6307007  
fumè · fumée F6307030

Colori Colors

CE IP20

p. 364



**LAMPADINA**  
Achille Castiglioni, 1972  
Potenza · Power MAX 5W  
Tensione · Voltage 230V

Fonte luminosa (disponibile) · Light source (available)  
1 LED 2W E27 200lm 2700K [i] cod. [RF24054](#)

Materiali · Materials  
alluminio · aluminum

Peso · Weight 0,3 Kg

Finiture Finishes  
nero · black F3300000  
arancio · orange F3299075  
bianco · white F3299009  
verde · green F3299039  
turchese · turquoise F3299074  
viola · violet F3299042

Colori Colors

CE IP20

p. 106



**LA PLUS BELLE**  
Philippe Starck, 2019  
Potenza · Power 57W  
Tensione · Voltage 120 - 277V

Fonte luminosa (disponibile) · Light source (available)  
560 TOP LED 58W 5300lm 2700K CRI 95

Materiali · Materials  
alluminio · aluminum

Peso · Weight 32,8 Kg DIMMER INCLUDED

Finiture Finishes  
bronzo lucido · polished bronze F3680046  
rame spazzolato · brushed cooper F3680015  
oro spazzolato · brushed gold F3680044  
brill · brill F3680064

Colori Colors

CE

p. 332



**LAST ORDER CLEAR**  
Michael Anastassiades, 2020  
Potenza · Power 2,5W  
Tensione · Voltage 1N 5V

Fonte luminosa (disponibile) · Light source (available)  
LED 2,5W 200lm 2700K CRI90

Materiali · Materials  
cristallo, ottone, policarbonato · crystal, brass, polycarbonate

Peso · Weight 1,7 Kg DIMMER INCLUDED

Finiture Finishes  
ottone lucido · polished brass (INDOOR) F3693059  
rame satinato · satin copper (INDOOR) F3693015  
verde opaco · matt green (OUTDOOR) F3693039  
acciaio lucido · polished inox (OUTDOOR) F3693056

Colori Colors

CE IP55

p. 60, 386

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**LAST ORDER FLUTED**

Michael Anastassiades, 2020  
Potenza · Power 2,5W  
Tensione · Voltage IN 5V

<b>Finiture</b> <i>Finishes</i>	<b>Colori</b> <i>Colors</i>
ottone lucido <i>polished brass (INDOOR)</i>	● F3694059
rame satinato <i>satin copper (INDOOR)</i>	● F3694015
verde opaco <i>mat green (OUTDOOR)</i>	● F3694039
acciaio lucido <i>polished inox (OUTDOOR)</i>	● F3694056

LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
*Light source (available)*  
LED 2,5W 200lm 2700K CRI90

**Materiali · Materials**  
cristallo, ottone, policarbonato · *chrysal, brass, polycarbonate*

Peso · Weight 1,7 Kg DIMMER INCLUDED



p. 60, 386



**LUMINATOR**

Achille and Pier Giacomo Castiglioni, 1954  
Potenza · Power MAX 205W  
Tensione · Voltage 220-250V

<b>Finiture</b> <i>Finishes</i>	<b>Colori</b> <i>Colors</i>
antracite · <i>anthracite</i>	● F3770033

LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
*Light source (available)*  
A+ → E 1 LED 12W E27 1000lm 2700K [e] cod. [RF28664](#) DIMMABLE o · or 1 LED 8W E27 660lm 2700K [e] cod. [RF26277](#) DIMMABLE

**Materiali · Materials**  
metallo · *metal*

Peso · Weight 4,1 Kg



p. 211



**MAYDAY**

Konstantin Grcic, 2000  
Potenza · Power MAX 60W  
Tensione · Voltage 220-250V

<b>Finiture</b> <i>Finishes</i>	<b>Colori</b> <i>Colors</i>
nero · <i>black</i>	● F3780030
arancio · <i>orange</i>	● F3780002

LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
*Light source (available)*  
A+ → E 1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. [RF28782](#) DIMMABLE

**Materiali · Materials**  
polipropilene · *polypropylene*

Peso · Weight 0,7 Kg



p. 76



**MAYDAY ANNIVERSARY**

Konstantin Grcic, 2020  
Potenza · Power MAX 60W  
Tensione · Voltage 220-250V

<b>Finiture</b> <i>Finishes</i>	<b>Colori</b> <i>Colors</i>
grigio chiaro · <i>light grey</i>	● F3779054

LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
*Light source (available)*  
A+ → E 1 LED 8,5W E27 965lm 2200-2700K [i] cod. [RF28800](#) DIMMABLE

**Materiali · Materials**  
polipropilene, alluminio · *polypropylene, aluminum*

Peso · Weight 0,957 Kg



p. 72



**MISS K**

Philippe Starck, 2003  
Potenza · Power MAX 100W  
Tensione · Voltage 220-240V

<b>Finiture</b> <i>Finishes</i>	<b>Colori</b> <i>Colors</i>
rosso · <i>red</i>	● F6255035
argento · <i>silver</i>	● F6255000
nero · <i>black</i>	● F6255030
tessuto · <i>fabric</i>	● F6255007

LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
*Light source (available)*  
A+ → E 1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. [RF28782](#) DIMMABLE

**Materiali · Materials**  
PMMA, policarbonato, tessuto · *PMMA, polycarbonate, fabric*

Peso · Weight 1,2 Kg DIMMER INCLUDED



p. 146



**MISS SISSI**

Philippe Starck, 1991  
Potenza · Power MAX 60W  
Tensione · Voltage 220-250V

<b>Finiture</b> <i>Finishes</i>	<b>Colori</b> <i>Colors</i>
bianco · <i>white</i>	○ F6250009

LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
*Light source (available)*  
A+ → E 1 LED 2,7W E14 150lm 2700K [e] cod. [RF25316](#)

**Materiali · Materials**  
policarbonato · *polycarbonate*

Peso · Weight 1,5 Kg



p. 141



**MY WAY 110X100 OUTDOOR/INDOOR**

Piero Lissoni, 2017  
Potenza · Power 5W  
Tensione · Voltage 100-240V

<b>Finiture</b> <i>Finishes</i>	<b>Colori</b> <i>Colors</i>
bianco · <i>white</i>	○ F4350001
grigio · <i>grey</i>	● F4350006
antracite · <i>anthracite</i>	● F4350033
nero · <i>black</i>	● F4350030
deep brown	● F4350018
forest green	● F4350012

LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
*Light source (available)*  
MID-POWER LED 5W 421lm ≠ FIXT 188lm 2700K CRI80 100-240V [i]

**Materiali · Materials**  
alluminio, policarbonato · *aluminum, polycarbonate*

Peso · Weight 0,52 Kg



p. 394



**MY WAY 110X100 OUTDOOR/INDOOR**

Piero Lissoni, 2017  
Potenza · Power 5W  
Tensione · Voltage 100-240V

<b>Finiture</b> <i>Finishes</i>	<b>Colori</b> <i>Colors</i>
bianco · <i>white</i>	○ F4351001
grigio · <i>grey</i>	● F4351006
antracite · <i>anthracite</i>	● F4351033
nero · <i>black</i>	● F4351030
deep brown	● F4351018
forest green	● F4351012

LED INCLUDED  
NOT REPLACEABLE  
Fonte luminosa (disponibile) ·  
*Light source (available)*  
MID-POWER LED 5W 490lm ≠ FIXT 211lm 3000K CRI80 100-240V [i]

**Materiali · Materials**  
alluminio, policarbonato · *aluminum, polycarbonate*

Peso · Weight 0,52 Kg



p. 394

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*



**MY WAY 110X100 OUTDOOR/INDOOR**  
 Piero Lissoni, 2017  
 Potenza · Power 5W  
 Tensione · Voltage 100-240V



Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED MID-POWER LED 5W 514lm ≠ FIXT  
 NOT REPLACEABLE 221lm 4000K CRI80 100-240V [i]

Materiali · Materials  
 alluminio, policarbonato · *aluminum, polycarbonate*

Peso · Weight 0,52 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

Finiture Finishes: bianco · white, grigio · grey, antracite · anthracite, nero · black, deep brown, forest green  
 Colori Colors: F4352001, F4352006, F4352033, F4352030, F4352018, F4352012

CE I P 65 p. 394

**MY WAY 110X200 OUTDOOR/INDOOR**  
 Piero Lissoni, 2017  
 Potenza · Power 13W  
 Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED MID-POWER LED 13W 1357lm ≠ FIXT  
 NOT REPLACEABLE 657lm 2700K CRI80 220-240V [i]

Materiali · Materials  
 alluminio, policarbonato · *aluminum, polycarbonate*

Peso · Weight 0,95 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

Finiture Finishes: bianco · white, grigio · grey, antracite · anthracite, nero · black, deep brown, forest green  
 Colori Colors: F4353001, F4353006, F4353033, F4353030, F4353018, F4353012

CE I P 65 p. 394

**MY WAY 110X200 OUTDOOR/INDOOR**  
 Piero Lissoni, 2017  
 Potenza · Power 13W  
 Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED MID-POWER LED 13W 1577lm ≠ FIXT  
 NOT REPLACEABLE 763lm 3000K CRI80 220-240V [i]

Materiali · Materials  
 alluminio, policarbonato · *aluminum, polycarbonate*

Peso · Weight 0,95 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

Finiture Finishes: bianco · white, grigio · grey, antracite · anthracite, nero · black, deep brown, forest green  
 Colori Colors: F4354001, F4354006, F4354033, F4354030, F4354018, F4354012

CE I P 65 p. 394

**MY WAY 110X200 OUTDOOR/INDOOR**  
 Piero Lissoni, 2017  
 Potenza · Power 13W  
 Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED MID-POWER LED 13W 1656lm ≠ FIXT  
 NOT REPLACEABLE 801lm 4000K CRI80 220-240V [i]

Materiali · Materials  
 alluminio, policarbonato · *aluminum, polycarbonate*


Peso · Weight 0,95 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

Finiture Finishes: bianco · white, grigio · grey, antracite · anthracite, nero · black, deep brown, forest green  
 Colori Colors: F4355001, F4355006, F4355033, F4355030, F4355018, F4355012

CE I P 65 p. 394

**MY WAY 210X200 OUTDOOR/INDOOR**  
 Piero Lissoni, 2017  
 Potenza · Power 13W  
 Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED MID-POWER LED 13W 1357lm ≠ FIXT  
 NOT REPLACEABLE 669lm 2700K CRI80 220-240V [i]

Materiali · Materials  
 alluminio, policarbonato · *aluminum, polycarbonate*

Peso · Weight 1,44 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

Finiture Finishes: bianco · white, grigio · grey, antracite · anthracite, nero · black, deep brown, forest green  
 Colori Colors: F4356001, F4356006, F4356033, F4356030, F4356018, F4356012

CE I P 65 p. 394

**MY WAY 210X200 OUTDOOR/INDOOR**  
 Piero Lissoni, 2017  
 Potenza · Power 13W  
 Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED MID-POWER LED 13W 1577lm ≠ FIXT  
 NOT REPLACEABLE 777lm 3000K CRI80 220-240V [i]

Materiali · Materials  
 alluminio, policarbonato · *aluminum, polycarbonate*


Peso · Weight 1,44 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

Finiture Finishes: bianco · white, grigio · grey, antracite · anthracite, nero · black, deep brown, forest green  
 Colori Colors: F4357001, F4357006, F4357033, F4357030, F4357018, F4357012

CE I P 65 p. 394

**MY WAY 210X200 OUTDOOR/INDOOR**  
 Piero Lissoni, 2017  
 Potenza · Power 13W  
 Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED MID-POWER LED 13W 1656lm ≠ FIXT  
 NOT REPLACEABLE 817lm 4000K CRI80 220-240V [i]

Materiali · Materials  
 alluminio, policarbonato · *aluminum, polycarbonate*


Peso · Weight 1,44 Kg

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

Finiture Finishes: bianco · white, grigio · grey, antracite · anthracite, nero · black, deep brown, forest green  
 Colori Colors: F4358001, F4358006, F4358033, F4358030, F4358018, F4358012

CE I P 65 p. 394

**NEBULA**  
 Joris Laarman, 2007  
 Potenza · Power 8 x MAX 70W + 4 x MAX 70W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · *Light source (available)*  
 LED INCLUDED 8 LED 10W E27 965lm 2700K [e] cod. RF28782 (up) + 4 LED 10W E27 965lm 3000K [e] cod. RF29186 (up) o · or 4 LED 8W E27 525lm 2700K [e] cod. RF25570 (down)

Materiali · Materials  
 alluminio, vetro · *aluminum, glass*

Peso · Weight 38 Kg


per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

Finiture Finishes: bianco · white  
 Colori Colors: F4550009

CE I P 20 p. 294

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 36W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 2 STRIP LED 9W + 1 COB LED 18W  
 973lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · *blown glass*

**1 Low Cylinder & Cone**  
 Peso · Weight 10,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes: nero · black  
 Colori Colors: ● F0268000

CE, IP20, RoHS, ENEC  
 p. 255



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 45W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 3 STRIP LED x 9W + 1 COB LED 18W  
 1259lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · *blown glass*

**2 Low Cylinders & Cone**  
 Peso · Weight 14,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes: nero · black  
 Colori Colors: ● F0270000

CE, IP20, RoHS, ENEC  
 p. 255



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 54W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 4 STRIP LED x 9W + 1 COB LED 18W  
 1545lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · *blown glass*

**3 Low Cylinders & Cone**  
 Peso · Weight 18,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes: nero · black  
 Colori Colors: ● F0271000

CE, IP20, RoHS, ENEC  
 p. 255



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 63W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 5 STRIP LED x 9W + 1 COB LED 18W  
 1831lm 2700K CRI 90


Materiali · Materials  
 vetro soffiato · *blown glass*

**4 Low Cylinders & Cone**  
 Peso · Weight 22,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes: nero · black  
 Colori Colors: ● F0272000

CE, IP20, RoHS, ENEC  
 p. 255

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 36W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 2 STRIP LED x 9W + 1 COB LED 18W  
 1007lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · *blown glass*

**1 Low Cylinder & Bowl**  
 Peso · Weight 11,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes: nero · black  
 Colori Colors: ● F0263000

CE, IP20, RoHS, ENEC  
 p. 255



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 45W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 3 STRIP LED x 9W + 1 COB LED 18W  
 1293lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · *blown glass*

**2 Low Cylinders & Bowl**  
 Peso · Weight 15,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes: nero · black  
 Colori Colors: ● F0273000

CE, IP20, RoHS, ENEC  
 p. 255



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 54W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 4 STRIP LED x 9W + 1 COB LED 18W  
 1579lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · *blown glass*

**3 Low Cylinders & Bowl**  
 Peso · Weight 19,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes: nero · black  
 Colori Colors: ● F0274000

CE, IP20, RoHS, ENEC  
 p. 255



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 63W  
 Tensione · Voltage 100-240V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 5 STRIP LED x 9W + 1 COB LED 18W  
 1865lm 2700K CRI 90


Materiali · Materials  
 vetro soffiato · *blown glass*

**4 Low Cylinders & Bowl**  
 Peso · Weight 23,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes: nero · black  
 Colori Colors: ● F0275000

CE, IP20, RoHS, ENEC  
 p. 255

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 36W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 4 STRIP LED x 9W 1166lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · *blown glass*

**3 Low Cylinders**  
 Peso · Weight 14,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes: nero · black  
 Colori Colors: ● F0276000

CE, IP20, RoHS, ENEC

p. 255



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 45W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 5 STRIP LED x 9W 1452lm 2700K CRI 90


Materiali · Materials  
 vetro soffiato · *blown glass*

**4 Low Cylinders**  
 Peso · Weight 18,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes: nero · black  
 Colori Colors: ● F0277000

CE, IP20, RoHS, ENEC

p. 255



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 54W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 6 STRIP LED x 9W 1738lm 2700K CRI 90


Materiali · Materials  
 vetro soffiato · *blown glass*

**5 Low Cylinders**  
 Peso · Weight 22,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes: nero · black  
 Colori Colors: ● F0278000

CE, IP20, RoHS, ENEC

p. 255



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 63W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 7 STRIP LED x 9W 2024lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · *blown glass*


**6 Low Cylinders**  
 Peso · Weight 26,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes: nero · black  
 Colori Colors: ● F0279000

CE, IP20, RoHS, ENEC

p. 255

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 36W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 4 STRIP LED x 9W 1202lm 2700K CRI 90


Materiali · Materials  
 vetro soffiato · *blown glass*

**3 High Cylinders**  
 Peso · Weight 16,2 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes: nero · black  
 Colori Colors: ● F0264000

CE, IP20, RoHS, ENEC

p. 255



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 45W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 5 STRIP LED x 9W 1500lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · *blown glass*

**4 High Cylinders**  
 Peso · Weight 20,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes: nero · black  
 Colori Colors: ● F0280000

CE, IP20, RoHS, ENEC

p. 255



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 54W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 6 STRIP LED x 9W 1798lm 2700K CRI 90


Materiali · Materials  
 vetro soffiato · *blown glass*

**5 High Cylinders**  
 Peso · Weight 25,2 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes: nero · black  
 Colori Colors: ● F0281000

CE, IP20, RoHS, ENEC

p. 255



**NOCTAMBULE SUSPENSION**  
 Konstantin Grcic, 2019  
 Potenza · Power 63W  
 Tensione · Voltage 100-240V

LED INCLUDED  
 NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 7 STRIP LED x 9W 6930lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · *blown glass*


**6 High Cylinders**  
 Peso · Weight 29,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI

Finiture Finishes: nero · black  
 Colori Colors: ● F0282000

CE, IP20, RoHS, ENEC

p. 255

[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*



**NOCTAMBLE FLOOR**  
 Konstantin Grcic, 2019  
 Potenza · Power 18W  
 Tensione · Voltage 100-240/48V


LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 2 STRIP LED x 9W 485lm 2700K CRI 90


Materiali · Materials  
 vetro soffiato · blown glass

Finiture  
 Finishes  
 nero · black

Colori  
 Colors  
 ● F0288000

p. 164

**1 Low Cylinder Small Base**    Peso · Weight 10 Kg    DIMMER INCLUDED    



**NOCTAMBLE FLOOR**  
 Konstantin Grcic, 2019  
 Potenza · Power 27W  
 Tensione · Voltage 100-240/48V


LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 3 STRIP LED x 9W 771lm 2700K CRI 90


Materiali · Materials  
 vetro soffiato · blown glass

Finiture  
 Finishes  
 nero · black

Colori  
 Colors  
 ● F0289000

p. 164

**2 Low Cylinders Small Base**    Peso · Weight 14 Kg    DIMMER INCLUDED    



**NOCTAMBLE FLOOR**  
 Konstantin Grcic, 2019  
 Potenza · Power 36W  
 Tensione · Voltage 100-240/48V


LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 4 STRIP LED x 9W 1057lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · blown glass

Finiture  
 Finishes  
 nero · black

Colori  
 Colors  
 ● F0290000

p. 164

**3 Low Cylinders Small Base**    Peso · Weight 18 Kg    DIMMER INCLUDED    



**NOCTAMBLE FLOOR**  
 Konstantin Grcic, 2019  
 Potenza · Power 45W  
 Tensione · Voltage 100-240/48V


LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 5 STRIP LED x 9W 1343lm 2700K CRI 90


Materiali · Materials  
 vetro soffiato · blown glass

Finiture  
 Finishes  
 nero · black

Colori  
 Colors  
 ● F0291000

p. 164

**4 Low Cylinders Small Base**    Peso · Weight 22 Kg    DIMMER INCLUDED    



**NOCTAMBLE FLOOR**  
 Konstantin Grcic, 2019  
 Potenza · Power 18W  
 Tensione · Voltage 100-240/48V


LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 2 STRIP LED x 9W 497lm 2700K CRI 90


Materiali · Materials  
 vetro soffiato · blown glass

Finiture  
 Finishes  
 nero · black

Colori  
 Colors  
 ● F0285000

p. 164

**1 High Cylinder Small Base**    Peso · Weight 10,5 Kg    DIMMER INCLUDED    



**NOCTAMBLE FLOOR**  
 Konstantin Grcic, 2019  
 Potenza · Power 27W  
 Tensione · Voltage 100-240/48V


LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 3 STRIP LED x 9W 795lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · blown glass

Finiture  
 Finishes  
 nero · black

Colori  
 Colors  
 ● F0286000

p. 164

**2 High Cylinders Small Base**    Peso · Weight 15 Kg    DIMMER INCLUDED    



**NOCTAMBLE FLOOR**  
 Konstantin Grcic, 2019  
 Potenza · Power 36W  
 Tensione · Voltage 100-240/48V


LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 4 STRIP LED x 9W 1093lm 2700K CRI 90


Materiali · Materials  
 vetro soffiato · blown glass

Finiture  
 Finishes  
 nero · black

Colori  
 Colors  
 ● F0287000

p. 164

**3 High Cylinders Small Base**    Peso · Weight 19,5 Kg    DIMMER INCLUDED    



**NOCTAMBLE FLOOR**  
 Konstantin Grcic, 2019  
 Potenza · Power 36W  
 Tensione · Voltage 100-240/48V


LED INCLUDED  
 NOT REPLACEABLE  
 Fonte luminosa (disponibile) ·  
 Light source (available)  
 2 STRIP LED x 9W + 1 COB LED 18W 876lm 2700K CRI 90

Materiali · Materials  
 vetro soffiato · blown glass

Finiture  
 Finishes  
 nero · black

Colori  
 Colors  
 ● F0265000

p. 164

**1 High Cylinder & Cone Small Base**    Peso · Weight 14,5 Kg    DIMMER INCLUDED    

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**NOCTAMBULE FLOOR**  
Konstantin Grcic, 2019  
Potenza · Power 45W  
Tensione · Voltage 100-240/48V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
3 STRIP LED x 9W + 1 COB LED 18W  
1174lm 2700K CRI 90

Finiture Finishes: nero · black  
Colori Colors: ● F0269000

Materiali · Materials: vetro soffiato · blown glass

Peso · Weight 19 Kg DIMMER INCLUDED

CE IP20

p. 164



**NOCTAMBULE FLOOR**  
Konstantin Grcic, 2019  
Potenza · Power 45W  
Tensione · Voltage 100-240/48V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
5 STRIP LED x 9W 1378lm 2700K CRI 90

Finiture Finishes: nero · black  
Colori Colors: ● F0292000

Materiali · Materials: vetro soffiato · blown glass

Peso · Weight 28,5 Kg DIMMER INCLUDED

CE IP20

p. 164



**NOCTAMBULE FLOOR**  
Konstantin Grcic, 2019  
Potenza · Power 54W  
Tensione · Voltage 100-240/48V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
4 STRIP LED x 9W + 1 COB LED 18W  
1459lm 2700K CRI 90

Finiture Finishes: nero · black  
Colori Colors: ● F0267000

Materiali · Materials: vetro soffiato · blown glass

Peso · Weight 28 Kg DIMMER INCLUDED

CE IP20

p. 164



**NOCTAMBULE FLOOR**  
Konstantin Grcic, 2019  
Potenza · Power 54W  
Tensione · Voltage 100-240/48V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
4 STRIP LED x 9W + 1 COB LED 18W  
1493lm 2700K CRI 90

Finiture Finishes: nero · black  
Colori Colors: ● F0266000


Materiali · Materials: vetro soffiato · blown glass

Peso · Weight 29 Kg DIMMER INCLUDED

CE IP20

p. 164

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**OBLIQUE**  
Vincent van Duysen, 2020  
Potenza · Power 8W  
Tensione · Voltage 24V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
TOP LED x 8W 750lm 2700K · CRI 90  
USB CONNECT INTEGRATED


Finiture Finishes: antracite · anthracite, marrone · brown, grigio · grey, ruggine · rust, salvia · sage, bianco · white  
Colori Colors: ● 09.8300.DR, ● 09.8300.DW, ● 09.8300.AH, ● 09.8300.DX, ● 09.8300.DV, ○ 09.8300.DY

Materiali · Materials: alluminio estruso, metacrilato · die cast aluminum, methacrylate

Peso · Weight 0,75 Kg DIMMER INCLUDED

CE IP20

p. 66



**OBLIQUE QI**  
Vincent van Duysen, 2020  
Potenza · Power 8W  
Tensione · Voltage 48V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
TOP LED x 8W 750lm 2700K · CRI 90  
USB CONNECT INTEGRATED

Finiture Finishes: antracite · anthracite, marrone · brown, grigio · grey, ruggine · rust, salvia · sage, bianco · white  
Colori Colors: ● 09.8310.DR, ● 09.8310.DW, ● 09.8310.AH, ● 09.8310.DX, ● 09.8310.DV, ○ 09.8310.DY

Materiali · Materials: alluminio estruso, metacrilato · die cast aluminum, methacrylate

Peso · Weight 0,75 Kg DIMMER INCLUDED

CE IP20

p. 66



**OK**  
Konstantin Grcic, 2014  
Potenza · Power 18W  
Tensione · Voltage 100-240V/24V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
Edge Lighting Technology 18W  
1550lm 2700K CRI85 [i] DIMMABLE


Finiture Finishes: bianco · white, nero · black, giallo · yellow, cromo · chrome  
Colori Colors: ○ F4640009, ● F4640030, ● F4640019, || F4640057

Materiali · Materials: alluminio, acciaio, PA · aluminum, steel, PA

Peso · Weight 2,9 Kg DIMMER INCLUDED

CE IP20

p. 276



**ONTHEROCKS HL**  
Antonio Citterio assistant Toan Nguyen, 2003  
Potenza · Power MAX 200W  
Tensione · Voltage 220V-250V

Fonte luminosa (disponibile) · *Light source (available)*  
LED INCLUDED NOT REPLACEABLE  
1 x MAX 160W R7s HDG 3100lm  
2900K [e] cod. RF20131 DIMMABLE

Finiture Finishes: trasparente · transparent  
Colori Colors: ● F4651000


Materiali · Materials: vetro · glass

Peso · Weight 2,5 Kg

CE IP20

p. 353

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**OVERLAP S1**  
Michael Anastassiades, 2018  
Potenza · Power MAX 105W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E 1 LED 15W E27 2000lm 2700K [e] cod. [RF28665](#) DIMMABLE 0 · or 1 LED 15W E27 2000lm 3000K [e] cod. [RF28666](#) DIMMABLE


Materiali · Materials  
cocoon, acciaio · cocoon, steel

Peso · Weight 5,6 Kg

Finiture Finishes bianco · white  
Colori Colors ○ F4633009

CE IP20

p. 252



**OVERLAP S2**  
Michael Anastassiades, 2018  
Potenza · Power Max 105  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E 2 LED 15W E27 2000lm 2700K [e] cod. [RF28665](#) DIMMABLE 0 · or 2 LED 15W E27 2000lm 3000K [e] cod. [RF28666](#) DIMMABLE

Materiali · Materials  
cocoon, acciaio · cocoon, steel

Peso · Weight 8,8 Kg

Finiture Finishes bianco · white  
Colori Colors ○ F4634009

CE IP20

p. 252



**PARENTESI**  
Achille Castiglioni and Pio Manzù, 1971  
Potenza · Power MAX 150W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E 1 LED 8W E27 660lm 2700K [e] cod. [RF26277](#) DIMMABLE 0 · or 1 LED 12W E27 1000lm 2700K [e] cod. [RF28664](#) DIMMABLE

Materiali · Materials  
acciaio, elastomero · steel, elastomer

Peso · Weight 3,6 Kg

Finiture Finishes bianco · white, nero · black, rosso · red, nichel · nickel  
Colori Colors ○ F5400009, ● F5400030, ● F5400035, || F5400058

CE IP20

p. 306



**PARENTESI COMPL. ELEMENT**  
Achille Castiglioni and Pio Manzù, 1971  
Potenza · Power MAX 150W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E 1 LED 8W E27 660lm 2700K [e] cod. [RF26277](#) DIMMABLE 0 · or 1 LED 12W E27 1000lm 2700K [e] cod. [RF28664](#) DIMMABLE

Materiali · Materials  
elastomero · elastomer

Peso · Weight 0,5 Kg

Finiture Finishes bianco · white, nero · black, rosso · red, nichel · nickel  
Colori Colors ○ F5500009, ● F5500030, ● F5500035, || F5500058

CE IP20

p. 306



**PARENTESI D**  
Achille Castiglioni and Pio Manzù, 1971  
Potenza · Power MAX 150W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E 1 LED 8W E27 660lm 2700K [e] cod. [RF26277](#) DIMMABLE 0 · or 1 LED 12W E27 1000lm 2700K [e] cod. [RF28664](#) DIMMABLE

Materiali · Materials  
acciaio, elastomero · steel, elastomer

Peso · Weight 3,6 Kg DIMMER INCLUDED

Finiture Finishes bianco · white, nero · black, rosso · red, nichel · nickel  
Colori Colors ○ F5600009, ● F5600030, ● F5600035, || F5600058

CE IP20

p. 306



**PARENTESI D COMPL. ELEMENT**  
Achille Castiglioni and Pio Manzù, 1971  
Potenza · Power MAX 150W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E 1 LED 8W E27 660lm 2700K [e] cod. [RF26277](#) DIMMABLE 0 · or 1 LED 12W E27 1000lm 2700K [e] cod. [RF28664](#) DIMMABLE

Materiali · Materials  
elastomero · elastomer

Peso · Weight 0,5 Kg

Finiture Finishes bianco · white, nero · black, rosso · red, nichel · nickel  
Colori Colors ○ F5700009, ● F5700030, ● F5700035, || F5700058

CE IP20

p. 306



**POCHETTE LED**  
Rodolfo Dordoni, 2003  
Potenza · Power 20W  
Tensione · Voltage 220-240V

LED INCLUDED NOT REPLACEABLE

Fonte luminosa (disponibile) · Light source (available)  
144 LED 20W 2700K 1707lm CRI90 [i]

Materiali · Materials  
zama · zamak

Peso · Weight 1,6 Kg DIMMER INCLUDED 1-10/TRIAC

Finiture Finishes grigio · grey, bianco · white, cromo · chrome  
Colori Colors ● F9704020, ○ F9704009, || F9704057

CE IP20

p. 362



**POCHETTE UP/DOWN LED**  
Rodolfo Dordoni, 2003  
Potenza · Power MAX 21,5W  
Tensione · Voltage 220-240V

LED INCLUDED NOT REPLACEABLE

Fonte luminosa (disponibile) · Light source (available)  
144 LED 20W 2700K 1707lm CRI90 [i] + 36 LED 1,5W 2700K 37lm CRI90 [i]

Materiali · Materials  
zama · zamak

Peso · Weight 1,7 Kg DIMMER INCLUDED 1-10/TRIAC

Finiture Finishes grigio · grey, bianco · white, cromo · chrome  
Colori Colors ● F9705020, ○ F9705009, || F9705057

CE IP20

p. 362

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

**RAY F1**  
Rodolfo Dordoni, 2007  
Potenza · Power MAX 150W  
Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · Light source (available)  
A+ → E 1 LED 10W E27 965lm 3000K [e] cod. RF29186 DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. RF28782 DIMMABLE

Finiture Finishes: nero · black, bianco · white, vetro · glass  
Colori Colors: F5916030, F5916009, F5915020

Materiali · Materials: acciaio, alluminio, vetro · steel, aluminum, glass

Peso · Weight 5,0 Kg (alum.) - 8,0 Kg (glass) DIMMER INCLUDED

CE IP20

p. 186

**RAY F2**  
Rodolfo Dordoni, 2007  
Potenza · Power MAX 250W  
Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · Light source (available)  
A+ → E LED 21W E27 2452lm 3000K [e] cod. RF26998 DIMMABLE

Finiture Finishes: nero · black, bianco · white, vetro · glass  
Colori Colors: F5921030, F5921009, F5920020

Materiali · Materials: acciaio, alluminio, vetro · steel, aluminum, glass

Peso · Weight 6,2 Kg (alum.) - 9,2 Kg (glass) DIMMER INCLUDED

CE IP20

p. 186

**RAY S**  
Rodolfo Dordoni, 2007  
Potenza · Power MAX 250W  
Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
A+ → E 1 LED 21W E27 2452lm 3000K [e] cod. RF26998 DIMMABLE

Finiture Finishes: nero · black, bianco · white, vetro · glass  
Colori Colors: F5931030, F5931009, F5930020


Materiali · Materials: acciaio, alluminio, vetro · steel, aluminum, glass

Peso · Weight 3,8 Kg (alluminio · aluminum) - 6,8 Kg (vetro · glass)

CE IP20

p. 282

**RAY T**  
Rodolfo Dordoni, 2007  
Potenza · Power MAX 150W  
Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · Light source (available)  
A+ → E 1 LED 10W E27 965lm 3000K [e] cod. RF29186 DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. RF28782 DIMMABLE

Finiture Finishes: nero · black, bianco · white, vetro · glass  
Colori Colors: F5911030, F5911009, F5910020

Materiali · Materials: acciaio, alluminio, vetro · steel, aluminum, glass


Peso · Weight 4,2 Kg (alum.) - 6,5 Kg (glass) DIMMER INCLUDED

CE IP20

p. 122

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

**REAL MATTER OUTDOOR/INDOOR**  
Piero Lissoni, 2017  
Potenza · Power 3W  
Tensione · Voltage 24V



Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE LOW-POWER LED 3W 180lm ≠ FIXT 74lm 2700K CRI80 24V [i]

Finiture Finishes: rame lucido · polished copper, bronzo spazzolato · brushed bronze, oro spazzolato · brushed gold, acciaio spazzolato · brushed steel  
Colori Colors: F5960015, F5960046, F5960044, F5960056


Materiali · Materials: alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,60 Kg

CE IP65

p. 396

**REAL MATTER OUTDOOR/INDOOR**  
Piero Lissoni, 2017  
Potenza · Power 3W  
Tensione · Voltage 24V



Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE LOW-POWER LED 3W 180lm ≠ FIXT 74lm 2700K CRI80 24V [i]

Finiture Finishes: rame lucido · polished copper, bronzo spazzolato · brushed bronze, oro spazzolato · brushed gold, acciaio spazzolato · brushed steel  
Colori Colors: F5980015, F5980046, F5980044, F5980056


Materiali · Materials: alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,60 Kg

CE IP65

p. 396

**REAL MATTER OUTDOOR/INDOOR**  
Piero Lissoni, 2017  
Potenza · Power 3W  
Tensione · Voltage 24V



Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE LOW-POWER LED 3W 180lm ≠ FIXT 74lm 2700K CRI80 24V [i]

Finiture Finishes: rame lucido · polished copper, bronzo spazzolato · brushed bronze, oro spazzolato · brushed gold, acciaio spazzolato · brushed steel  
Colori Colors: F5970015, F5970046, F5970044, F5970056


Materiali · Materials: alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,60 Kg

CE IP65

p. 396

**REAL MATTER OUTDOOR/INDOOR**  
Piero Lissoni, 2017  
Potenza · Power 3W  
Tensione · Voltage 24V



Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE LOW-POWER LED 3W 200lm ≠ FIXT 82lm 3000K CRI80 24V [i]

Finiture Finishes: rame lucido · polished copper, bronzo spazzolato · brushed bronze, oro spazzolato · brushed gold, acciaio spazzolato · brushed steel  
Colori Colors: F5961015, F5961046, F5961044, F5961056

Materiali · Materials: alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,60 Kg

CE IP65

p. 396

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

**REAL MATTER OUTDOOR/INDOOR**  
 Piero Lissoni, 2017  
 Potenza · Power 3W  
 Tensione · Voltage 24V



Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 LOW-POWER LED 3W 200lm ≠ FIXT 82lm 3000K CRI80 24V [i]

Finiture Finishes  
 rame lucido · polished copper  
 bronzo spazzolato · brushed bronze  
 oro spazzolato · brushed gold  
 acciaio spazzolato · brushed steel

Colori Colors  
 F5981015  
 F5981046  
 F5981044  
 F5981056

Installation in plasterboard wall (min 5mm - max 20 mm)

Materiali · Materials  
 alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,60 Kg

CE IP65

p. 396

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

**REAL MATTER OUTDOOR/INDOOR**  
 Piero Lissoni, 2017  
 Potenza · Power 3W  
 Tensione · Voltage 24V



Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 LOW-POWER LED 3W 200lm ≠ FIXT 82lm 3000K CRI80 24V [i]

Finiture Finishes  
 rame lucido · polished copper  
 bronzo spazzolato · brushed bronze  
 oro spazzolato · brushed gold  
 acciaio spazzolato · brushed steel

Colori Colors  
 F5971015  
 F5971046  
 F5971044  
 F5971056

Installation in concrete without recessed box

Materiali · Materials  
 alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 0,60 Kg

CE IP65

p. 396

per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com

**ROMEO BABE S**  
 Philippe Starck, 1997  
 Potenza · Power MAX 40W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 A+ → E  
 1 x 33W HSGS G9 460lm 2700K [e] cod. RF18863

Materiali · Materials  
 vetro · glass

Peso · Weight 0,4 Kg

CE IP20

p. 288

**ROMEO BABE W**  
 Philippe Starck, 1996  
 Potenza · Power MAX 40W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 A+ → E  
 1 x 33W HSGS G9 460lm 2700K [e] cod. RF18863


Materiali · Materials  
 vetro, acciaio inox · glass, stainless steel

Peso · Weight 0,5 Kg

CE IP20 0,5m

p. 365

**ROMEO BABE SOFT S**  
 Philippe Starck, 1997  
 Potenza · Power MAX 40W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 A+ → E  
 1 x 33W HSGS G9 460lm 2700K [e] cod. RF18863

Materiali · Materials  
 tessuto, vetro · fabric, glass

Peso · Weight 0,4 Kg

CE IP20

p. 288

**ROMEO BABE SOFT W**  
 Philippe Starck, 1997  
 Potenza · Power MAX 40W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 A+ → E  
 1 x 33W HSGS G9 460lm 2700K [e] cod. RF18863

Materiali · Materials  
 tessuto, vetro · fabric, glass

Peso · Weight 0,4 Kg

CE IP20 0,5m

p. 365

**ROMEO MOON F**  
 Philippe Starck, 1996  
 Potenza · Power MAX 250W  
 Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · Light source (available)  
 A+ → E  
 1 LED 10W E27 965lm 3000K [e] cod. RF29186 DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. RF28782 DIMMABLE

Materiali · Materials  
 vetro, acciaio, alluminio · glass, steel, aluminum

Peso · Weight 23,8 Kg DIMMER INCLUDED

CE IP20

p. 206

**ROMEO MOON S1**  
 Philippe Starck, 1996  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 A+ → E  
 1 LED 10W E27 965lm 3000K [e] cod. RF29186 DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. RF28782 DIMMABLE

Materiali · Materials  
 vetro · glass

Peso · Weight 4,5 Kg


CE IP20

p. 289

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source





**ROMEO MOON S2**  
Philippe Starck, 1996  
Potenza · Power MAX 150W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·  
Light source (available)  
A+ → E 1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. [RF28782](#) DIMMABLE

Materiali · Materials  
vetro · glass

Peso · Weight 7,6 Kg

Finiture Finishes vetro · glass  
Colori Colors F0003000

CE IP20

p. 289



**ROMEO MOON T1**  
Philippe Starck, 1998  
Potenza · Power MAX 150W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
A+ → E 1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. [RF28782](#) DIMMABLE

Materiali · Materials  
vetro, acciaio, alluminio · glass, steel, aluminum

Peso · Weight 7,7 Kg DIMMER INCLUDED

Finiture Finishes vetro · glass  
Colori Colors F6107000

CE IP20

p. 125



**ROMEO OUTDOOR/INDOOR C3 710MM**  
Philippe Starck, 2007  
Potenza · Power MAX 250W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
A+ → E 1 LED 21W E27 2450lm 3000K [e] cod. [RF26998](#) DIMMABLE

Materiali · Materials  
alluminio, policarbonato, PVC · aluminum, polycarbonate, PVC

Peso · Weight 7,3 Kg

Finiture Finishes panama · panama green wall · green wall  
Colori Colors F6468022 F6468041

CE IP65

p. 407



**ROMEO OUTDOOR/INDOOR C3 910MM**  
Philippe Starck, 2007  
Potenza · Power MAX 250W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
A+ → E 1 LED 21W E27 2450lm 3000K [e] cod. [RF26998](#) DIMMABLE

Materiali · Materials  
alluminio, policarbonato, PVC · aluminum, polycarbonate, PVC

Peso · Weight 7,5 Kg

Finiture Finishes panama · panama green wall · green wall  
Colori Colors F6469022 F6469041

CE IP65

p. 407

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**ROMEO SOFT F**  
Philippe Starck, 1998  
Potenza · Power MAX 250W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
A+ → E 1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. [RF28782](#) DIMMABLE

Materiali · Materials  
tessuto, vetro, acciaio, alluminio · fabric, glass, steel, aluminum

Peso · Weight 16,8 Kg DIMMER INCLUDED

Finiture Finishes tessuto · fabric  
Colori Colors F6109007

CE IP20

p. 206



**ROMEO SOFT T1**  
Philippe Starck, 1998  
Potenza · Power MAX 150W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
A+ → E 1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. [RF28782](#) DIMMABLE

Materiali · Materials  
tessuto, vetro, acciaio, alluminio · fabric, glass, steel, aluminum

Peso · Weight 5,3 Kg DIMMER INCLUDED

Finiture Finishes tessuto · fabric  
Colori Colors F6107007

CE IP20

p. 125



**ROSY ANGELIS**  
Philippe Starck, 1994  
Potenza · Power MAX 150W  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
Light source (available)  
A+ → E 1 LED 10W E27 965lm 3000K [e] cod. [RF29186](#) DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. [RF28782](#) DIMMABLE


Materiali · Materials  
tessuto, alluminio · fabric, aluminum

Peso · Weight 1,6 Kg DIMMER INCLUDED

Finiture Finishes grigio · grey  
Colori Colors F6160020

CE IP20

p. 205



**SAWARU**  
Nendo, 2018  
Potenza · Power 45W

Fonte luminosa (disponibile) ·  
Light source (available)  
LED INCLUDED NOT REPLACEABLE  
LED Array 45W -2 channels: warm 835-1236lm; cold 1239-1783m; 1800-4000K CRI 90 [i] DIMMABLE

Materiali · Materials  
alluminio estruso · extruded aluminum

Peso · Weight 4 Kg DIMMER INCLUDED

Finiture Finishes bianco · white nero · black oro · gold blu grey

Colori Colors F6640009 F6640030 F6640044 F6640003

CE IP20

p. 161

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source


**SERENA**  
 Patricia Urquiola, 2015  
 Potenza · Power 13W  
 Tensione · Voltage 100-240V/24V




Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 1 LED 13W 643lm 2700K CRI 90 [i] DIMMABLE

Materiali · Materials  
 alluminio, policarbonato · aluminum, polycarbonate

Peso · Weight 1,25 Kg DIMMER INCLUDED

CE  

Finiture Finishes  
 rame · copper  
 alluminio · aluminum  
 nero · black

Colori Colors  


p. 86

**SKYGARDEN 1**  
 Marcel Wanders, 2007  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 A+ → E  
 1 LED 15W E27 1515lm 3000K\* [e] cod. RF28367 o · or 1 LED 20W E27 2300lm 2700K [e] cod. RF29388

Materiali · Materials  
 gesso, vetro, acciaio inox · plaster, glass, stainless steel

Peso · Weight 13 Kg

CE  

Finiture Finishes  
 oro · gold  
 ruggine · rusty brown  
 bianco · white  
 nero · black  
 nero opaco · matt black

Colori Colors  


p. 284

**SKYGARDEN 2**  
 Marcel Wanders, 2007  
 Potenza · Power MAX 230W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 A+ → E  
 1 LED 15W E27 1515lm 3000K\* [e] cod. RF28367 o · or 1 LED 20W E27 2300lm 2700K [e] cod. RF29388

Materiali · Materials  
 gesso, vetro, acciaio inox · plaster, glass, stainless steel

Peso · Weight 29 Kg

CE  

Finiture Finishes  
 oro · gold  
 ruggine · rusty brown  
 bianco · white  
 nero · black  
 nero opaco · matt black

Colori Colors  


p. 284

**SKYGARDEN RECESSED**  
 Marcel Wanders, 2009  
 Potenza · Power MAX 60W  
 Tensione · Voltage 230-240V



Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 A+ → E  
 1 x 60W GY 6.35 12V HSGS 1650lm 3000K cod. RF19578 Trasformatore incluso · Included Transformer

Materiali · Materials  
 gesso, vetro, acciaio inox · plaster, glass, stainless steel

Peso · Weight 4,0 Kg

CE  

Finiture Finishes  
 bianco · white

Colori Colors  


p. 361

**SKYGARDEN RECESSED**  
 Marcel Wanders, 2009  
 Potenza · Power MAX 40W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 A+ → E  
 1 LED 3W G9 290lm 2700K\* [e] cod. RF28425 o · or 1 LED 2W G9 240lm 2700K\* [e] cod. RF26520

Materiali · Materials  
 gesso, vetro, acciaio inox · plaster, glass, stainless steel

Peso · Weight 4,0 Kg

CE  

Finiture Finishes  
 bianco · white

Colori Colors  


p. 361

**SMITHFIELD C**  
 Jasper Morrison, 2009  
 Potenza · Power 4xMAX 70W  
 Tensione · Voltage 220-250V



Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 A+ → E  
 4 LED 10W E27 965lm 3000K cod. RF29186 o-or 4 LED 10W E27 965lm 2700K cod. RF28782 o-or 4 LED 15W E27 2000lm 2700K cod. RF28665 o-or 4 LED 15W E27 2000lm 3000K cod. RF28666 o-or 4 LED 17W 1900lm 2700K o-or RF26259 o-or 4 LED 18W E27 2000lm 3000K cod. RF26258 [e] DIMMABLE

Materiali · Materials  
 alluminio, metacrilato · aluminum, methacrylate

Peso · Weight 5 Kg

CE  

Finiture Finishes  
 nero · black  
 nero opaco · matt black  
 bianco · white  
 mud

Colori Colors  


p. 343

**SMITHFIELD C PRO**  
 Jasper Morrison, 2009  
 Potenza · Power 30W  
 Tensione · Voltage 220-240V



Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 A+ → E  
 108 LED 30W 2700K 2791lm CRI90 [i] DIMMABLE

Materiali · Materials  
 alluminio, metacrilato · aluminum, methacrylate

Peso · Weight 5 Kg


CE   

Finiture Finishes  
 nero · black  
 nero opaco · matt black  
 bianco · white  
 mud

Colori Colors  


p. 343




**SMITHFIELD S**  
 Jasper Morrison, 2009  
 Potenza · Power 4xMAX 70W  
 Tensione · Voltage 220-250V




Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE  
 A+ → E  
 4 LED 10W E27 965lm 3000K cod. RF29186 o-or 4 LED 10W E27 965lm 2700K cod. RF28782 o-or 4 LED 15W E27 2000lm 2700K cod. RF28665 o-or 4 LED 15W E27 2000lm 3000K cod. RF28666 o-or 4 LED 17W 1900lm 2700K o-or RF26259 o-or 4 LED 18W E27 2000lm 3000K cod. RF26258 [e] DIMMABLE

Materiali · Materials  
 alluminio, metacrilato · aluminum, methacrylate

Peso · Weight 5 Kg

CE   


Finiture Finishes  
 nero · black  
 nero opaco · matt black  
 bianco · white  
 mud

Colori Colors  


p. 308

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**SMITHFIELD S PRO**  
 Jasper Morrison, 2009  
 Potenza · Power 30W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 108 LED 30W 2700K 2791lm CRI90 [I] DIMMABLE

LED INCLUDED NOT REPLACEABLE

Materiali · Materials  
 alluminio, metacrilato · aluminum, methacrylate

completare con rosone o "Floor"

Peso · Weight 5 Kg

CE I P 20

Colori Colors  
 nero · black ● F1367030  
 nero opaco · matt black ● F1367031  
 bianco · white ○ F1367009  
 mud ● F1367021  
 nero · black ● F1369030 DALI  
 nero opaco · matt black ● F1369031 DALI  
 bianco · white ○ F1369009 DALI  
 mud ● F1369021 DALI

Finiture Finishes  
 nero · black  
 nero opaco · matt black  
 bianco · white  
 mud

p. 308



**SNOOPY**  
 Achille and Pier Giacomo Castiglioni, 1967  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 10W E27 965lm 3000K [e] cod. RF29186 DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. RF28782 DIMMABLE

A+ → E

Materiali · Materials  
 marmo, metallo · marble, metal

Peso · Weight 7,9 Kg DIMMER INCLUDED

CE I P 20

Colori Colors  
 nero · black ● F6380030  
 verde · green ● F6380039

Finiture Finishes  
 nero · black  
 verde · green

p. 120



**SPLÜGEN BRÄU**  
 Achille and Pier Giacomo Castiglioni, 1961  
 Potenza · Power MAX 70W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 10W E27 965lm 2700K [e] cod. RF28663 DIMMABLE

A+ → E

Materiali · Materials  
 alluminio · aluminum

Peso · Weight 1,5 Kg

CE I P 20

Colori Colors  
 alluminio · aluminum || F6500000

Finiture Finishes  
 alluminio · aluminum

p. 278



**SPUN LIGHT F**  
 Sebastian Wrong, 2003  
 Potenza · Power MAX 250W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 21W E27 2452lm 3000K [e] cod. RF26998 DIMMABLE

A+ → E

Materiali · Materials  
 metallo, alluminio · metal, aluminum

Peso · Weight 9,3 Kg DIMMER INCLUDED

CE I P 20

Colori Colors  
 bianco · white ○ F6612009  
 nero · black ● F6612030  
 mud ● F6612021

Finiture Finishes  
 bianco · white  
 nero · black  
 mud

p. 202



**SPUN LIGHT T1**  
 Sebastian Wrong, 2003  
 Potenza · Power MAX 150W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 21W E27 2452lm 3000K [e] cod. RF26998 DIMMABLE

A+ → E

Materiali · Materials  
 metallo, alluminio · metal, aluminum


Peso · Weight 4,3 Kg DIMMER INCLUDED

CE I P 20

Colori Colors  
 bianco · white ○ F6610009  
 nero · black ● F6610030  
 mud ● F6610021

Finiture Finishes  
 bianco · white  
 nero · black  
 mud

p. 142



**SPUN LIGHT T2**  
 Sebastian Wrong, 2003  
 Potenza · Power MAX 250W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED 21W E27 2452lm 3000K [e] cod. RF26998 DIMMABLE

A+ → E

Materiali · Materials  
 metallo, alluminio · metal, aluminum

Peso · Weight 5,6 Kg DIMMER INCLUDED

CE I P 20

Colori Colors  
 bianco · white ○ F6611009  
 nero · black ● F6611030  
 mud ● F6611021

Finiture Finishes  
 bianco · white  
 nero · black  
 mud

p. 142



**STRING LIGHT TESTA A CONO · CONE HEAD**  
 Michael Anastassiades, 2014  
 Potenza · Power 21W  
 Tensione · Voltage 100-240V/48V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED ARRAY 21W 2700K 1033lm CRI93 [I] DIMMABLE - BLUETOOTH CONTROL

LED INCLUDED NOT REPLACEABLE

Materiali · Materials  
 alluminio, policarbonato · aluminum, polycarbonate

completare con rosone o "floor switch" - compulsory to add either floor switch or c/w rose

Peso · Weight 0,95 Kg (12 mt.) - 1,05 Kg (22 mt.) DIMMER INCLUDED

CE I P 20

Colori Colors  
 nero · black ● F6481030 CAVO 12 mt.  
 nero · black ● F6491030 CAVO 22 mt.

Finiture Finishes  
 nero · black  
 nero · black

p. 263



**STRING LIGHT TESTA A SFERA · SPHERE HEAD**  
 Michael Anastassiades, 2014  
 Potenza · Power 21W  
 Tensione · Voltage 100-240V/48V

Fonte luminosa (disponibile) · Light source (available)  
 1 LED ARRAY 21W 2700K 1345lm CRI93 [I] DIMMABLE - BLUETOOTH CONTROL

LED INCLUDED NOT REPLACEABLE

Materiali · Materials  
 alluminio, policarbonato · aluminum, polycarbonate

completare con rosone o "floor switch" - compulsory to add either floor switch or c/w rose

Peso · Weight 1,15 Kg (12 mt.) - 1,25 Kg (22 mt.) DIMMER INCLUDED

CE I P 20

Colori Colors  
 nero · black ● F6480030 CAVO 12 mt.  
 nero · black ● F6490030 CAVO 22 mt.

Finiture Finishes  
 nero · black  
 nero · black

p. 263

[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [I] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



## STRING LIGHT

## ACCESSORI · ACCESSORIES

Tensione · Voltage 100-240V/48V

Descrizione · Description

Rosone da parete o soffitto per l'installazione di massimo 3 teste con tre possibili vie di uscita · *Wallrose. Feed up 3 heads maximum; 3 wayout for cables. Wall or ceiling installation*

Finiture  
Finishes  
nero · black

Colori  
Colors  
F6482030



p. 263



## STRING LIGHT

## ACCESSORI · ACCESSORIES

Tensione · Voltage 100-240V/48V

Descrizione · Description


"Floor Switch" per l'installazione di massimo due teste con due possibili vie di uscita per il cavo. Alloggio interno per arrotolare 10 metri di cavo · *Floor Switch. Feed up two heads maximum; Two wayout for cables. Space to wrap 10 meters cable*

Finiture  
Finishes  
nero · black

Colori  
Colors  
F6484030



p. 263



## STRING LIGHT

## ACCESSORI · ACCESSORIES

Descrizione · Description

Cavo di connessione supplementare per comporre configurazioni personalizzate · *Extra connection cable to compose personal configurations*

Finiture  
Finishes  
nero · black

Colori  
Colors  
F6485030

p. 263



## STYLOS

Achille Castiglioni, 1984

Potenza · Power 1 x MAX 120W + 1 x MAX 100W

Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
1 x MAX 120W E27 PAR 38 872lm 2700K  
[i] cod. [RF2448Q](#) DIMMABLE + 1 LED 21W  
E27 2452lm 3000K [i] cod. [RF26998](#)  
DIMMABLE  
Doppia accensione · *Double switch*

Materiali · *Materials*  
polimetilmetacrilato, acciaio ·  
*polymethylmethacrylate, steel*

Peso · Weight 9,6 Kg

Finiture  
Finishes  
argento · silver

Colori  
Colors  
F6310004



p. 182



## SUPERARCHIMOON

Philippe Starck, 2000

Potenza · Power MAX 250W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
1 LED 21W E27 2452lm 3000K [e]  
cod. [RF26998](#) DIMMABLE

Materiali · *Materials*  
tessuto, vetro, acciaio, alluminio · *fabric, glass,  
steel, aluminum*


Peso · Weight 91 Kg DIMMER INCLUDED

Finiture  
Finishes  
tessuto · fabric

Colori  
Colors  
F6366020



p. 208



## SUPERARCHIMOON OUTDOOR/INDOOR

Philippe Starck, 2007

Potenza · Power MAX 250W

Tensione · Voltage 220-240V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
1 LED 21W E27 2450lm 3000K [e]  
cod. [RF26998](#) DIMMABLE

Materiali · *Materials*  
alluminio, polycarbonato, PVC ·  
*aluminum, polycarbonate, PVC*


Peso · Weight 161,70 Kg DIMMER INCLUDED

Finiture  
Finishes  
panama  
green wall

Colori  
Colors  
F6367022  
F6367041



p. 408



## SUPERLOON

Jasper Morrison, 2015

Potenza · Power 45W

Tensione · Voltage 100-240V/48V

LED INCLUDED  
NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
EDGE LIGHTING 45W 2716lm  
2200/2800K CRI80 [i] DIM TO WARM

Materiali · *Materials*  
alluminio, PMMA · *aluminum, PMMA*

Peso · Weight 11 Kg DIMMER INCLUDED

Finiture  
Finishes  
bianco · white  
nero · black  
cromo · chrome

Colori  
Colors  
F6630009  
F6630030  
F6630057



p. 171



## TAB F

E. Barber &amp; J. Osgerby, 2011

Potenza · Power 9W

Tensione · Voltage 100-240V/24V

LED INCLUDED  
NOT REPLACEABLE

Fonte luminosa (disponibile) ·  
*Light source (available)*  
14 LED 9W 347lm 2700K CRI90 [i]

Materiali · *Materials*  
alluminio, PMMA · *aluminum, PMMA*

Peso · Weight 2 Kg

Finiture  
Finishes  
bianco · white  
nero · black  
dark green  
blue matt

Colori  
Colors  
F6564009  
F6564030  
F6564031  
F6564014



p. 188

**TAB T**  
 E. Barber & J. Osgerby, 2011  
 Potenza · Power 9W  
 Tensione · Voltage 100-240V/24V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 14 LED 9W 347lm 2700K CRI90 [i]  
 DIMMABLE

Materiali · Materials  
 alluminio, PMMA · *aluminum, PMMA*


Peso · Weight 0,8 Kg

Finiture Finishes  
 bianco · white  
 nero · black  
 dark green  
 blue matt

Colori Colors  
 ○ F6563009  
 ● F6563030  
 ● F6563031  
 ● F6563014

CE IP20

p. 116



**TACCIA**  
 Achille and Pier Giacomo Castiglioni, 1962  
 Potenza · Power 28W  
 Tensione · Voltage 100-240V/48V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 1 COB LED 28W 2700K CRI93 [i]  
 DIMMABLE

Materiali · Materials  
 vetro, alluminio · *glass, aluminum*


Peso · Weight 10,7 Kg DIMMER INCLUDED

Finiture Finishes  
 argento · silver  
 nero · black  
 bronzo · bronze

Colori Colors  
 ● F6602004  
 ● F6602030  
 ● F6602046

CE IP20

p. 110



**TACCIA (PMMA)**  
 Achille and Pier Giacomo Castiglioni, 1962  
 Potenza · Power 28W  
 Tensione · Voltage 100-240V/48V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 1 COB LED 28W 2700K CRI93 [i]  
 DIMMABLE

Materiali · Materials  
 PMMA, alluminio · *PMMA, aluminum*


Peso · Weight 7,6 Kg DIMMER INCLUDED

Finiture Finishes  
 argento · silver  
 nero · black  
 bronzo · bronze

Colori Colors  
 ● F6607004  
 ● F6607030  
 ● F6607046

CE IP20

p. 110



**TACCIA SMALL**  
 Achille and Pier Giacomo Castiglioni, 1962  
 Potenza · Power 16W  
 Tensione · Voltage 100-240V/24V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 1 COB LED 16W 2700K CRI92 [i]  
 DIMMABLE

Materiali · Materials  
 vetro, alluminio · *glass, aluminum*

Peso · Weight 4,25 Kg DIMMER INCLUDED

Finiture Finishes  
 argento · silver  
 nero · black  
 bronzo · bronze

Colori Colors  
 ● F6604004  
 ● F6604030  
 ● F6604046

CE IP20

p. 110



[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*

**TARAXACUM 1**  
 Achille and Pier Giacomo Castiglioni, 1960  
 Potenza · Power MAX 100W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE 0 · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE

Materiali · Materials  
 cocoon, acciaio · *cocoon, steel*


Peso · Weight 2,1 Kg

Finiture Finishes  
 bianco · white

Colori Colors  
 ○ F7401009

CE IP20

p. 290



**TARAXACUM 2**  
 Achille and Pier Giacomo Castiglioni, 1960  
 Potenza · Power MAX 100W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 1 LED 15W E27 2000lm 2700K [e] cod. RF28665 DIMMABLE 0 · or 1 LED 15W E27 2000lm 3000K [e] cod. RF28666 DIMMABLE

Materiali · Materials  
 cocoon, acciaio · *cocoon, steel*


Peso · Weight 2,8 Kg

Finiture Finishes  
 bianco · white

Colori Colors  
 ○ F7402009

CE IP20

p. 290



**TARAXACUM 88 C/W**  
 Achille Castiglioni, 1988  
 Potenza · Power 15 x MAX 40W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 15 LED 3W E27 170lm 2500K [e] cod. RF24894 DIMMABLE (SINGLE PACK) 0 · or 15 LED 3W E27 170lm 2500K [e] cod. RF27119 DIMMABLE (KIT X 15 LAMP)

Materiali · Materials  
 alluminio · *aluminum*


Peso · Weight 2,3 Kg

Finiture Finishes  
 alluminio · *aluminum*

Colori Colors  
 || F7420000

CE IP20

p. 356



**TARAXACUM 88 S1**  
 Achille Castiglioni, 1988  
 Potenza · Power 60 x MAX 40W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) ·  
*Light source (available)*  
 LED INCLUDED NOT REPLACEABLE  
 60 LED 3W E27 170lm 2500K [e] cod. RF24894 DIMMABLE (SINGLE PACK) 0 · or 60 LED 3W E27 170lm 2500K [e] cod. RF27119 DIMMABLE (KIT X 15 LAMP)

Materiali · Materials  
 alluminio · *aluminum*


Peso · Weight 10,6 Kg

Finiture Finishes  
 alluminio · *aluminum*

Colori Colors  
 || F7430000

CE IP20

p. 290



[e] fonte luminosa esclusa · *excluded light source* - [i] fonte luminosa inclusa · *included light source* - \* fonte luminosa non dimmerabile · *not dimmable light source*



**TARAXACUM 88 S2**

Achille Castiglioni, 1988  
 Potenza · Power 120 x MAX 40W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 A+ → E 120 LED 3W E27 170lm 2500K [e] cod. RF24894 DIMMABLE (SINGLE PACK) o · or 120 LED 3W E27 170lm 2500K [e] cod. RF27119 DIMMABLE (KIT X 15 LAMP)

Materiali · Materials  
 alluminio · aluminum


Peso · Weight 14,2 Kg

Finiture Finishes  
 alluminio · aluminum

Colori Colors  
 || F7440000



p. 270



**TATOU F**

Patricia Urquiola, 2012  
 Potenza · Power MAX 205W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 A+ → E 1 LED 21W E27 2452lm 3000K [e] cod. RF26998 DIMMABLE

Materiali · Materials  
 policarbonato, acciaio · polycarbonate, steel

Peso · Weight 16,4 Kg DIMMER INCLUDED

Finiture Finishes  
 bianco · white  
 nero · black  
 grigio ocra · ochre-grey

Colori Colors  
 ○ F7764009  
 ● F7764030  
 ● F7764048



p. 176



**TATOU S1**

Patricia Urquiola, 2012  
 Potenza · Power MAX 70W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 A+ → E 1 LED 10W E27 965lm 3000K [e] cod. RF29186 DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. RF28782 DIMMABLE

Materiali · Materials  
 policarbonato · polycarbonate

Peso · Weight 1,2 Kg

Finiture Finishes  
 bianco · white  
 nero · black  
 grigio ocra · ochre-grey

Colori Colors  
 ○ F7762009  
 ● F7762030  
 ● F7762048



p. 275



**TATOU S2**

Patricia Urquiola, 2012  
 Potenza · Power MAX 205W  
 Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
 A+ → E 1 LED 21W E27 2452lm 3000K [e] cod. RF26998 DIMMABLE

Materiali · Materials  
 policarbonato · polycarbonate

Peso · Weight 4,7 Kg


Finiture Finishes  
 bianco · white  
 nero · black  
 grigio ocra · ochre-grey

Colori Colors  
 ○ F7766009  
 ● F7766030  
 ● F7766048



p. 275

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**TATOU T1**

Patricia Urquiola, 2012  
 Potenza · Power MAX 70W  
 Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
 A+ → E 1 LED 10W E27 965lm 3000K [e] cod. RF29186 DIMMABLE o · or 1 LED 10W E27 965lm 2700K [e] cod. RF28782 DIMMABLE

Materiali · Materials  
 policarbonato · polycarbonate

Peso · Weight 2,7 Kg DIMMER INCLUDED

Finiture Finishes  
 bianco · white  
 nero · black  
 grigio ocra · ochre-grey

Colori Colors  
 ○ F7761009  
 ● F7761030  
 ● F7761048



p. 127



**TIGHT LIGHT**

Piero Lissoni, 2011  
 Potenza · Power 20W  
 Tensione · Voltage 100-240V

LED INCLUDED NOT REPLACEABLE  
 Fonte luminosa (disponibile) · Light source (available)  
 48 TOP LED 2x10W 1989lm total 3000K CR180 [i]

Materiali · Materials  
 PMMA, alluminio · PMMA, aluminum


Peso · Weight 1,1 Kg

Finiture Finishes  
 bianco · white

Colori Colors  
 ○ F0011009



p. 352



**TILEE**

Marcello Ziliani, 2005  
 Potenza · Power MAX 60W  
 Tensione · Voltage 220-250V

A+ → E Fonte luminosa (disponibile) · Light source (available)  
 1 LED 3W G9 290lm 2700K\* [e] cod. RF28425 o · or 1 LED 2W G9 240lm 2700K\* [e] cod. RF26520

Materiali · Materials  
 vetro, zama · glass, zamak

Peso · Weight 0,8 Kg

Finiture Finishes  
 bianco · white

Colori Colors  
 ○ F7460009



**TOIO**

Achille and Pier Giacomo Castiglioni, 1962  
 Potenza · Power MAX 300W  
 Tensione · Voltage 220-240V

A+ → D Fonte luminosa (disponibile) · Light source (available)  
 1 x 300W aluPAR 56 MFL 3000K [i] cod. RF17899 DIMMABLE

Materiali · Materials  
 acciaio · steel

Peso · Weight 8,2 Kg DIMMER INCLUDED

Finiture Finishes  
 bianco · white  
 nero · black  
 rosso · red

Colori Colors  
 ○ F7600009  
 ● F7600030  
 ● F7600035



p. 200

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**TOIO LED**  
Achille and Pier Giacomo Castiglioni, 1962  
Potenza · Power MAX 25W LED  
Tensione · Voltage 220-240V

Fonte luminosa (disponibile) · Light source (available)  
A+ → D  
1 LED 23W PRO PAR 56 1600lm 3000K [e] cod. [RF27690](#) DIMMABLE  
or 1 LED 23W PRO PAR GX16 1500lm 2500K [i] cod. [RF28275](#)

Materiali · Materials  
acciaio · steel

Peso · Weight 8,2 Kg DIMMER INCLUDED

Finiture Finishes  
bianco · white  
nero · black  
rosso · red

Colori Colors  
○ F7630009  
● F7630030  
● F7630035

CE IP20

p. 200



**WAN C/W**  
Johanna Grawunder, 2005  
Potenza · Power MAX 40W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E  
1 x 33W HSGS G9 460lm 2700K [e] cod. [RF18863](#)

Materiali · Materials  
alluminio · aluminum

Peso · Weight 0,4 Kg

Finiture Finishes  
bianco · white  
nero · black

Colori Colors  
○ F9550009  
● F9550030

CE IP20

p. 360



**WAN S**  
Johanna Grawunder, 2006  
Potenza · Power MAX 40W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E  
1 x 33W HSGS G9 460lm 2700K cod. [RF18863](#)

Materiali · Materials  
alluminio · aluminum


Peso · Weight 0,6 Kg

Finiture Finishes  
bianco · white  
nero · black

Colori Colors  
○ F9560009  
● F9560030

CE IP20

p. 283



**WIRERING**  
Formafantasma, 2018  
Potenza · Power 16W  
Tensione · Voltage 24V

Fonte luminosa (disponibile) · Light source (available)  
LED INCLUDED NOT REPLACEABLE  
180 LED 16W 2700K 712lm CRI90 [i] DIMMABLE

Materiali · Materials  
alluminio - gomma - PC · aluminum - rubber - PC

Peso · Weight 0,945 Kg DIMMER INCLUDED

Finiture Finishes  
bianco/bianco · white/white  
bianco/grigio · white/grey  
bianco/nero · white/black  
bianco/rosa · white/pink  
bianco/oro · white/gold  
grigio/bianco · grey/white  
grigio/grigio · grey/grey  
grigio/nero · grey/black  
grigio/rosa · grey/pink  
grigio/oro · grey/gold  
rosa/bianco · pink/white  
rosa/grigio · pink/grey  
rosa/nero · pink/black  
rosa/rosa · pink/pink  
rosa/oro · pink/gold

Colori Colors  
○ F9512009  
○ F9512020  
● F9512030  
● F9512034  
● F9512044  
● F9513009  
● F9513020  
● F9513030  
● F9513034  
● F9513044  
● F9514009  
● F9514020  
● F9514030  
● F9514034  
● F9514044

CE IP20

p. 338



**VISCONTEA**  
Achille and Pier Giacomo Castiglioni, 1960  
Potenza · Power MAX 100W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E  
1 LED 15W E27 2000lm 2700K [e] cod. [RF28665](#) DIMMABLE o · or 1 LED 15W E27 2000lm 3000K [e] cod. [RF28666](#) DIMMABLE

Materiali · Materials  
cocoon, acciaio · cocoon, steel


Peso · Weight 1,7 Kg

Finiture Finishes  
bianco · white

Colori Colors  
○ F8001009

CE IP20

p. 292



**ZEPPELIN 1**  
Marcel Wanders, 2005  
Potenza · Power MAX 250W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E  
1 LED 21W E27 2452lm 3000K [e] cod. [RF26998](#) DIMMABLE

Materiali · Materials  
cocoon, acciaio, cristallo · cocoon, steel, crystal


Peso · Weight 15 Kg

Finiture Finishes  
bianco · white

Colori Colors  
○ F9800009

CE IP20

p. 310



**ZEPPELIN 2**  
Marcel Wanders, 2005  
Potenza · Power 3 x MAX 150W  
Tensione · Voltage 220-250V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E  
3 LED 21W E27 2452lm 3000K [e] cod. [RF26998](#) DIMMABLE

Materiali · Materials  
cocoon, acciaio, cristallo · cocoon, steel, crystal

Prodotto su richiesta  
Made on demand

Peso · Weight 30 Kg

Finiture Finishes  
bianco · white

Colori Colors  
○ F9805009

CE IP20

p. 310



**ABAJOUR'HUI SMALL**  
Fios Soft Architecture  
Potenza · Power 75W  
Tensione · Voltage 230V

Fonte luminosa (disponibile) · Light source (available)  
A+ → E  
1 x MAX 75W E27 QT-32 [e]

Materiali · Materials  
installazione su cartongesso · plaster installation

Peso · Weight 8,25 Kg

Finiture Finishes  
cartongesso · plaster


Colori Colors  
○ SA.5001.1

CE IP20

p. 370

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**ABAJOUR'HUI LARGE**

Flos Soft Architecture

Finiture Finishes cartongesso · plaster  
 Colori Colors SA.5000.1


A+ → E Fonte luminosa (disponibile) · Light source (available)  
 1 x MAX 150W E27 QT-32 [e]

Materiali · Materials installazione su cartongesso · plaster installation

Peso · Weight 16,25 Kg



p. 370



**SOFT SPUN SMALL FL**

Flos Soft Architecture

Finiture Finishes cartongesso · plaster  
 Colori Colors SA.5004.1


A Fonte luminosa (disponibile) · Light source (available)  
 2 x 18W 2G11 [e] Ballast elettronico · Electronic Ballast

Materiali · Materials installazione su cartongesso · plaster installation

Peso · Weight 8,5 Kg



p. 372



**SOFT SPUN SMALL HL**

Flos Soft Architecture

Finiture Finishes cartongesso · plaster  
 Colori Colors SA.5005.1


A+ → E Fonte luminosa (disponibile) · Light source (available)  
 1 x MAX 120W R7s QT-DE-12 [e]

Materiali · Materials installazione su cartongesso · plaster installation

Peso · Weight 8,5 Kg



p. 372



**SOFT SPUN SMALL LED**

Flos Soft Architecture

Finiture Finishes cartongesso · plaster  
 Colori Colors SA.5006.1D

LED INCLUDED NOT REPLACEABLE Fonte luminosa (disponibile) · Light source (available)  
 1 LED WHITE 35W 1800lm 3000K CRI90 [i] Driver elettronico · Electronic Driver


Materiali · Materials installazione su cartongesso · plaster installation

Peso · Weight 8,5 Kg



p. 372

[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source



**SOFT SPUN LARGE FL**

Flos Soft Architecture

Finiture Finishes cartongesso · plaster  
 Colori Colors SA.5008.1


A Fonte luminosa (disponibile) · Light source (available)  
 2 x 24W 2G11 TC-L [e]  
 Ballast elettr. · Elect. Ballast  
 + 1 LED 1.4W 80lm 2700K CRI>90 (base) [i] Driver elettronico · Electronic Driver

Materiali · Materials installazione su cartongesso · plaster installation

Peso · Weight 17 Kg



p. 372



**SOFT SPUN LARGE HL**

Flos Soft Architecture

Finiture Finishes cartongesso · plaster  
 Colori Colors SA.5009.1


A Fonte luminosa (disponibile) · Light source (available)  
 LED INCLUDED NOT REPLACEABLE 1 x MAX 160W R7s QT-DE (diff.) [e] + 1 LED 1.4W 80lm 2700K CRI>90 (base) [i] Driver elettronico · Electronic Driver

Materiali · Materials installazione su cartongesso · plaster installation

Peso · Weight 17 Kg



p. 372



**SOFT SPUN LARGE LED**

Flos Soft Architecture

Finiture Finishes cartongesso · plaster  
 Colori Colors SA.5007.1D

LED INCLUDED NOT REPLACEABLE Fonte luminosa (disponibile) · Light source (available)  
 1 LED WHITE 35W 1800lm 3000K CRI90 (diff.) [i] Driver elettr. · Elect. Driver  
 + 1 LED WHITE 1,4W 80lm 2700K CRI>90 (base) [i] Driver elettr. · Elect. Driver

Materiali · Materials installazione su cartongesso · plaster installation

Peso · Weight 17 Kg




p. 372


[e] fonte luminosa esclusa · excluded light source - [i] fonte luminosa inclusa · included light source - \* fonte luminosa non dimmerabile · not dimmable light source




## CLASSIFICAZIONE E MARCHI DI CERTIFICAZIONE · CLASSIFICATION & HOMOLOGATIONS


Classi di isolamento delle lampade · *Luminaires classification*


	Classe I: lampada la cui protezione contro la scarica elettrica non si basa solo sull'isolamento di base dell'apparecchio, ma su un ulteriore sistema di sicurezza che consiste nel collegamento dei componenti conduttivi accessibili a un conduttore di sicurezza (messa a terra) facente parte dell'impianto elettrico fisso · <i>Class I: Luminaire in which protection against electrical shocks is not just based on the basic insulation but also on an additional safety precautions consisting of connecting the accesible conductive parts to a safety conductor (earth)</i>
---	--


	Classe II: Lampada la cui protezione contro la scarica elettrica non si basa solo sull'isolamento di base dell'apparecchio, ma su un ulteriore misura di sicurezza che consiste in un doppio isolamento rinforzato senza dispositivi per la messa a terra · <i>Class II: Luminaire in which protection against electrical shocks is not just based on the basic insulation but also on an additional safety precautions consisting of double reinforced insulation without conductive parts to a safety conductor (earth)</i>
---	---

	Classe III: Lampada la cui protezione contro la scarica elettrica si basa su un sistema a bassissima tensione, che non viene mai superata. Una lampada di Classe III non deve mai essere fornita con la messa a terra · <i>Class III: Luminaire in which protection against electrical shocks is based on the very low safety supply voltage and no voltages are produced higher than this. A Class III luminaire must never be provided with earthing</i>
---	--

Omologazioni · *Homologations*


	Tutte le lampade prodotte e presentate in questo programma sono state realizzate in conformità con la Norma Europea EN 60 598 e sono pertanto conformi ai requisiti definiti nella Direttiva CEE 73/23 (Direttiva di Bassa Tensione). La loro realizzazione garantisce anche la conformità alla Direttiva 89/336 per quanto concerne la Compatibilità Elettromagnetica. Tutti i prodotti rientranti nel campo di applicazione delle suddette Direttive riportano la marcatura CE, che ne attesta la conformità ai relativi requisiti · <i>All lamps manufactured and illustrated in this catalog comply with European Standard EN 60 598 and consequently meet the requirements set forth in Directive 73/23 EEC (Low Voltage Directive). They also comply with Directive 89/336 covering electromagnetic compatibility. All products falling under the scope of the above-mentioned Directives bear the CE mark as proof of their compliance with the respective requirements</i>
---	--


	La presenza del marchio ENEC sul prodotto conferma l'adempimento della Normativa Europea e garantisce l'affidabilità del sistema organizzativo e produttivo responsabile della fabbricazione del prodotto, attraverso un ente di certificazione accreditato. Il marchio ENEC conferma il nostro impegno ed è la migliore garanzia in tema di sicurezza e qualità di tutti i nostri prodotti · <i>The ENEC mark on the product stands for the compliance of European Standard as well as a trustworthy organisation and product system and is guaranteed by an accredited certification body. This agreed mark stands for our engagement and represents the best guarantee in security and quality matter of our products</i>
---	--


	L'Associazione Spagnola di Normalizzazione e Certificazione AENOR certifica che il Sistema di garanzia di qualità adottato dalla Antares Iluminación S. A. soddisfa i requisiti della Norma Europea EN ISO 9001: Sistema di Qualità. · <i>The Spanish Association for Standards and Certification AENOR, certifies that quality assurance system adopted by Antares Iluminación, S.A. complies with the requirements of the standard UNE-EN ISO-9001 Quality Systems.</i>
---	---




## GRADO DI PROTEZIONE · DEGREE OF PROTECTION


	Indice di protezione contro la penetrazione di corpi solidi e di liquidi · <i>Protection degree offered by the fixture to the ingress of solids and liquids</i>
---	---

	1a cifra, protezione contro la penetrazione dei corpi solidi: 0 Nessuna protezione - 1 Protezione contro i corpi solidi di dimensioni superiori a 50mm - 2 Protezione contro i corpi solidi di dimensioni superiori a 12mm - 3 Protezione contro i corpi solidi di dimensioni superiori a 2,5mm - 4 Protezione contro i corpi solidi di dimensioni superiori a 1mm - 5 Protezione contro la polvere - 6 Totalmente protetto contro la polvere · <i>1st figure, protection against penetration by solid bodies: 0 No protection - 1 Protected against solid bodies over 50 mm in diameter - 2 Protected against solid bodies over 12 mm in diameter - 3 Protected against solid bodies over 2,5 mm in diameter - 4 Protected against solid bodies over 1 mm in diameter - 5 Protected against dust - 6 Fully protected against dust</i>
---	--

	2a cifra, protezione contro l'infiltrazione di acqua: 0 Nessuna protezione - 1 Protezione contro la caduta in verticale di gocce d'acqua - 2 Protezione contro la caduta in verticale di gocce d'acqua con angolo di inclinazione max di 15° - 3 Protezione contro la caduta in verticale di gocce d'acqua con angolo di inclinazione max di 60° - 4 Protezione contro gli spruzzi d'acqua - 5 Protezione contro i getti d'acqua - 6 Protezione contro le ondate d'acqua - 7 Protezione contro l'immersione - 8 Protezione contro l'immersione prolungata · <i>2nd figure, protection against penetration by water: 0 No protection - 1 Protected against drops of water falling vertically - 2 Protected against drops of water at a max. inclination of 15 degrees - 3 Protected against drops of water at a max. inclination of 60 degrees - 4 Protected against splashed of water - 5 Protected against jets of water - 6 Protected against waves - 7 Protected against immersion - 8 Protected against long term immersion</i>
---	---

Simbologia · *Pictography*

	Apparecchio idoneo per essere installato su superfci normalmente infiammabili · <i>Luminaire with built-in power packs or transformers, suitable for mounting directly onto normally inflammable surfaces</i>
---	---

	Distanza minima dagli oggetti illuminati · <i>Minimum distance from illuminated objects</i>
---	---

In conformità con quanto previsto dal Regolamento 874/2012/EU, integrazione della Direttiva 2010/30/UE e relativo all'etichettatura indicante il consumo d'energia delle lampade elettriche e la compatibilità degli apparecchi di illuminazione con le diverse fonti luminose (integrate o con questi compatibili), Flos S.p.A. ha inserito le etichette richieste, in formato elettronico, sul proprio sito ([www.flos.com](http://www.flos.com)) nell'area relativa ai prodotti. Le modalità per scaricare le etichette, nelle diverse lingue previste a livello comunitario, sono le seguenti: • Selezionare la collezione/il prodotto di interesse (per esempio <http://www.flos.com/decorative/en/products/floor/Arco>) • Cliccare "Vedi scheda tecnica" • Cliccare "Print Energy Label" • Selezionare la lingua e stampare l'etichetta · *In accordance with the provisions of Regulation 874/2012/EU and integration of the Directive 2010/30/UE concerning labeling indicating the energy consumption of electric lamps and the compatibility of lighting appliances with different light sources (integrated or compatible with these), Flos SpA has inserted the required labels, in electronic form, on its website ([www.flos.com](http://www.flos.com)) in the area relating to products. The methods to download the labels in different languages envisaged at Community level are as follows: • Choose the collection/product you are interested in (for ex: <http://www.flos.com/decorative/en/products/floor/Arco>) • Click on "see specs sheet" • Click on "Print Energy Label" • Select the language and print the label*

# WHERE TO FIND US

La nostra rete internazionale di distributori, flagship store e showroom  
Our international network of distributors, flagship stores and showrooms

## ITALY

Flos Spa  
Via Angelo Faini, 2  
25073 Bovezzo (Brescia)  
Tel +39 0302438.1  
info@flos.com

## SPAIN

Antares Iluminación S.A.U.  
Calle Mallorca, 1  
Polígono Industrial Reva 46394 Ribarroja (Valencia)  
Tel +34 96 166 95 20  
Fax +34 96 166 82 86  
flos.architectural@flos.com

## ITALY

Ares srl  
Via dell'Artigianato, 24  
20881 Bernareggio (Monza)  
Tel +39 0396900892  
flos.outdoor@flos.com

## DISTRIBUTION

**BELGIUM & LUXEMBOURG**  
Flos Belux  
M +32 474 739 080  
flosbelux@flos.com

**FRANCE**  
Flos France  
20-22, Passage Dauphine  
75006 Paris  
Tel +33 (0) 1 40 64 17 44  
flos.france@flos.com

**GERMANY**  
Flos Gmbh  
Obermünsterstraße 18  
93047 Regensburg  
Tel +49-941-630837-00  
info@flos-gmbh.de

**UNITED KINGDOM**  
Atrium Ltd.  
28 Leonard Street  
EC2A 4BY London  
Tel +44 (0) 20 7681 9933  
Fax +44 (0) 20 7681 9943  
flos@atrium.ltd.uk

**UNITED KINGDOM**  
International Projects UK  
Division  
Tel +44 (0) 20 7681 9933  
flos.international@flos.com

**DENMARK**  
Flos Scandinavia A/S  
Sydhavnsgade 28  
DK-2450 København SV  
Tel +45 (0) 3388 60 00  
Fax +45 (0) 3388 60 10  
info@flos.dk

**NORWAY**  
Drammensveien 120  
0277 Oslo - Norway  
Tel +47 (0) 2212 86 00  
Fax +47 (0) 2212 86 08  
info@flos.no

**THE NETHERLANDS**  
Flos BV  
Cruquiusweg 109S  
1019 AG Amsterdam  
Tel +31 (0) 20 560 50 60  
Fax +31 (0) 20 560 50 70  
flosnetherlands@flos.com

**U. S. A.**  
Flos USA Inc.  
110 York Street - 5th Floor  
Brooklyn, NY 11201  
Tel +1 (718) 875-3472  
Fax +1 (718) 875-3473  
info@flosusa.com

**JAPAN**  
Flos Co., Ltd.  
PMC Building 9F  
1-23-5 Higashiazabu Minato-Ku Tokyo 104-0044  
Tel +81 (0) 3 3582 1468  
Fax +81 (0) 3 3582 097  
flosjapan@flosjapan.com

**FAR EAST**  
Flos Representative Office  
1, Commonwealth Lane  
#08-12, 149544 Singapore  
Tel +65 (0) 6372 1495  
Fax +65 (0) 6372 7607  
flosasia@flos.com

**CHINA**  
Flos Illumination (Shanghai)  
Co. Ltd. Unit 101, Floor 1,  
Building B9 No. 800 of Chang  
De road Jing An District,  
Shanghai, 200040, China  
Tel: 86 021 62176187  
floschina@flos.com

**SWEDEN**  
Flos Scandinavia A/S  
Karlplan Lützengatan 1  
S-115-20  
Tel +46 (0) 8 660 4405  
Fax +46 (0) 8 660 7005  
info@flos.se

**AUSTRIA - GERMANY  
SWITZERLAND**  
Flos Gmbh  
Obermünsterstraße 18  
93047 Regensburg, Germany  
Tel +49 941 630837 00  
Fax +49 941 630837 60  
info@flos-gmbh.de

**LATIN AMERICA**  
Flos LatAm  
M +52 55 6960 1772  
flos.latinoamerica@flos.com

**INDIA**  
Flos Representative Office  
1, Commonwealth Lane  
#08-12, 149544 Singapore  
Tel +65 (0) 6372 1495  
Fax +65 (0) 6372 7607  
flosindia@flos.com

**MIDDLE EAST**  
Flos Middle East  
Dubai Design District  
Dubai, United Arab Emirates  
Tel +971 54 3567356  
flosme@flos.com

**HONG KONG**  
M +852 9307 3713  
flosasia@flos.com

## FLAGSHIP STORES

**MILANO**  
Corso Monforte, 9  
20122- Milano  
Tel +39 02 37011080  
Fax +39 02 780833  
flosmilano@flos.com

**ROMA**  
Via del Babuino, 85  
00187 - Roma  
Tel +39 06 3207631  
Fax +39 06 3207690  
flosroma@flos.com

**PARIS**  
15, rue de Bourgogne  
75007 - Paris  
Tel +33 (0) 1 53 85 49 93  
Fax +33 (0) 1 53 85 49 99  
shop@flos.fr

**LYON**  
17 rue Jarente  
69002 - Lyon  
Tel +33 478621301  
Fax +33 478622119  
lyon@flos.fr

**NEW YORK**  
152 Greene Street  
NY 10012  
Tel +1 212 941 4760  
Fax +1 212 941 4763  
info@flosusa.com

**STOCKHOLM**  
Karlplan Lützengatan 1 S-115-20  
Tel +46 (0) 8 660 4405  
Fax +46 (0) 8 660 7005  
info@flos.se

## SHOWROOMS

**MILANO**  
Corso Monforte, 15  
20122 Milano  
Tel +39 02 79 84 57  
Fax +39 02 89 78 56 41  
contract.milano@flos.com

**COPENAGHEN**  
Sydhavnsgade 28  
DK-2450 København SV  
Tel +45 (0) 3388 60 00  
Fax +45 (0) 3388 60 10  
info@flos.dk

**OSLO**  
Drammensveien 120  
0277 Oslo - Norway  
Tel +47 (0) 2212 86 00  
Fax +47 (0) 2212 86 08  
info@flos.no

**AMSTERDAM**  
Cruquiusweg 109S  
1019 AG Amsterdam  
The Netherlands  
Tel +31 (0) 20 560 50 60  
Fax +31 (0) 20 560 50 70  
info@flosmail.nl

**TOKYO**  
PMC Building 9F  
1-23-5 Higashiazabu Minato-Ku  
Tokyo 104-0044  
Tel +81 (0) 3 35 82 14 68  
Fax +81 (0) 3 55 75 70 87  
info@flosjapan.com

**PARIS**  
20-22, Passage Dauphine  
75006 Paris  
Tel +33 (0) 1 40 64 17 44  
flos.france@flos.com

# CREDITS

## EDITION

September 2020 © 2020 All rights reserved

## ART DIRECTION

Stefanie Barth & Carina Frey

## DESIGN

Guido Tamino

## STILL LIFE PHOTOGRAPHY

Frank Hülsbömer

## IN PLACE PHOTOGRAPHY

Bastian Achard, Florian Boehm, Germano Borrelli, Beppe Brancato, Santi Caleca, Marco Cappelletti, Studio Casali, Monica Castiglioni, Jackie Chan, Cesare Colombo, Ramak Fazel, Alecio Ferrari, Francesca Ferrari, Luciano Ferri, Vincenzo Flore, Alessandro Furchino Capria, Stefano Galuzzi, Giovanni Gastel, Zoë Ghertner, Stefania Giorgi, Frank Hülsbömer, Andrew Jacobs, Philippe Jarrigeon, Heidi Lerkenfeldt, Nico K. Tucci, Jean Baptiste Mondino, Maria Mulas, Ugo Mulas, Maki Ochoa, Giuseppe Pino, Timm Rautert, Jesper Ray - House of Pictures, Tommaso Sartori, Scheltens & Abbenes, Delfino Sisto Legnani, Luciano Svegliado, Tecma Solutions, Federico Torra, Leo Torri, Jan Verlinde

## PRODUCT PHOTOS

Piero Fasanotto

## ACKNOWLEDGEMENTS

Fondazione Achille Castiglioni, Studio la Città - Verona,  
Alberto Garutti, La Mutina

Flos si riserva il diritto di apportare ai propri modelli, senza alcun preavviso, qualsiasi modifica ritenesse opportuna.  
Flos reserves the right to introduce any changes to its own models, without prior notice.

ALL ABOUT LIGHT

FLOS